

स्टील अथॉरिटी ऑफ़ इंडिया लिमिटेड STEEL AUTHORITY OF INDIA LIMITED कोलियरीज डिवीजन, तासरा

COLLIERIES DIVISION, TASRA

Ref: DGM./Tasra/EC(Comp-Mine)/Dec.25/28

Date: 28.11.2025

To,
The Additional Director(s),
EI Division, MOEF & CC.
Paryavaran Bhawan, CGO Complex,
Lodhi Road, New Delhi – 110003

Sub: Status of compliance to the Condition stipulated in the Environmental Clearance granted by MoEF for Tasra Coal Mining Project (4 MTPA), BSL-Collieries, SAIL for period Apr'2025 to Sep" 2025

Ref: EC granted vide Ref. no. J-11015/122/2007-IA-II(M) dated 13th October, 2009.

Dear Sir,

Please find enclosed herewith the updated six-monthly compliance report for the period Apr'2025 to Sep" 2025 with respect to the condition stipulated in the Environment Clearance granted by MoEFCC, New Delhi vide letter no. J-11015/122/2007-IA-II (M) dated 13th October, 2009 for Tasra Coal Mine Project of M/s Steel Authority of India Limited for kind perusal. Hard copy of the report is enclosed.

Thanking you,

Yours faithfully, For Steel Authority of India Limited

(Pankaj Kumar) Deputy General Manager (Mining), Tasra

Encl: As above

Copy to:

 The Additional Director(s), MOEF&CC (Govt. of India), Integrated Regional Office 2nd Floor, Headquarter- Jharkhand State Housing Board, Harmu Chock, Ranchi -834002

The Member Secretary
 Central Pollution Control Board,
 Parivesh Bhawan, CBD-cum Office complex,
 East Arjun Nagar, Delhi – 110032

 The Member Secretary, JSPCB, Township Administration Building, HEC Complex, Dhurwa, Ranchi 834004.

 The Regional Officer, Regional Office, JSPCB, Dhanbad-826001. पंचाय सुपार / Pankaj Kumar पंच-पहासक्ष्मक (स्वत्र), सामग्र Dy. General Manager (Mining), Tasra शेल - शीएलएल, कोडिस्सरी प्रभाग, सामग्राला SAIL-BSL, College Phylision, Chasnalla

Collieries Division, Chasnalla, Dhanbad, Jharkhand-828135, Telephone: +91-326-2385-001, 2385-002; email: gmtasra@gmail.com, website: www.sail.co.in कोलियरीज डिबीज़न, चासनाला, धनबाद, झारखण्ड-828135, दूरभाष: +91-326-2385-001, 2385-002; ईमेल: gmtasra@gmail.com, वेबसाइट: www.sail.co.in

- 1. **Project Name-**Tasra Coal Mining Project (4 MTPA) of M/s Steel Authority of India Ltd, located in village Tasra, Kandra, Domgarh, Rohrabandh, Het Kandra, Chakchitahi and Chasnalla, in Jharia Coalfields, Dist. Dhanbad, Jharkhand.
- **2. EC Ref. No.-**J-11015/122/2007-IA.II(M)
- 3. Compliance Period- Post-Monsoon Season, 2025

4. Details of Project Area:

Particulars	Project Area as	Actual Project Area in Possession		
	per EC Granted (ha)	Reported in previous compliance Jun_2025	Current status for compliance period Dec_2025	
Private	258.43	0	0	
Revenue Land	25.72	0	0	
Forest	0	0	0	
Others	576.44	31	31	
Total	860.59	31	31	

5. Details of Production Capacity:

	Production Quantity				
Particulars	FY 2023-24		FY 2024-25		
	In Million Cum	In Tonne	In Million Cum	In Tonne	
a) Coal	208322	333316	3,10,986	4,97,577	
b) OB	11,36,609	2386878	15,38,035	3229873	

6. Depth of mines:

Financial Year	Till 1 st June	Till 1 st December
FY 2025-26	68m	70m

	SPECIFIC CONDITIONS			
Sl.	Conditions	PP	Compliance	
No.		Submission		
i	The environmental clearance is restricted	Agreed to	Tasra Coal Mining Project is planned for	
	to opencast operations only. A separate	Comply	opencast mining up to 260 m below ground	
	application shall be submitted for		level. The life of the mine is 28 years including	
	environmental clearance for underground		2 years of construction i.e. development period.	
	mining project proposed below 260 bgl.		Reserves below 260m depth will be extracted	
			by underground mining method, a separate	
			application will be submitted for grant of	
			Environmental Clearance before underground	
			mining operations are undertaken. Presently	
			depth of open cast mine is 70 m only.	
ii	An application for environmental	Complied	1. There was no space available in the Mining	
	clearance shall be made within 3 months		Lease area for installation of washery.	
	for the establishment of a coal washery of		Accordingly separate Environmental clearance	
	3.5 MTPA capacity proposed within the		of Washery was obtained on 30th March, 2017,	

	ML area.		EC granted vide Reference No. J-11015/365/2009-IA.II (M) pt. for installation of Tasra Washery on BSIDC land, the same land would not be transferred in the name of SAIL due to pending decision of assets distribution between Govt. of Jharkhand and Govt. of Bihar. 2. Fresh EC over FCIL land for installation of Tasra Coal Washery was obtained on 14thNovember, 2024 (Vide order No. vide letter no. EC24A0801JH5355205N dated 14th November, 2024). Copy of EC is attached as Annexure-I. During the deliberation of grant of EC the probability of installation of Coal Washery within the mining lease was not feasible (deliberation refer MoM of AGENDA FOR 6th MEETING OF THE EXPERT APPRAISAL COMMITTEE (COAL MINING SECTOR) meeting Coal Mining held from 17/01/2024 to 18/01/2024). Copy of MOM of Agenda is attached as Annexure-II. Local area was deliberated in absence of space, finally EC was granted for Installation of Washery over FCIL Land.
iii	Mining shall be carried out maintaining a minimum distance of 100m between the river Damodar and quarry edge along the northern boundary. The Embankment to be constructed along the River Damodar adjoining the quarry shall be based on peak flow data and shall be at least 3m above the HFL. The slope of the embankment shall atleast 2:1 towards the ML compacted and stone pitching done towards the river and shall be tested for strength before using for construction of embankment.	Agreed to Comply	Presently, small scale mining activities is being carried out at a location 550 m from the Riverbank. Mining activities shall be done maintaining 100 m distance from river edge throughout the project life. In this regard Director General Mine Safety (Ministry of Labour and employment) has issued permission for mining under Regulation 196(3) of the Coal Mines Regulations, 2017. As per regulation 149(6) (b) of CMR 2017, No working shall be made in any mine i.e. any spot lying within horizontal distance of 15 meters from either bank of River or Canal or from the boundary of lake, tank or other surface reservoir. DGMS permission along with plan superimposing the existing quarry over the approved mine plan

Project- Tasra Coal Mining Project (4 MTPA)
EC Ref. No J-11015/122/2007-IA-II(M) dated 13 th October, 2009

			showing the distances of river and nalla from approved mine plan is being attached. The construction of the embankment shall be constructed after the acquisition of private land along the river. In this regard, Application for acquisition of 225 acres of private land has been submitted to District Authority under LARR Act, 2013 for expansion of the mine which also includes the land required for construction of embankment. In this regard, 19.83 acres of land has been acquired, and it is expected that other intervening area will be acquired second quarter of 2026. Construction of embankment shall start by last quarter of 2026 & would progress as mine arrives with acquisition of fresh land & the construction would be completed by 2036. For this, IIT-ISM is conducting detailed study on the engineering and design aspects of the proposed embankment. Further as request to working of the mine without the embankment is carried out with due permission of DGMS. Copy of DGMS Permission with layout and ISM work order is attached as Annexure-III
iv	The plan for diversion and realignment of the Domohani Jore and Cilatu Jore and modification of the natural surface drainage and design of the diversion canal shall be following the natural topography of the region to be done in consultation and approval of the concerned State Flood and irrigation Department. Dimension and depth of the nala shall be finalized based on the peak flow of the water.	Agreed t Comply	Presently, small scale mining activities are being carried out at a location 825 m from the Domohani and Cilatu Jore. In this regard Director General Mine Safety (Ministry of Labour and employment) has issued permission for mining under Regulation 196(3) of the Coal Mines Regulations, 2017. As per regulation 149(6) (b)of CMR 2017, No working shall be made in any mine i.e. any spot lyingwithin horizontal distance of 15 meters from either bank of River or Canal or from the boundary of lake, tank or other surface reservoir. DGMS permission along with plan superimposing the existing quarry over the approved mine plan showing the distances of river and nalla from approved mine plan is being attached. Comprehensive study for the proposed diversion and realignment is being undertaken by IIT-ISM, Dhanbad. Further it is submitted that it would take at least 8 to 10 years for the mine to progress from its existing location to

			the location i.e. 15 m of Domohani Jore and Cilatu Jore. Jore would be diverted before that and soon after the land is acquired. Copy of DGMS permission and ISM work order is attached as <i>Annexure III</i> . Google time map from the date of granting of EC of the project till date to find the changes in house construction in residential area within the awarded land for the mining. In this regard land use map of the area is attached as <i>Annexure-IV</i> .
V	Topsoil shall be stacked properly with proper slope at earmarked site(s) and shall not be kept active and shall be used within a year of generation of reclamation and development of green belt.	Being Complied	Top soil being generated is stacked at a separate available site near OB dump. Permanent site for staking top soil would be available after land acquisition. Land acquisition is under process and would be made available by quarter end of 2025 and thereafter the present top soil would be rehandled and dumped at that location. Protective measures for soil erosion from top soil dump i.e. catch drain and a siltation pond is constructed around the top soil dump. The stacked top soil will be utilized for green belt development and reclamation purpose. Photographs attached as <i>Annexure-V</i> .
vi	OB shall be stacked at earmarked external OB dumpsite within ML area of a maximum height of 90m of 3 benches of 30m each. A garland drain of adequate capacity and toe wall along the OB dump shall be created to arrest the silt flow form the dumps. In addition to the garland drain, a separate 4-6m channel serve as storm water drain shall also be created all along the mine based on peak flow data. Silt arrestors shall be constructed for both garland drain and storm water drain and the drains shall be regularly desilted. Toe wall shall be constructed at the base of the dumps. The dumps shall be strengthened at critical patches with stones and compacted. Plantation using native species shall be developed between the dump and River	Being Complied	OB dumping is being done as per the approved mine plan at the earmarked place. Some portion of dumping has been used to fill up the old abandoned mine previously worked by M/s BCCL, lying well within the earmarked OB dump area. As directed, a portion of the large water body has been left to act as a source of water for project and also act as groundwater recharge. The OB dump area is surrounded by garland drains/Catch drains with silt arresters constructed along its periphery. Photographs are attached as <i>Annexure-V</i> . Plantation is being done using native plants only. It has been proposed to plant around 2500 plants in the intervening area around the dump and river. Previously, SAIL, in collaboration with the Forest Department of Dhanbad, had initiated a plantation project along the northern

	Damodar. For reclamation of dumps and		bank of the Damodar River.
	quarry with plantation, no chemical		Further, reclamation of OB dump would be
	fertilizers shall be used. The ultimate		undertaken after external OB dumping will be
	slope of the dump shall not exceed 28° .		completed by 2030.
	Reclamation of the OB dump of an area		
	of 168.47 ha with vegetation shall be		
	completed by 10 th year. Monitoring and		
	management of reclaimed dumpsite shall		
	continue until the vegetation becomes		
	self-sustaining. Compliance status shall		
	be submitted to the Ministry of		
	Environment and Forests and its Regional		
	office located at Bhubaneshwar on a		
	yearly basis.		
vii	Catch drains and siltation ponds of	Being	Catch Drain has been constructed along the OB
	appropriate size shall be constructed to	Complied	dump and the surface runoff from the OB dump
	arrest silt and sediment flows from soil,		is channelized in the old abandoned quarry.
	OB and minerals dumps. The water so		Catch drains terminate into siltation pond to
	collected shall be utilized for watering the		arrest suspended solids from dump area.
	mine area, roads, green belt development,		Moreover, drains are regularly desilted for
	etc. The drains shall be regularly desilted		smooth functioning.
	and maintained properly.		The old quarry is used for collection of
	Garland drains (size, gradient and length)		rainwater at mine pit which is reused for
	and sump capacity shall be designed		sprinkling, tyre washing, plantation, etc.
	keeping 50% safety margin over and		Photographs attached as <i>Annexure-V</i> .
	above the peak sudden rainfall and		
	maximum discharge in the area adjoining		
	the mine site. Sump capacity shall also		
	provide adequate retention period to		
	allow proper setting of silt material.		
viii	Dimension of the retaining wall at the toe	Being	Catch Drain has been constructed all along the
	of the dumps and OB benches within the	Complied	OB dump and the surface runoff from the OB
	mine to check run-off and siltation shall		dump is channelized in the old abandoned
	be based on the rainfall data.		quarry Retaining wall of sufficient height has
			been constructed using the OB to secure the
			sliding, if any.
			Photographs attached as <i>Annexure-V</i> .
ix	The main approach roads shall be black	Being	The mine is currently in its developmental
	topped. A 3-tier avenue plantation shall	Complied	stage; hence, the construction of permanent
	be developed along the main approach		roads in the mining area is presently not
	roads and haul roads. Entire mineral		feasible, as the areas designated for haul roads
	transportation shall be by rail mode only.		fall within the future mining zone, and no

Project- Tasra Coal Mining Project (4 MTPA)
EC Ref. No J-11015/122/2007-IA-II(M) dated 13 th October, 2009

Compliance Report (Apr'2025-Sep'2025)

	Mineral transportation from the mine to the Railway siding shall be by closed belt conveyor only. The Railway siding shall be provided with Silo Rapid Loading System.		decoaled land is available in and around the mining lease for establishing permanent road infrastructure at this stage. Concrete road has been constructed from mines area to the highway to mitigate dust emissions. All other approach and haul roads are being regularly maintained using graders, and a continuous water sprinkling system has been implemented for effective dust suppression. Upon full development of the mine, permanent approach roads will be established. Subsequently, a three-tier avenue plantation will be developed along the main roads and haul roads to enhance green cover and control air pollution. The construction of the coal washery is currently underway; coal is temporarily being transported in trucks covered with tarpaulin to prevent dust emissions. Upon commissioning of the coal washery, raw coal from the CHP will be conveyed to the washery through a closed belt conveyor system. The washed coal will subsequently be transported to steel plants via rail. A dedicated railway siding with a silobased rapid loading system has been proposed to facilitate this transportation. Photographs attached as <i>Annexure-V</i> .
Х	Drills shall be wet operated only.	Being Complied	Wet drilling is practiced to reduce fugitive emissions. Photographs attached as <i>Annexure-V</i> .
xi	Controlled blasting shall be practiced with use of delay detonators. The mitigative measures for control of ground vibrations and to arrest the fly rocks and boulders shall be implemented.	Complied	Controlled blasting operations are executed utilizing delay detonators to ensure precision and operational safety. Comprehensive mitigative measures are adopted to control ground vibrations below mandated limits and prevent the dispersion of fly rocks and boulders, thereby protecting the surrounding environment and infrastructure. Photographs attached as <i>Annexure-V</i> .
xii	Water sprinkling system shall be provided to check fugitive emissions from crushing operations, conveyor	Being Complied	Comprehensive water sprinkling systems have been adopted to effectively mitigate dust emissions generated due to mining operations.

	system, haulage roads, transfer points, etc. Hoppers of the coal crushing unit and washery unit shall be fitted with high efficiency bag filters and mist spray water sprinkling system shall be installed and operated effectively at all times of operation to check fugitive emissions from crushing operations, transfer points and at Railway Siding.		These systems are implemented across active operational areas, haul roads, and material transfer points. This suppresses the particulates and minimizes their release into the atmosphere, significantly improving air quality and reducing the environmental footprint of the mines. Photographs attached as <i>Annexure-V</i> .
xiii	No groundwater (bore well) shall be used for mining operations. Additional water if any required for the project shall be used from recycled water or mine discharge water or rainwater collected in rainwater harvesting pits within the project area.	Being Complied	No borewell has been constructed for mine operations. All water requirements are sustainably met through Abandoned quarries (of M/s BCCL) acting as GW recharge and water dewatered from the operational mine pit. However, borehole permission has been taken from CGWA for supply of drinking water to employees and villages nearby.
xiv	Regular monitoring of groundwater level and quality shall be carried out by establishing a network of existing wells and construction of new piezometers. The monitoring for quantity shall be done four times a year in pre-monsoon (May), Monsoon (August), Post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected shall be submitted to the Ministry of Environment and Forest and to the Central Pollution Control Board quarterly within one month of monitoring. Rainwater structures shall be erected in the core and buffer zone, in case monitoring indicates a decline in water table.	Being Complied	For continuous Groundwater level monitoring, a piezometer is installed near the mines office. Also, GWL monitoring is further supplemented by a network of 12 existing wells identified across the core and buffer zones. Furthermore, quarterly GW quality monitoring is conducted by the NABL-accredited M/s Aditi R&D Service. Copy of monitoring reports is enclosed as <i>Annexure-VI</i> . Presently, old abandoned quarries (of M/s BCCL) in the Tasra Opencast Project act as collection pit for GW recharge. Catch drains constructed all along the dump area has been channelized to the old quarry. Additionally, 32 no's of RWH pits are also constructed at Tasra/Chasnalla coal complex area at Chasnalla.
xv	The project authorities shall meet water requirement of nearby villages(s) in case the village wells go dry due to dewatering of mine.	Being complied	As a part of our CSR programme, drinking water and domestic use water is distributed in the nearby village. Moreover, since mining is being done at very small scale, there is no significant GW depletion has been observed in the area. The GW level is being monitored through the

piezometer installed near the n CSR report attached as <i>Annex</i>	nines area.
CSR report attached as <i>Annex</i>	
xvi Sewage treatment plant of adequate Being A ETP of 30 KLD has been	
capacity shall be installed in the colony. complied the waste water coming from	workshop as well
ETP shall also be provided for workshop as water from washing platform	ms.
and CHP wastewater. Treated wastewater The treated water is effective The treated water in the treated water is effective The treated water in the treated water is effective The treated water in the treated water in the treated water is effective The treated water in the t	vely utilized for
meeting prescribed norms only shall be secondary purposes, in	ncluding dust
recycled for mining operations to the suppression, HEMM, and plan	ntation activities.,
extent possible and permitted to be etc.	
discharged into the natural water courses Proposal has been made agai	nst the MDO for
only if it meets the prescribed standards. STP construction as part of Reconstruction as part o	&R development.
It will develop as one of the ar	menities provided
in the R&R colony.	
Photographs attached as <i>Anne</i> .	xure-V.
xvii The total area that shall be brought under Agreed to Noted for compliance	
afforestation at the time of mine closure Comply	
shall not be less than 444.49 ha which	
includes reclaimed topsoil dump area,	
external OB dump (168.47 ha), backfilled	
area (276.02 ha), along ML boundary,	
embankment and undisturbed area, along	
roads and infrastructure, green belt, and	
in township outside the lease by planting	
native species in consultation with the	
local DFO/Agriculture Department. The	
density of the trees shall be around 2500	
per ha.	
xviii A progressive Mine Closure plan shall be Agreed to Mine closure activity is el	laborated in the
implemented by reclamation of 276.02 Comply approved Mining Plan (2008).	
ha, of the total quarry area of 371.33 ha, Pending preparation of separation preparation of separation of separation preparation preparatio	ate Mine Closure
which shall be backfilled and afforested Plan as required under statute	e, the amount on
by planting native plant species in account of Mine Closure A	Activity is being
consultation with the local deposited in Escrow account	nt based on the
DFO/Agriculture Department. The tripartite agreement made	
density of the plants shall be around 2500 Office of Coal Controller Ke	·
plants per ha. The balance 95.31 ha of de-Bank on 15.09.2017.	
coaled quarry area being converted into a Mine Closure cost is being	ng deposited in
water reservoir shall be gently sloped and Escrow account for Tasra O	
the upper benches of the reservoir shall Total amount deposited Rs.	•
be terraced and stablished with plantation. (Period FY 2017-18 to 202	
Only native species hall be used for 2025).	
plantation. Consultant for preparation of	Mine Closer Plan

xix	Besides carrying out regular periodic	Agreed to	M/s Reval has been appointed after necessary preparation it is intimated that mine closer plan would be placed before competent Authority for approval by the end of 2026. Mine workers undergo periodic health
	health checkup of their workers, 10% of	comply	checkups by a qualified occupational health
	the workers identified from workforce engaged in active mining operations shall		doctor, adhering to DGMS norms. No worker of Tasra OCP has been diagnosed
	be subjected to health checkup for		with occupational diseases or hearing
	occupational diseases and hearing		impairment.
	impairment, if any, through an agency		Workers receive essential PPE and regular
	such as NIOH, Ahmedabad within a		training on crucial safety and health aspects.
	period of one year and the results		Periodic training on health and safety is also
	reported to this Ministry and to DGMS.		routinely provided.
			IME/PME data are attached as <i>Annexure-VIII</i> .
XX	An amount of Rs 600.60 lakh as capital	Being	Environmental protection measures are being
	costs and Rs 35 lakhs towards annual	Complied	carried out as per EIA/EMP submitted. Till
	recurring costs has been earmarked for		now, a capital of Rs. 2127 lakhs have been
	environmental protection measures, the		spent against 600.60 lakhs as outlined in EMP.
	details of which shall be uploaded on the		EMP report attached as <i>Annexure - IX</i> .
	company website every year.		
xxi	A detailed RandR plan for the life of the	Being	MDO has already initiated process to acquire
	project comprising land losers, homestead	Complied	land for RandR of PAFs. An area of 16.60 ha
	losers and land and homestead losers, and		of private land at Asanbani is in its final stage
	landless including tribals to be displaced		of acquisition.
	from the project area shall be prepared and implemented in a stipulated time-		Master plan for construction of RandR colony for 1642 PAFs has been prepared under Phase-I
	frame. A master plan for the RandR		and implementation will follow after the
	colony and a specific plan for phase-I		completion of the land acquisition process. The
	consisting of 1642 PAFs shall be		master plan is well equipped with all the basic
	prepared within 2 months from date of		amenities like water, electricity, sanitation,
	environmental clearance along with a		road etc.
	time schedule for completion of activities		Previously, a detailed land survey was
	including construction of RandR colony		conducted by the District Administration under
	and completion of various works for civic		the provisions of the RFCT in LARR Act,
	amenities in the colony. RandR shall		2013.
	include setting up of an ITI for training		Public hearing on the draft RandR Policy
	and skill development amongst the		scheme was already held by DC, and the R&R
	persons to be employed and those not		Scheme was subsequently approved on
	being absorbed for vocational training for		05.10.2016.
	alternate livelihood, particularly		Following a new preliminary notification for
	simulation training for various skills,		land acquisition, a revised RandR Scheme was

Project- Tasra Coal Mining Project (4 MTPA)
EC Ref. No J-11015/122/2007-IA-II(M) dated 13 th October, 2009

Compliance Report (Apr'2025-Sep'2025)

	which may be for indirect employment. Annuities for the vulnerable persons being displaced shall also be included in RandR. Persons affected by double/ triple displacement shall be compensated as per norms. RandR for phase-I shall be completed within a year of grant of environmental clearance. A Sub-Committee comprising of 3 experts of the Expert Appraisal Committee shall monitor the compliance of implementation of phase-I of the RandR and beyond, if required.		also formulated by the RandR Administrator and approved by the Government of Jharkhand. All R&R activities related to the project, including establishment of the RandR colony, will be undertaken in accordance with the approved RandR Plan by the competent authority. Socio-economic survey of the seven mouzas was carried out by Project and Development India Limited (PDIL) in 2009. As per PDIL report, there were 3455 nos. of Project Affected Families (PAFs). Based on PDIL Report'2009, RandR scheme for PAFs for Rs.219.53 Crore was approved by SAIL Board in its meeting held on 17.03.2010.
xxii	Peripheral villages of Parasbani, Chatttabad, Orbetta, Kultar, Sindri Basti, Manohar Tand Basti, Chasnalla Basti, Manpur, Jharna, Bogla, and Chandaniyari shall be taken for Socio-Economic Activities under CSR, for which a sum of Rs 65 crores shall be earmarked as capital costs and Rs 4 crores as revenue costs over the life of the project. The proponent shall constitute VDC for monitoring the implementation of CSR. In addition, the sub-committee of EAC shall also monitor CSR, if required.	Being Complied	The formation of the VDC has been completed, and monthly meetings are now being conducted to ensure continuous engagement. Furthermore, CSR activities are actively being implemented in consultation with VDC within the project-affected areas of the Tasra Project to ensure effective community development initiatives. Latest VDC meeting MoM attached as Annexure-X.
xxiii	The project authorities shall carry out a detailed pre-mining socio-economic survey based on the UNDP Human Development Report and Quality of Life Parameters and monitor the socio-economic status once every three years and maintain records thereof and report in their Annual Report, the socio-economic impact of RandR and CSR activities, the details of which shall be uploaded on the company website every year. A post of GM to exclusively look after RandR and CSR shall be created.	Complied	A comprehensive socio-economic survey based on the UNDP Human Development Report and Quality of Life Parameters of the affected mouzas was conducted by Project and Development India Limited (PDIL) in 2009. As per the PDIL report, 3,455 Project Affected Families (PAFs) were identified. Based on the findings and recommendations of this survey, a detailed Rehabilitation and Resettlement (R and R) Scheme amounting to RS 821.48 Crore was formulated and subsequently approved by the SAIL Board in its meeting held on 09.02.2022.
xxiv	For monitoring land use pattern and for	Being	There is no significant change in land use

	the State Pollution Control Board and the Central Pollution Control Board once in six months. Random verification of samples through analysis from independent laboratories recognized		regularly submitted via email to the Regional Office (RO) and the JSPCB to ensure timely regulatory compliance.
	under the EP Rules, 1986 shall be furnished as part of the compliance report.		
V	Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.	Being Complied	To effectively mitigate and control noise levels within the mine area, several measures are implemented. These include the use of controlled blasting techniques and ensuring all operational vehicles are PUC-certified and regularly serviced. In addition, extensive green belt development is undertaken to act as a natural noise buffer. As a crucial safety measure, all mine workers are mandatorily provided with PPE kits, including ear muffs, to reduce noise-related health hazards.
vi	Industrial wastewater (workshop and wastewater from the mine) shall be properly collected and treated so as to conform to the standards including for heavy metals before discharge prescribed under GSR 422 (E) dated 19 th May 1993 and 31 st December 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluents.	Complied	A 30 KLD ETP has been commissioned within the mine area to process wastewater generated by HEMM operations. The ETP system incorporates a sedimentation pit and an oil and grease trap for effective primary treatment. The resulting treated water is subsequently recycled and utilized for various washing purposes, supporting water conservation efforts.
vii	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of the mineral shall be covered with tarpaulins and optimally loaded.	Being Complied	All vehicles engaged in mineral transportation are maintained through regular and comprehensive servicing. Also, to prevent fugitive dust emissions and material spillage during transit, all transported minerals is consistently and securely covered with tarpaulins. Photographs attached as <i>Annexure-V</i> .
viii	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with State	Being Complied.	Monitoring of all environmental quality parameters is undertaken by an external, NABL accredited laboratory, M/s Adity R&D Service (Recognized by JSPCB) ISO 9001:2008 and OHSAS 18001:2007.

	Pollution Control Board and data got analyzed through a laboratory recognized under EP Rules, 1986.		This ensures that all environmental data collected and reported meets national standards for quality, accuracy, and occupational safety, reinforcing SAIL credible compliance reporting.
ix	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects. Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed.	Being Complied	Mine workers periodically undergo health checkups conducted by an appointed qualified occupational health doctor. To mitigate the adverse effects of mining activities, PPE is provided to all personnel. Furthermore, the workforce receives periodic training sessions focused on health and safety protocols. These formal training programs are supplemented by regular "Tool Box Talks" to continuously reinforce safety awareness and ensure a safe working environment for all employees.
x	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a senior executive, who is report directly to the head of the company.	Being Complied	A separate Environmental Management Department (EMD) is already in existence, headed by a General Manager (Environment) who reports directly to the Head of Mine Operations. A DGM (Environment) level officer manages the Tasra Project compliance. Additionally, SAIL maintains a dedicated Corporate Environment Management Division in Kolkata, led by an Executive Director, which facilitates environmental management across all SAIL units to ensure MoEFCC adherence.
xi	The funds earmarked for environmental protection measures shall kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to this Ministry and it Regional Office Bhubaneshwar.	Being Complied	Being Complied
xii	The project authorities shall advertise at least in two local newspaper wisely circulated around the project, one of which shall in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance	Complied	Already Complied.

	letter is available with the State Pollution		
	Control Board and may also be seen at		
	the website of the ministry of		
	Environment and Forest at		
	http://envfor.nic.in		
xiii	A copy of the environmental clearance	Complied	Already Complied.
	letter shall be marked to concerned		
	Panchayat/Zila Parishad, Municipal		
	Corporation or Urban Local Body and		
	Local NGO, if any, from whom any		
	suggestion/ representation has been		
	received while processing the proposal. A		
	copy of the clearance letter shall also be		
	displayed on the company website.		
xiv	A copy of the clearance letter shall be	Complied	Already Complied.
	displayed on the website of the concerned	_	-
	State Pollution Control Board. The EC		
	letter shall also be displayed at Regional		
	Office, District Industry Centre and		
	Collector Office/Tehsildar Office for 30		
	days.		
XV	The clearance letter shall be uploaded on	Being	Six-monthly compliance updates for the Tasra
	the company website. The compliance	Complied	Coal Mine are regularly posted on the SAIL
	status of the stipulated EC conditions		website.
	shall also be uploaded by the project		Additionally, monitoring results are displayed
	authorities on their website and updated		at the mine entrance and office for public
	at least once every six months so as to		viewing. Furthermore, continuous air quality
	bring the same in the public domain. The		data from the CAAQM installed at the mine is
	monitoring data of environmental quality		shown on an LED board.
	parameters (air, water, noise and soil) and		Photographs attached as <i>Annexure-V</i> .
	critical pollutants such as SPM, RPM,		
	SO2 and NOx (ambient and stack if any)		
	and critical sectoral parameters shall also		
	be displayed at the entrance of the project		
	premises and mines office and in		
	corporate office and on the company		
	website.		
xvi	The project proponent shall submit six	Being	Six monthly compliance report is being
	monthly reports on the status of	Complied	submitted periodically to RO and Ministry.
	compliance of the stipulated		
	environmental clearance conditions (both		
Ī	in hard and in e-mail) to the respective		

	Regional Office of the MoEF, the respective Zonal offices of CPCB and SPCB.		
xvii	The Regional Office of this Ministry located at Bhubaneshwar shall monitor compliance of the stipulated conditions. The project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/ information/ monitoring reports.	Agreed to Comply	Noted for compliance.
xviii	The environmental statement for each financial year ending 31 st March in Form – V is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MoEF by E-mail.	Being complied	Environment Statement is being regularly submitted to JSPCB and Ministry for each financial year. The same is also updated on SAIL website. The latest Form-V for FY 2024-25 is submitted to JSPCB on 16.09.2024. The report is enclosing as <i>Annexure-XI</i> .

Annexure I



File No.: J-11015/122/2007-IA.II(M) Government of India Ministry of Environment, Forest and Climate Change IA Division



Dated 14/11/2024



To,

Sh. Tarun Kanti Roy

M/s STEEL AUTHORITY OF INDIA LTD

ISPAT BHAWAN, LODI ROAD, DELHI, NEW DELHI, DELHI, 110003

E-mail: parivesh sail@sail.in

Subject:

Tasra Coking Coal Washery (Area 21 Ha having capacity of 3.5 MTPA) by M/s Steel Authority of India Ltd. located at Village: Rohraband; District: Dhanbad; State: Jharkhand – Grant of Environmental Clearance-Regarding

Sir/Madam,

This is in reference to your application submitted to MoEF&CC vide proposal number IA/JH/CMIN/495669/2024 dated 26/09/2024 for grant of prior Environmental Clearance (EC) to the project under the provision of the EIA Notification 2006-and as amended thereof.

2. The particulars of the proposal are as below:

(i) EC Identification No. EC24A0801JH5355205N (ii) File No. J-11015/122/2007-IA.II(M)

(iii) Clearance Type Fresh EC

(iv) Category A

(v) Project/Activity Included Schedule No. 2(a) Coal washeries

(vi) Sector Coal Mining

Tasra Coking Coal Washery Plant of M/s. Steel

(vii) Name of Project

Authority of India Limited with 3.5 MTPA

capacity of 21 Ha area, located at FCIL Campus, Town – Sindri, District-Dhanbad, Jharkhand.

(ix) Location of Project (District, State) DHANBAD, JHARKHAND

(x) Issuing Authority MoEF&CC

(xii) Applicability of General Conditions No

^{3.} M/s Steel Authority of India has made an online application vide proposal no. IA/JH/CMIN/495669/2024 dated 26.09.2024 along with copy of EIA/EMP report, Forms (Part A, B and C) seeking environmental clearance under the provisions of EIA Notification, 2006 for the project mentioned above.

- 4. The proposed project activity is listed at item No. <u>2(a) Coal Washeries under Category 'A'</u> of the schedule of the EIA Notification, 2006 and appraised at Central Level.
- 5. The instant Proposal was considered by the EAC (Coal) in its 16th meeting held during 8 9th October, 2024. The PP has uploaded the written information on 23.10.2024. The minutes of the meeting and all the project documents are available on PARIVESH portal which can be accessed at https://parivesh.nic.in.

Details submitted by the project proponent

6. The proposal is for Environment Clearance of Tasra Coking Coal Washery (Area 21 Ha having capacity of 3.5 MTPA) by M/s Steel Authority of India Ltd. located at Village: Rohraband; District: Dhanbad; State: Jharkhand.

7. The details of the ToR are furnished as below:

Proposal No/	Consideration by the EAC	Date of accord	ToR validity
Date of application	and the same		
IA/JH/CMIN/455615/2023	8 th EAC meeting held on 28-29th	12.04.2024	11.04.2028
15/12/2023	February 2024		

8. **Environmental site settings**: The washery is covered under Survey of India Topo Sheet No. 73 I/6 (F45C6) and is bounded by the geographical coordinates ranging from Latitude 23°39'37. 22"N to 86°28'59.45"N and Longitude 23°39'51.23"E to 86°29'15.52"E.

Project does not fall in the Critically Polluted Area (CPA)/ Severely Polluted Area (SPA), as per CEPI Assessment, 2018. This aspect has also been verified and confirmed through DSS.

Forest Area: PP submitted that the project does not involve any forest land. This aspect has also been verified and confirmed through DSS.

Protected Area: PP submitted that The project is not located within 10 KM of any ESZ/ ESA/ national park/ wildlife sanctuary/ biosphere reserve/ tiger reserve/ elephant reserve/tiger corridor/elephant corridor etc. However, there is one small unnamed protected forest, that exists at a distance of 9.5 km from the project site.

Schedule – I species: PP submitted that Schedule – I species were observed in the study area and accordingly, a Wildlife Conservation Plan has been prepared and submitted to the DFO, Dhanbad for approval on dated 30.08.2024, subsequently some observation was raised and revised WLCP was submitted on 21.09.2024.

Project Area: PP submitted that the proposed coal washery including railway siding will be situated over an area of 21 Ha of land. The land is industrial land and the same is owned by The Fertilizer Corporation of India Limited (FCIL). In Principle Approval for utilizing the 21 ha has been accorded by the FCIL Board vide letter dated 20.11.2023.

9. Salient features of the project:

- i. SAIL has intended to set up a Coal Washery of the annual capacity of 3.5 MTPA near to Tasra Open cast Coal Mine for supply of clean coal and middling to their Steel Plants and Captive Thermal Power plants, respectively.
- ii. The raw coal requirement (35,00,000 TPA) for the proposed washery will be met from Tasra Coal Mine of Steel Authority of India Ltd. (SAIL) located at a distance of 2km through Cross Country Conveyor.
- iii. The proposed coal washery is (having capacity of 3.5 MTPA) is a new project. Washery including railway siding will be situated over an area of 21 Ha. The land is industrial land and the same is owned by The Fertilizer Corporation of India Limited (FCIL).
- iv. The washery has been planned to produce two products i.e. clean coal and middling. The washing process for the washery has been selected on the basis of qualitative requirement of clean coal for utilizing in steel plant i.e. 17% ash. The middling will be utilized in Captive Power Plants of SAIL.
- v. Transportation of Clean Coal (Coking Coal & Middling) by Rail. Railway siding with take-off point from the Dhanbad-Sindri line of Eastern Central Railway (ECR) proposed.

- vi. Type of Coal Washery: It is a Wet Process (based on Heavy Media Cyclones and Froth Flotation) coal washery.
- vii. No reject will be generated from the washery. It is a two-product washery, prime product being clean coking coal and the secondary product being middlings which will also be used in SAIL Power Plants.
- viii. Transportation: Transportation of raw coal will take place by conveyor and transportation of washed coal (clean and middlings) will take place by rail.

ix. Details of land use:

S. No.	Details	Area in Ha	% w.r.t. Total Area
1.	Main Plant Area	2.52	11.99
2.	Storage Area for Coal Stock	6.23	29.68
3.	Water Reservoir	0.62	2.94
4.	Green Belt	6.93	33.00
5.	Internal Roads	2.12	10.09
6.	Parking Area	1.48	7.05
7.	Misc Area	1.11	5.26
	Total	21.00	100.00

- x. To operate and maintain the washery plant a total manpower of 166 is required to be directly employed.
- xi. The project site is at a distance of 0.2 km from the Sindri Town Railway Station, 76 km from Kazi Nazrul Islam Airport Durgpur and 28 km from town Dhanbad.
- 10. **Legal issues/ Violation**: PP submitted that there is no legal issue/violation wr.t i) Environment (Protection) Act, ii) Air(P&CP) Act, Water (P&CP), Act, Van (Sanrakshan Evam Samvardhan) Adhiniyam, Wildlife Protection Act, MMDR Act, Factories Act. Further, there is no court case on the project.
- 11. Water Requirement: PP submitted that the water requirement will be 966 m3/day and the source of water will be Mine Pit water from the Tasra Coal Mine and there is no ground water intersection involved for the instant project. Application for NOC has been submitted to CGWA vide application no. 21-4/2006/JH/MIN/2024 dated 24.08.2024. PP also submitted that the process of the proposed washery is based on closed water circuit system. Hence, there will be zero liquid discharge. Further, there is no diversion of river/ nallah proposed.
- 12. **Power Requirement**: PP submitted that the total power requirement for the project will be 7.5 MVA, which will be sourced from a nearby substation of Jharkhand Bijli Vitran Nigam Limited (JBVNL) through overhead transmission line. Further, PP submitted that there is no diversion of Hi-Tension/ Transmission Line for the proposed washery.

13. Baseline Data: Environmental Baseline data has been collected during October to December 2023 (Post Monsoon):

Period	October to December 2023 (Post Monsoon)
AAQ parameters for 1	0 PM $_{10}$ – 64.27 to 77.18 µg/m 3
Locations (min and max)	PM $_{2.5}$ – 40.95 to 52.28 µg/m ³
	$SO_2 - 10.68$ to 17.80 µg/m ³
	NOx - 11.50to 30.95 µg/m ³
	$CO - 0.42$ to 0.94 mg/m^3
Increment 1 GLC Level	$PM_{10} - 2.05781 \mu g/m^3$ (Level at 0 km in N Direction)
	PM _{2.5} – 1.32288µg/m ³ (Level at 0 km in N Direction)
	SO ₂ – 0.16169µg/m ³ (Level at 0 km in N Direction)
	$NOx - 0.17932 \mu g/m^3$ (Level at 0 km in N Direction)
	CO – 0.0000011 mg/m ³ (Level at 0 km in N Direction)
Groundwater	pH- 7.11 to 7.96
Quality for 10	Total Hardness– 189.5 to 265.0 mg/l

Period	October to December 2023 (Post Monsoon)
Locations	Chlorides- 43.47 to 54.28 mg/l
	Fluoride- 0.23 to 0.33 mg/l
Surface water	pH- 7.41 to 7.88
Quality for 10	DO- 5.3 to 6.3 mg/l
Locations	BOD – 17.0 to 27.0 mg/l
	COD – 56.0 to 82.0 mg/l
Noise levels Leq (Day and	42.35 to 63.48 dB for the daytime and 34.62 to 52.75 dB for the Night time.
Night)	
Traffic	No transport of raw coal or clean coal is envisaged by road.
Assessment study	Raw coal from the Tasra mine shall be transported through the cross-country Conveyor.
findings	Clean coal from the Washery shall also be transported by rail to the end users at SAIL
_	Steel Plants and Power Plant.
	Hence, there will be no impact on the existing road network due to the project. No
	transport of raw coal or clean coal is envisaged by road.
	Raw coal from the Tasra mine shall be transported through the cross-country Conveyor.
	Clean coal from the Washery shall also be transported by rail to the end users at SAIL
	Steel Plants and Power Plant.
	Hence, there will be no impact on the existing road network due to the project.
Flora and fauna	Following schedule I species were observed in the study area:
	Mammals
	Bengal Fox (Vulpes bengalensis), Golden Jackal (Canis aureus) Jungle Cat (Felis chaus)
1	Indian Grey Mongoose (Urva edwardsii), Small Indian Civet (Viverricula indica)
	Birds
	Brahminy Kite (Haliastur indus), Eurasian Marsh Harrier (Circus aeruginosus), Red
	Headed Vulture (Sarcogyps calvus), Shikra (Accipiter badius), Indian Peafowl (Pavo
	cristatus)
	Reptiles
- 10	Indian Chameleon (Chameleon zeylanicus), Indian Rat Snake (Ptyas mucosa) Indian
	Cobra (Naja naja), Indian Python (Python molurus), Indian Flapshell Turtle (Lissemys
	punctate), Bengal Monitor (Varanus bengalensis) Russells's Viper (Daboia russelii)
	Wildlife conservation Plan has been prepared and submitted to the DFO, Dhanbad for
	approval on dated 30.08.2024, subsequently some observation were raised and revised
	WLCP was submitted on 21.09.2024.
1 3	Budget of Rs. 1624.23 Lakhs has been allocated by M/s SAIL for the protection and
1 1000	conservation of the Schedule-I Species
Water Requirement	Source of Water: Mine pit water from Tasra Coal Mine through pipe lines.
	Ground Water Intersection: No
	Water Requirement: 966m ³ /day
	NOC (Ground Water): CGWA NOC application has been submitted vide application no.
	21-4/2006/JH/MIN/2024 dated 24.08.2024

14. **Solid and Hazardous Waste**: PP submitted the details of Solid and Hazardous waste generation along with its mode of treatment/ disposal is furnished as below:

S. No.	Type of Waste	Source	Quantity (TPA)	Mode of Treatment	Disposal	Remarks
1.	Domestic Waste	Persons Employed for washery operations	13.2	Re-cycling	Human wastes through STP & food waste will be composted.	Solid Waste
2.	Used oil	Machinery	0.5	Authorized Vendors	To be sold to authorized Recycle	Hazardous waste
3.	Battery Waste	Vehicles at sites	0.4	Re-cycling	Sold to authorized Vendors/ Recycler	Battery Waste

15. EMP Cost: PP submitted that the capital cost for environmental protection measures is proposed as Rs 36.1965

Crores. The annual recurring cost towards the environmental protection measures is proposed as Rs 1.0571 Crores. The details of cost for environmental protection measures are as follows:

S. No.	Environmental Protection Measures	Capital Cost Rs. In Lakhs	Recurring Cost Rs. In Lakhs/Year
1.	Air Pollution Control Measures		
	Bag Filter	110.0	1.5
	Dry Fog Dust Suppression systems at Conveyor Transfer Points	30.0	2.5
	Fixed Water Sprinklers	25.0	2.5
	Mobile Water Sprinklers	15.0	1.5
	Fog /Mist Canon	40.0	3.0
	Provision of Wind Barriers	15.0	1.0
	Mechanical Sweeping M/c	65.0	5.0
	Sub Total (A)	300.0	17.0
2.	Water Pollution Control Measures		
	Rain Water Harvesting	100.0	10.0
	Coagulants for Thickeners	_	30.0
	STP 10 KLD	40.0	4.0
	Sub Total (B)	140.0	44.0
3.	Noise Pollution Control Measures		
	Acoustic Paneling for DG House	30.0	1.50
	Rubber Liners for Chutes, Classifier etc.	30.0	3.0
	Sub Total (C)	60.0	4.50
4.	Storage and Solid Waste Management		
	RCC flooring for Stock Piles of Clean Coal and Middling to avoid	50.0	2.5
	Concrete platform with bund wall and oil collection system for storage of HSD, and Used Oil	5.0	1.5
	Sub Total (D)	55.0	4.0
5.	Environment Monitoring Program		
	Installation of 1 no. of CAAQMS, and 1 no. of Web Camera at Plant Outlet	60.5	5.05
	Post Project Monitoring - Cost of monitoring of environmental parameters for Ambient Air, Fugitive Emission, Stack emissions, Effluent, Ground water quality, Ambient & Work Zone Noise Levels monitoring, Efficiency Monitoring of Pollution Control equipment	A-5°	3.66
	Periodical Medical Examination of Workers		1.5
	Sub Total (E)	60.5	10.21
6.	Occupational Health & Safety	19.5	24.0
7.	Greenbelt Developme <mark>nt</mark>	83.16	8.0
8.	Ecology & Bio-diversity (Wildlife Conservation Plan)	1624.23	
9.	Budget for Public Hearing Commitments	16	572
	Total EMP Budget	4014.39	111.71

16. **Public Hearing Details**: PP submitted that Public Hearing notice was given in The Times of India (English Newspaper) and Hindustan (Hindi Newspaper) of 23.06.2024. The Public Consultation was conducted on 24.07.2024 at Arya Samaj Premises, near BIT Sindri, district Dhanbad, Jharkhand under the chairmanship of Additional Collector Dhanbad, Sh. Vinod Kumar. PP submitted that total 179 nos of person attended the public hearing and total 15 nos of representations were received in writing from and outside the district. The major issues raised during the public hearing were employment, healthcare and ambulance, waste from washery, plantation of trees, drainage & sewage system, garbage disposal, school / education in sail school, electricity, supply of water, road / cctv on roads / street lights, development of stadium and toilets and solar panel.

Action Plan for the issues raised during the PH is attached as Annexure-2

17. **Plantation**: PP submitted that the proposed greenbelt will be developed in 6.93 Ha which is about 33 % of the total project area. A 7.5 m wide greenbelt, consisting of at least 3 tiers around boundary of washery and vacant places will be developed as greenbelt and green cover as per CPCB/MoEF&CC norms. Local and native species will be planted with a density of 2500 trees per hectare. Total no. of 20,105 saplings in 6.93ha area will be planted and nurtured in hectares in 5 years. In addition to this plantation shall be carried out in (details of plantation of dumps etc. may be incorporated):

Sl. No.	Year	Area to be Covered (Ha)	No. of trees to be planted	Additional plantation considering Survival Rate of 80%	Total Saplings to be Planted	Expected Cost of Plantation in Rs. (Considering @ Rs. 400 per trees)
1.	1 st	1.386	3,465		3,465	1,386,000
2.	2 nd	1.386	3,465	695	4,160	16,64,000
3.	3 rd	1.386	3,465	695	4,160	16,64,000
4.	4 th	1.386	3,465	695	4,160	16,64,000
5.	5 th	1.386	3,465	695	4,610	16,64,000
To	tal	6.93	17,325	2,780	20,105	80,42,000

- 18. **Project Cost**: **PP** submitted that the total capital cost of the project is 93,900 Lakhs. The CSR Cost submitted by the PP is 2% of the net profit of the three preceding years. The estimated capital expenditure for implementation of EMP during the operation will be 4014.39 Lakhs and recurring cost will be 111.71 Lakhs per year.
- 19. Affidavit and Undertaking: PP has submitted an undertaking stating that the contents in the form of information and data of EIA Report has been prepared by the authorised consultant and is factually correct and not copied from any other EIA Reports.

Further, the PP has also submitted an affidavit stating that there is no construction done at the site of proposed project, there is no litigation on the project either at Hon'ble NGT or any other court of law, FCIL board has accorded "in principal approval" to the proposal for leasing of 21 Ha of FCIL land to M/s Steel Authority of India Limited, for setting up of Tasra Coking Coal Washery for Tasra Open Cast Project, subject to EC from MoEF&CC, there is no difference in the documents submitted i.e., CAF, Form (Part A,B&C), Layout Plan and EIA/ EMP and presentation being made to the EAC & further stated that the project activity is listed as 2(a) in EIA Notification, 2006 and categorized as 'A' as the production capacity is more than 2.5 MTPA. Therefore, the project is being submitted at MoEF&CC. The company further undertook that the contents of this declaration are true and correct and nothing has been concealed.

20. Written submissions by the proponent:

S. No.	Points	Written submissions made
1.	Relocation of School	Lions Public School is located in close vicinity of the proposed
		washery site (0.08 km from the site). SAIL has already requested
		FCIL for land availability for relocation of the school in its letter no.
	The same of the sa	GM IC (T&C)/FCIL/2024/55 dated 12.07.2024. Additionally
	C-1	attached is an undertaking from SAIL that it would provide suitable
		alternative land for the relocation of the school, in case FCIL fails to
		do so. An undertaking in this regard has been submitted.
2.	Use of E-Vehicles	The washery operation will not involve use of diesel, other than DG
		sets, which will be used in case of emergency, no diesel operated
		HMVs will be used. SAIL agrees o use E-Vehicles within washery
		premises.
3.	Revision of EMP and Public Hearing	The budget for addressing the issues of the Public hearing has been
	Budget	re-worked and upgraded from Rs. 13.40 Crores to Rs. 16.72 Crores.
		Also, the budget for EMP has been re-worked and upgraded from
		Rs. 36.19 crores to Rs. 40.14 crores (including PH budget). Special
		focus has been kept on the issues related to improvement of
		healthcare facilities, avenue plantation, rainwater harvesting, skill
		development etc. Updated EMP and public hearing budgets have

S. No.	Points	Written submissions made
		been submitted.
4.	Details of CSR activities carried out by	SAIL has undertaken numerous initiatives to enhance societal well –
	SAIL in Tasra Project area and outside	being. A wide range of activities in the fields of health, water,
	area of Project Dhanbad	sanitation, education, sports, livelihood, such as skill development
		for youth and women, provision for healthcare facilities, plantation
		drives, etc. are currently being implemented. A detailed list of
		activities performed and proposed under CSR has been submitted.
		Further, as regard to medical on wheels SAIL would continue this
		facility additionally a medical health dispensary would be operated
		which would be manned by suitable medical staff.
5.	Authorization letter for GM, Tasra	Authorization letter from Executive Director of SAIL for GM I/c
		(Tasra) has been submitted.

Observations and deliberations of the EAC:

21. The Committee noted the following:

- i. The instant proposal is for greenfield project for grant of Environmental Clearance (EC) for installation of Coking Coal Washery Plant (wet process) based on Heavy Media Cyclone of 3.5 MTPA in an area of 21 Ha and for setting up of new railway siding with take-off point from Dhanbad Sindri line of Eastern Central Railway, close to the boundary of the proposed plant by M/s Steel Authority of India located in Village: Rohraband; District: Dhanbad; State: Jharkhand.
- ii. The Committee observed that the EC for Tasra Open Cast Coal Mine having capacity of 4 MTPA by M/s SAIL was accorded EC by MoEF&CC on 13.10.2009 vide letter no. J-11015/122/2007-I.A.II(M). The Tasra Open Cast Coal Mine is approximately at a distance of 2 km from the proposed washery.
- iii. The EAC took into consideration the project site through the KML file on the Google Earth presented by the project Proponent along with the DSS of the project site on PARIVESH. The project area is covered under Survey of India Toposheet No. 73 I/6 (F45C6) and is bounded by the geographical coordinates ranging from Latitude 23°39'37. 22"N to 86°28'59.45"N and Longitude 23°39'51.23"E to 86°29'15.52"E. Project does not fall in the Critically Polluted Area (CPA)/ Severely Polluted Area (SPA), as per CEPI Assessment, 2018.
- iv. The total project area is 21 Ha and it is proposed to be installed in FCIL land for which FCIL has given the "in principle approval" vide letter dated 20.11.2023. Further, the project does not involve any forest land and the project is not located within 10 km of any ESZ/ ESA/ national park/ wildlife sanctuary/ biosphere reserve/ tiger reserve/ elephant reserve/tiger corridor/elephant corridor etc. However, there is presence of Schedule I species, for which the PP has submitted the WLCP to the DFO, Dhanbad for approval on dated 30.08.2024, subsequently some observation was raised and revised WLCP was submitted on 21.09.2024. However, it is observed that the same is yet to be approved by the DFO.
- v. ToR was granted for the instant proposal on 12.04.2024, vide letter no. J-11015/122/2007-IA.II(M).
- vi. The Committee also deliberated on the Public Hearing conducted on 24.07.2024, under the chairmanship Shri Vinod Kumar, Additional Collector, Dhanbad. The advertisement of the same was published in The Times of India and Hindustan newspapers on 23.06.2024 and PH was attended by 179 people and written representations were received from and outside the district by 15 people. Major issues raised during the PH were Employment, Healthcare and Ambulance, Waste from Washery, Plantation of Trees, Drainage & Sewage System, Garbage Disposal, School/ Education in SAIL School, Electricity, Supply of Water, Road/ CCTV on Roads/ Street Lights, Development of Stadium and Toilets and Solar Panel. The Committee deliberated on the action plan of the PH budget and found the budget allocated for PH activities needs to be revised. The Committee is of the opinion that the special emphasis should be made on improvement of healthcare facilities, avenue plantation, rainwater harvesting, skill development, etc. The PP further revised the budget for PH from Rs. 13.40 Crores to Rs. 16.72 Crores, focusing on the activities highlighted by the Committee. The revised PH budget submitted by the PP is as follow and found to be satisfactory.

S. No.	Proposed Activities under Public Hearing Commitment Scheme	Amount (Lakhs.)
1.	Infrastructure development including installation of Solar Street Light Construction/Repair of Pucca Roads, Waiting Halls in Buffer Zone as per the location and Park Seating Benches	269.70
2.	Safety & Security including installation of CCTV and necessary fixtures with provision of connection to Sindri Police Station and Repair to Patrol Van of Sindri Police Station	205.00
3.	Rejuvenation of Seven Lakes, Sindri, District-Dhanbad	90.00
4.	Renovation of Eleven Star Club, Youth Club and Kalyan Kendra Stadium by improvement of Gym, Running Tracks, swimming pool and other sports facilities	164.50
5.	Plantation in Buffer Zone at Schools, Market Place, Government Offices, Banks, Resi Shelters etc.	200.00
6.	Setting up of health care facility, Conducting Medical Camp, Strengthening Existing Dispensary and linking with Hospital, Providing Medical Equipment to Primary Health Center and Community Health Centre	
7.	Environmental Remediation by carrying out cleaning work of weeds and waste	30.00
8.	Implementing Solid Waste Management by providing Garbage bins of 1000 litre at designated places	30.00
9.	Implementing Water Conservation & Drinking Water Infrastructure by constructing Rainwater Harvesting Pit and Installing Handpumps	21.50
10.	Improving Water & Sanitation facilities by installing manhole at L type colony. Construction of Cement Line Drainage and Repair and augmentation of existing Drainage.	
11.	Education & Livelihood Generation by installing Solar Panel at Aurbindo Society and Providing Skill Development Training to Youth and Training to Woman for Entrepreneurship	
	TOTAL	1672.00

vii. The Committee observed that there is a school located in close vicinity of the proposed washery site and same is proposed to be relocated. The PP had submitted the letter from the Principal of the school, regarding their consent to relocate the school from present location to a new location within 800-1200m away from the present location. The Committee deliberated on the new site proposed for the same and observed that the PP had finalized 3 alternate sites for relocation of school and the school authorities have also agreed for the same. However, the new site is yet to be finalized and PP has requested FCIL for land availability for the school. PP has also submitted an undertaking that if FCIL is unable to provide the land then SAIL would provide suitable alternative land for the school's relocation. PP has also submitted that all the necessary infrastructure at new location will be provided by SAIL and no financial expenditure will be borne by the school w.r.t infrastructure development.

viii. The Committee deliberated on the diesel consumption proposed by the PP and is of the opinion that diesel consumption should be minimized. The Committee suggested that the no diesel operated HMVs should be used and the complete use of e-vehicles should be proposed within the washery premises. The PP agreed to the same and submitted that diesel consumption will be restricted to just DG sets, that too at the times of emergency. Other than that, PP agreed to use E-vehicles within the washery premises.

ix. The Committee deliberated on the Environment Management Protection Plan developed by the PP for the instant proposal. It observed that budget allocated for the water pollution control measures did not suffice and suggested PP to rework on the same. PP submitted the revised budget for EMP, increasing the same from Rs. 36.19 Crores to Rs. 40.14 Crores. The revised EMP submitted by the PP is as follows:

S. No.	Environmental Protection Measures	Capital Cost Rs. In Lakhs	Recurring Cost Rs. In Lakhs/Year
1.	Air Pollution Control Measures		
	Bag Filter	110.0	1.5
	Dry Fog Dust Suppression systems at Conveyor Transfer Points	30.0	2.5
	Fixed Water Sprinklers	25.0	2.5

S. No.	Environmental Protection Measures	Capital Cost Rs. In Lakhs	Recurring Cost Rs. In Lakhs/Year
	Mobile Water Sprinklers	15.0	1.5
	Fog /Mist Canon	40.0	3.0
	Provision of Wind Barriers	15.0	1.0
	Mechanical Sweeping M/c	65.0	5.0
	Sub Total (A)	300.0	17.0
2.	Water Pollution Control Measures		•
	Rain Water Harvesting	100.0	10.0
	Coagulants for Thickeners		30.0
	STP 10 KLD	40.0	4.0
	Sub Total (B)	140.0	44.0
3.	Noise Pollution Control Measures		•
	Acoustic Paneling for DG House	30.0	1.50
	Rubber Liners for Chutes, Classifier etc.	30.0	3.0
	Sub Total (C)	60.0	4.50
4.	Storage and Solid Waste Management		
	RCC flooring for Stock Piles of Clean Coal and Middling to avoid leaching	50.0	2.5
	Concrete platform with bund wall and oil collection system for storage of HSD, and Used Oil	5.0	1.5
	Sub Total (D)	55.0	4.0
5.	Environment Monitoring Program	Va.	
	Installation of 1 no. of CAAQMS, and 1 no. of Web Camera at Plant Outlet	60.5	5.05
	Post Project Monitoring - Cost of monitoring of environmental parameters for Ambient Air, Fugitive Emission, Stack emissions, Effluent, Ground water quality, Ambient & Work Zone Noise Levels monitoring, Efficiency Monitoring of Pollution Control equipment		3.66
	Periodical Medical Examination of Workers	No.	1.5
	Sub Total (E)	60.5	10.21
6.	Oc <mark>cupational Health &</mark> Safety	19.5	24.0
7.	Greenbelt Development	83.16	8.0
8.	Ecology & Bio-diversity (Wildlife Conservation Plan)	1624.23	/
9.	Budget fo <mark>r Public Hearing Com</mark> mitments	16	72
	Total EMP Budget	4014.39	111.71

x. The Committee further deliberated on the CSR activities, proposed to be carried out by SAIL in Tasra Project Area and outside area of the project. Committee observed that SAIL has undertaken various initiatives to enhance societal well-being. Various activities in the field of health, water, sanitation, education, sports, livelihood, such as skill development for youth and women, provision of healthcare facilities, plantation drives, etc. are currently being implemented by the PP. PP also submitted the detailed list of activities already performed and further proposed under CSR.

- xi. The Committee noted that the EIA/EMP report is in compliance of the ToR issued for the project, reflecting the present environmental status and the projected scenario for all the environmental components.
- xii. The EAC deliberated on the written submission of the project proponent and found it satisfactory.

Recommendations of the Committee

22. Based on the discussions held and the documents submitted, the EAC recommended the proposal for Environment

Clearance of Tasra Coking Coal Washery (Area 21 Ha having capacity of 3.5 MTPA) by **M/s Steel Authority of India Limited** located at Village: Rohraband; District: Dhanbad; State: Jharkhand under EIA Notification, 2006 (as amended) subject to the compliance of the following specific conditions in addition to the general/Standard EC conditions (**Annexure 1**).

- 23. The MoEF&CC has examined the proposal in accordance with the provisions contained in the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and based on the recommendations of the EAC hereby accords Environmental Clearance to M/s. Steel Authority of India Limited for Tasra Coking Coal Washery (Area 21 Ha having capacity of 3.5 MTPA) located at Village: Rohraband; District: Dhanbad; State: Jharkhand subject to compliance of Specific Environmental safeguard Conditions in addition to the standard EC conditions (Annexure 1).
- 24. The proponent shall obtain all necessary clearances/approvals that may be required before the start of the project. The Ministry or any other competent authority may stipulate any further condition for environmental protection. The Ministry or any other competent authority may stipulate any further condition for environmental protection.
- 25. The Environmental Clearance to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
- 26. The PP is under obligation to implement commitments made in the Environment Management Plan, which forms part of this EC.
- 27. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 28. General Instructions:
- (i) The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC website where it is displayed.
- (ii) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn must display the same for 30 days from the date of receipt.
- (iii) The project proponent shall have a well laid down environmental policy duly approved by the Board of Directors (in case of Company) or competent authority, duly prescribing standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions.
- (iv) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the project proponent (during construction phase) and authorized entity mandated with compliance of conditions (during operational phase) shall be prepared. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Six monthly progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six-Monthly Compliance Report.
- (v) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- (vi) The Regional Office of this MoEF&CC shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- (vii) Validity of EC is as per the provision of EIA Notification, 2006 and its subsequent amendment.

29. This issue with an approval of the Competent Authority.

Yours faithfully,

(Sundar Ramanathan) Scientist 'E'/Additonal Director Tel: 011- 20819378 Email- r.sundar@nic.in

Copy To

- 1. The Secretary, Ministry of Coal, Shastri Bhawan, New Delhi.
- 2. The Secretary, Department of Environment & Forests, Government of Jharkhand, Secretariat, Ranchi.
- 3. Deputy Director General of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office, 2nd Floor, Headquarter- Jharkhand State Housing Board, Harmu Chowk, Ranchi, Jharkhand 834 002.
- 4. The Chairman, Jharkhand State Pollution Control Board, TA building, HEC complex, PO Dhurwa, Ranchi.
- 5. The Member Secretary, Central Pollution Control Board, CBD-cum-Office Complex, East Arjun Nagar, Delhi 32.
- 6. The Chairman, Central Ground Water Authority, Ministry of Water Resources, Curzon Road Barracks, A-2, W-3 Kasturba Gandhi Marg, New Delhi.
- 7. The Regional Director, Central Ground Water Board, Mid-Eastern Region, 6th& 7th Floor, Lok Nayak Jai Prakash Bhawan, Frazer Road, Dak Banglow, Patna- 800011, Bihar.
- 8. The District Collector, Dhanbad, Government of Jharkhand.
- 9. PARIVESH Portal.

Annexure 1

Specific EC Conditions for (Coal Washeries)

1. A. Specific Conditions

S. No	EC Conditions
1.1	Project proponent has to obtain the consent to operate (CTO) for 3.5 MTPA Coal Washery after grant of Environmental clearance.
1.2	Approval of Wildlife Management Plan by the concerned DFO shall be submitted to the Ministry's regional office within next 3 months of the grant of EC.
1.3	Water requirement for the project is 966 m3/day and the same shall be met from Mine Pit water from the Tasra Coal Mine. No ground/surface water extraction is permitted for the project.
1.4	Rain water harvesting/storage pond of 60,000 KL capacity shall be developed and the collected water will be used for industrial activities to minimize the Ground water consumption.
1.5	Solar power system shall be established and 10% of the total power requirement shall be utilize through Solar Power system.
1.6	Transportation of Raw Coal shall take place by cross country belt conveyor and transportation of

S. No	EC Conditions
	washed coal and middlings shall take place by rail. Road transportation of raw coal, washed coal and middlings is not permitted. Regular water spraying shall be done on transportation route through Water tankers. A log of the water tanker needs to be maintained. The water tanker should be fitted with a GPS Tracker and a record of trips with GPS track needs to be maintained.
1.7	Water spraying shall be done on regular basis inside and around the project area (within 2 km of the plant site) on a regular interval and a log book should be maintained for the same. The fog cannon must be installed at periphery of the Coal washery in order to suppress the dust.
1.8	All the roads proposed to be constructed inside and around the periphery of the plant shall be concrete road only. Road transportation of raw coal, washed coal and middlings is not permitted.
1.9	A 7.5 m wide greenbelt, consisting of at least 3 tiers around boundary of washery and vacant places will be developed as greenbelt and green cover as per CPCB/MoEF&CC norms. Local and native species will be planted with a density of 2500 trees per hectare. Total no. of 20,105 saplings in 6.93ha area will be planted and nurtured in hectares in 5 years. A detailed action plan with budgetary provision should be submitted within 6 months to concerned RO of the Ministry.
1.10	The Plant will operate on closed water circuit with a concept of 'Zero Liquid Discharge' (ZLD). 100% water will be recycled and no treated & untreated wastewater shall be discharged outside the boundaries of project area.
1.11	Project proponent shall implement the protective measures as proposed in environment management plan (EMP) in a time-bound manner. The budget earmarked for the same is Rs 4014.39 Lakhs (Capital) and Rs 111.71 Lakhs (recurring)/ annum and should be kept in separate accounts and audited annually. The implementation status along with the amount spent with documentary proof shall be submitted to the concerned Regional Office of the Ministry for the activities carried out during the previous year.
1.12	Project proponent shall install a continuous ambient air quality monitoring station (AQMS) at suitable locations preferably the village side with the consultation of SPCB before commissioning of Plant operation. The real time data so generated shall be uploaded on company's website and it will be linked with CPCB &SPCB web portal. In addition, data should also be displayed digitally at entry and exit gate of Plant for public display.
1.13	The workers shall be provided all the essential facilities/Personal Protective Equipments (PPE) during operation and maintenance at workplace.
1.14	Project proponent shall appoint an Occupational Health Specialist for Regular and Periodical medical examination of the workers engaged in the Project and maintain records accordingly. Occupational health check-ups for workers having some ailments like BP, diabetes, habitual smoking, etc. shall be undertaken once in six months and necessary remedial/preventive measures taken accordingly.
1.15	Project proponent shall use of Gas engine/ Cleaner fuel engine for use of machines or as power back up to reduce the pollution load on environment. Project proponent shall implement additional measures to control Air pollution.

S. No	EC Conditions
1.16	Project proponent shall implement the activities proposed to address the issues raised during the public hearing in a time bound manner as committed in EIA/EMP report. The budget earmarked for the same is Rs. 1672 Lakhs (Capital) that should be kept in a separate accounts and audited annually. The implementation status/ action taken report along with the amount spent with documentary proof shall be submitted to the concerned Regional Office of the Ministry for the activities carried out during the previous year.
1.17	Project proponent shall monitor the heavy metal in the water samples at least twice/year, and install the piezometers for regular monitoring of groundwater level. Report shall be submitted along with six-monthly compliance reports to the concerned Regional Office of the Ministry.
1.18	Project proponent to undertake the recruitment of a full-fledged qualified manpower with Environmental Engineer/Env. Science degree background in Environment Management Cell etc., at coal washery plant for compliance of EC conditions.
1.19	Raw coal, washed coal and rejects shall be stored in covered storage facility. Fixed-type high-pressure sprinkler shall be installed in this storage yards.
1.20	Project proponent shall deploy the overall fleet of dumpers/trucks/other vehicles as electrical or CNG/LNG based for transportation of coal/OB etc and use e-vehicles for transportation of manpower.
1.21	Project proponent shall construct a 20 ft height wind barrier with galvanized/metal sheet all around the boundary of the washery and install fixed-type water sprinkler all along the boundary wall.
1.22	Project proponent is advised to implement the 'Ek Ped Maa Ke Naam' Campaign which was launched on 5th June 2024 on the occasion of the World Environment Day to increase the forest cover across the Country. This plantation drive is other than Green belt development. The action in this regard shall be submitted concerned RO in six monthly report.

Standard EC Conditions for (Coal washeries)

1. Statutory Compliance

S. No	EC Conditions
1.1	The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
1.2	The project proponent shall obtain the necessary permission from the Central Ground Water Authority
1.3	Solid/hazardous waste generated in the mines needs to addressed in accordance to the Solid Waste Management Rules, 2016/Hazardous & Other Waste Management Rules, 2016.
1.4	Coal beneficiation practices shall be carried out under strict adherence to provisions of the Factories

S. No	EC Conditions
	Act, 1957 and subordinate legislations made there under.

2. Air Quality Monitoring And Mitigation Measure

S. No	EC Conditions
2.1	Adequate ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely particulates, SO2 and NOx. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive receptors in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc. carried out at least once in six months.
2.2	Continuous ambient air quality monitoring stations as prescribed in the statue be established in the core zone as well as in the buffer zone for monitoring of pollutants, namely PM10, PM2.5, SO2 and NOx. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Online ambient air quality monitoring stations may also be installed in addition to the regular monitoring stations as per the requirement and/or in consultation with the SPCB. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc to be carried out at least once in six months.
2.3	All approach roads shall be black topped and internal roads shall be concreted. The roads shall be regularly cleaned. Coal transportation shall be carried out by covered cross country belt conveyor.
2.4	Vehicular emissions shall be kept under control and regularly monitored. The vehicles having 'PUC' certificate from authorized pollution testing centres shall be deployed for washery operations.
2.5	Hoppers of the coal crushing unit and other washery units shall be fitted with high efficiency bag filters/mist spray water sprinkling system shall be installed and operated effectively at all times of operation to check fugitive emissions from crushing operations, transfer points of closed belt conveyor systems and from transportation roads
2.6	The raw coal, washed coal and coal wastes (rejects) shall be stacked properly at earmarked site (s) within stockyards fitted with wind breakers/shields. Adequate measures shall be taken to ensure that the stored mineral does not catch fire.

3. Noise And Vibration Monitoring And Prevention

S. No	EC Conditions
3.1	The noise level survey shall be carried out as per the prescribed guidelines to assess noise exposure of the workmen at vulnerable points in the mine premises, and report in this regard shall be submitted to the Ministry/RO on six-monthly basis.
3.2	Adequate measures shall be taken for control of noise levels as per Noise Pollution Rules, 2016 in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with personal protective equipments (PPE) like ear plugs/muffs in conformity

S. No	EC Conditions
	with the prescribed norms and guidelines in this regard. Adequate awareness programme for users to be conducted. Progress in usage of such accessories to be monitored.

4. Water Quality Monitoring And Mitigation Measures

S. No	EC Conditions
4.1	The effluent discharge (mine waste water, workshop effluent) shall be monitored in terms of the parameters notified under the Water Act, 1974 Coal Industry Standards vide GSR 742 (E) dated 25th September, 2000 and as amended from time to time by the Central Pollution Control Board.
4.2	The monitoring data shall be uploaded on the company's website and displayed at the project site at a suitable location. The circular No.J-20012/1/2006-lA.11 (M) dated 27th May, 2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance.
4.3	Industrial waste water shall be properly collected and treated so as to conform to the standards prescribed under the Environment (Protection) Act, 1986 and the Rules made there under, and as amended from time to time.
4.4	The project proponent shall not alter major water channels around the site. Appropriate embankment shall be provided along the side of the river/nallah flowing near or adjacent to the washery. The embankment constructed along the river/nallah boundary shall be of suitable dimensions and critical patches shall be strengthened by stone pitching on the river front side stabilised with plantation so as to withstand the peak water pressure preventing any chance of inundation.
4.5	Heavy metal content in raw coal and washed coal shall be analysed once in a year and records maintained thereof.
4.6	An Integrated Surface Water Management Plan for the washery area up to its buffer zone considering the presence of any river/rivulet/pond/lake etc. with impact of coal washing activities on it, shall be prepared, submitted to MoEFCC and implemented.
4.7	Waste Water shall be effectively treated and recycled completely either for washery operations or maintenance of green belt around the plant. The washing technology so chosen should conform to 'Zero Liquid Discharge
4.8	No ground water shall be used for coal washing unless otherwise permitted in writing by competent authority (CGWA) or MoEFCC. The make-up water requirement of washery should not exceed 1.5 m3/tonne of raw coal.
4.9	Regular monitoring of ground water level and quality shall be carried out in and around the mine lease area by establishing a network of existing wells and constructing new piezometers during the mining operations. The monitoring of ground water levels shall be carried out four times a year i.e. pre-monsoon, monsoon, post-monsoon and winter. The ground water quality shall be monitored once a year, and the data thus collected shall be sent regularly to MOEFCC/RO.
4.10	The project proponent shall take all precautionary measures to ensure riverine/ riparian ecosystem

S. No	EC Conditions
	in and around the coal mine up to a distance of 5 km. A riverine/riparian ecosystem conservation and management plan should be prepared and implemented in consultation with the irrigation / water resource department in the state government

5. Green Belt

S. No	EC Conditions
5.1	The project proponent shall make necessary alternative arrangements, if grazing land is involved in core zone, in consultation with the State government to provide alternate areas for livestock grazing, if any. In this context, the project proponent shall implement the directions of Hon'ble Supreme Court with regard to acquiring grazing land.

6. Public Hearing And Human Health Issues

S. No	EC Conditions
6.1	Adequate illumination shall be ensured in all washery locations (as per DGMS standards) and monitored weekly. The report on the same shall be submitted to this ministry & it's RO on sixmonthly basis. The project proponent shall undertake occupational health survey for initial and periodical medical examination of the personnel engaged in the project and maintain records accordingly as per the provisions of the Mines Rules, 1955 and DGMS circulars. Besides regular periodic health check-up, 20% of the personnel identified from workforce engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any.
6.2	Personnel (including outsourced employees) working in core zone shall wear protective respiratory devices and shall also be provided with adequate training and information on safety and health aspects.
6.3	Implementation of the action plan on the issues raised during the public hearing shall be ensured. The project proponent shall undertake all the tasks/measures as per the action plan submitted with budgetary provisions during the public hearing. Land oustees shall be compensated as per the norms laid down in the R&R policy of the company/State Government/Central Government, as applicable.
6.4	The project proponent shall follow the mitigation measures provided in this Ministry's OM No.Z-11013/5712014-IA.I1 (M) dated 29th October, 2014, titled 'Impact of mining activities on habitations-issues related to the mining projects wherein habitations and villages are the part of mine lease areas or habitations and villages are surrounded by the mine lease area'.

7. Miscellaneous

S. No	EC Conditions
7.1	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website

S. No	EC Conditions
	permanently.
7.2	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
7.3	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
7.4	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
7.5	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
7.6	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
7.7	The project authorities shall inform to the Regional Office of the MOEFCC regarding commencement of mining operations.
7.8	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
7.9	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
7.10	No change in coal beneficiation process and scope of work shall be made without obtaining prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC) with such conditions mentioned therein. No change in the maximum quantum of raw material feed per annum against the approved washery capacity shall be made.
7.11	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
7.12	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
7.13	The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
7.14	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.

S. No	EC Conditions
7.15	The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
7.16	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
7.17	Coal stacking plan shall be prepared separately for raw coal, clean coal, middling and rejects.
7.18	Efforts should be made to reduce energy consumption by conservation, efficiency improvements and use of renewable energy.



Annexure II



Government of India Ministry of Environment, Forest and Climate Change IA Division (Coal Mining)



Date: 05/04/2024

Minutes of AGENDA FOR 6th MEETING OF THE EXPERT APPRAISAL COMMIT TEE (COAL MINING SECTOR) meeting Coal Mining held from 17/01/2024 to 18/01/20 24

MoM ID: EC/MOM/EAC/154473/1/2024

Agenda ID: EC/AGENDA/EAC/154473/1/2024

Meeting Venue: MoEF&CC

Meeting Mode: Hybrid

Date & Time:

17/01/2024	10:30 AM	05:30 PM
18/01/2024	16:30 AM	01:00 PM

1. Opening remarks

At the outset, the Chairman welcomed the **Experiments** of the purious seal of the seal of the seal of the purious seal of the

2. Confirmation of the minutes of previous meeting

Confirmation of the Minutes of 5thM
the Chairman with the following corrections that the following corrections are to EC conditions. Subsequently, and the EAC will review the proposal in an expective and for transportation of coal and the following corrections of the following corrections are to EC conditions. Subsequently, notion and the proposal in an expective and for transportation of coal and the following corrections of the following corrections of the following corrections of the proposal in an expective and the proposal in an expective condition in the proposal in the following correction of the following correction of the proposal in the

3. Details of proposals considered by the committee

Day 1 -17/01/2024

3.1. Agenda Item No 1:

3.1.1. Details of the proposal

Tasra Coking Coal Washery Plant of M/s. Steel Authority of India Limited with 3.5 MTPA capacity of 21 Ha area, located at FCIL Campus, Town — Sindri, District-Dh anbad, Jharkhand. by STEEL AUTHORITY OF INDIA LTD located at DHANBAD, JHARKHAND

Proposal For		Fresh ToR	
Proposal No	File No	Submission Date	Activity (Schedule Item)
IA/JH/CMIN/455615/2023	J-11015/122/2007-IA.II(M)	15/12/2023	Coal washeries (2(a))

3.1.2. Project Salient Features

Agenda No. 6.3

Tasra Coking Coal Washery with capacity of 3.5 MTPA in the project area of 21 ha. of M/s. Steel Authority of India Limited located at FCIL Campus, Town - Sindri, District Dhanbad (Jharkhand) - For Terms of Reference - reg.

[Online Proposal No. IA/JH/CMIN/455615/2023; File No. J-11015/122/ 2007-IA. II(M)]

6.3.1 The proposal is for Terms of Reference for Tasra Coking Coal Washery with capacity of 3.5 MTPA in the project area of 21 ha. of M/s. Steel Authority of India Limited located at FCIL Campus, Town – Sindri, District Dhanbad (Jharkhand). PP applied online vide proposal No IA/JH/CMIN/455615/2023 for grant of TOR and the proposal was placed in 5th EAC meeting held during 17-18 January, 2024.

6.3.2 The Project Proponent made a detailed presentation on the salient features of the project and informed that:

PROJECT LOCATION:

- The project area is covered under Survey of India Topo sheet No. 73 I/6 (F45C6) and is bounded by the geographical coordinates ranging from 23°39'37.22"N to 23°3 9'51.23"Nandlongitudes86°28'59.45" E to 86°29'15.52" E.
- The project/activity is proposed by the PP is a Green filed project and covered under category A of item 2(a) 'Coal Washeries' of the Schedule to the Environmental Im pact Assessment Notification, 2006 as the throughput of Coal is > 2.5 MTPA therefore, it requires appraisal at Central level by the sectoral EAC in the Ministry.
- Tasra Coal Washery had been granted EC for 3.5 MTPA of M/s Steel Authority of India Ltd., Vide letter no. J-11015/365/2009-IA.II(M) pt. Dated 30.03.2017 by the MoEF&CC. However, the Coal Washery could not be installed as land for installation of the Washery could not be acquired.
- The Fertilizer Corporation of India Limited (FCIL) has obtained in principle approval for leasing of 61 Acres (24.69 Ha) of FCIL Land (Old SMP Plant Area) for set ting up of a Coal Washery for Tasra Opencast Coal Project Vide Letter no. FCIL/Sindri/Tasra/2023/1810 dated 20th November 2023.
- PP submitted that there is no Wildlife Sanctuaries, National Park, Biosphere Reserve, exists within 10 Km radius of the project site.
- The area is not Falling under Critically Polluted Area.
- · One small unnamed Protected forest exists at a distance of 9.5 Km.
- · No R&R involved
- No Archeological/ Historical/ Ancient Monument within 10 KM of the project site
- · No forest land is involved in the project.

LAND USE DETAILS OF PROJECT SITE:

The land usage pattern of the coal Washery project is as follows:

Sl. No.	Details	Area in Ha	% w.r.t. Total Area
1.	Main Plant Arcu	2.52	11.99
1.	Storage Area for Coul Stock	6.21	29.61
1.	Water Reservo	0.61	2.94
1.	Green Belt	6.9)	32.99
1.	Internal Roads	2.12	10.09
1.	Parking Area	1.41	1.65
1.	Misc Area	tti	121CPC G
Total		21.00	100,30

TRANSPORTATION OF COAL

- Transportation of raw coal from Mine Pit to the Coal Washery shall be through conveyor/private road and Clean/middling coal from the Washery to the Steel & power plants of SAIL will be through Rail.
- · Quantity being transported by Road/Rail/Conveyor: Washed coal & middling will be transported through Rail.

OTHER DETAILS:

- Total water requirement for the project is 966 m3/day.
- · Application for obtaining the approval of the Central Ground Water Authority for NOC for water withdrawal will be submitted after the approval of ToR.
- Damodar River is flowing at a distance of 2.3 Km from Southern Boundary of the lease area. No nala diversion is involved in the project.
- No court cases, violation cases are pending against the project of the PP.

- The project does not involve violation of the EIA Notification, 2006 and amendment issued thereunder.
- The project involves no project affected families. R&R of the PAPs is not required.
- Total cost of the project is Rs. 93,900 Lakhs.

BENEFITS OF THE PROJECT:

The project is reported to be beneficial in terms of bigger exercise by Government of India to increase the washing capabilities of Indian coal in order to increase the su
pply of washed coking coal to steel plants thereby reduce the outgo of valuable foreign currency. This will also help in reducing the prices of steel product so vital for I
ndian economy.

3.1.3. Deliberations by the committee in previous meetings

Date of EAC 1:28/02/2024

Deliberations of EAC 1:

8.3.3: Committee after deliberations noted the following:

The proposal was initially considered in the EAC meeting held on 17-18 January 2024 wherein Committee after deliberation deferred the proposal for want of additional information. PP vide letter dated 09.0. 2024 admitted the reply at the Parise Format The reply at the following the proposal for want of additional information.

Query-1: PP shall conduct a detailed alternate site selection study for at least 3 sites including the existing mining site.

Reply: PP Submitted that a detailed by the second of the size of t

Site-II - Chasnalla Colliery Colony (49.4 Acre of 28.0 Hectare)

If this site is required, a total of 25+ Conveyor: 5 Hectares (which is not feasible; instead of that, road transport the cost of the project. The area is compresent just adjacent to the boundary. In the cost of the project is the cost of the project of the Chasnalla coal mine is present just adjacent to the boundary. In the cost of the project is a of Tasra Coal Mine. 1260 trees will have to felled at this location. The office of the cost of the project is a cost of the project. The cost of the project is a cost of the project is a cost of the project is a cost of the project. The cost of the project is a cost of the project is a cost of the project is a cost of the project. The cost of the project is a cost of the project. The cost of the project is a cost of

Site-III - Domgarh (96.7 Acre or 39.1 Hectary)

Approximately 1500 families are present the same area of Tasra Coal Mine. Cutting of 3215 Hectares; Railway Siding with Rapid Site I and hence not prescribed.

Site-IV - Rohrabandh (49.7 Acre or 28.1 Hortan)

The site has a rich green cover. A large production of R&R of the displaced family, Railway siding and reput to the site has a rich green cover. A large production of R&R of the displaced family, Railway siding and reput to the site has a rich green cover. A large production of R&R of the displaced family, Railway siding and reput to the site has a rich green cover. A large production of the displaced family, Railway siding and reput to the site has a rich green cover. A large production of the site h

Query-2: PP shall confirm the minimum area required for setting up of the Washery.

Reply: PP submitted that they have a limit of the property o

Query-3: PP shall submit a transportation plan for each site selection (preferably through rail mode and belt conveyor combination).

Reply: Detailed study w.r.t to transportation for all four size has been addressed at sl.no. 5 & 6 of the Site Annual Report PP and support to the Site Annual Report PP and support TP and suppo

Query-4: PP shall submit the habitation details around each of the alternate site considered for setting up of the plant.

Reply: All four sites have been studing present within a 100-meter radius of the 100-meter radius of the 100-meter radius of the 100-meter radius of the 100-met

The Committee deliberated on the representation of Raw Committee in the proposed the transportation of Raw Committee noted that there is a school put flow to the proposed size. Proceedings that it is at unauthorized occupation. The Committee is of the view that PP shall submit an action plan for relocation of the school and students which is at a distance of 10.8 km from the proposed size. The proposed size the PP with letter dated 29/02/2024 submitted its reply wherein it mentioned that "in discussion with FCIL Estate department we have identified a location nearer to present premises and proposed the same to school authorities. The Principal of the Lions Public School, Sindri has agreed and written a letter to the GM, I/C (Tasra & Chasnala), SAIL dated 29/02/2024, that they are ready to relocate from the existing premises to a new location which is at a distance of 200 - 300 m from the present location.

Moreover, SAIL/KTMPL (MDO of SAIL) will bear the entire necessary infrastructure development expenses related to the construction of the new school and hence Lions Public School will have no financial expenditure for the same."

The PP vide communication dated 2/03/2024 also submitted that "Further to our communication made to your office on 29.02.2024 for the relocation of Lions Public School within 300 meters from the current premises, dully accepted by school authority. In past 2 days, We have further identified 2-3 more potential sites, all are within a 1-2 kilometres radius of the existing premises.

SAIL, through its MDO (KTMPL), is committed to facilitating the seamless relocation of the school to the new site, as directed by the committee, ensuring the complete satisfaction of the school authorities prior to the commencement of the proposed Tasra Coal Washery.

We hereby assure that the first site is available additional 2-3 more sites are also available as alternative options."

The Committee noted that PP has identified the optional site to shift the school, PP has submitted an undertaking to construct the new school in lieu of the present school and Lion Public School will have no financial expenditure for the same, PP also submitted a letter dated 29/02/2024 from the Principal giving his consent to re-locate the school. Based on the submission PP was asked vide email dated 8/0/2024 that "PP should give the plan and assurance till the new school is incepted at full capacity, the students should not be shifted anywhere without their consent." The PP vide letter dated 11/03/2024 informed that "We assure that school at new location will be functional well before Washery comes in Operation. Further, we assure that the shifting of school shall be done in due consent of the School administration and authorities"

Based on the submission of PP, the Committee is of the view that the grant of ToR should not be taken as a direction from EAC/MoEF&CC for shifting the school. The school management and families whose children are studying in this school are free to make their independent decisions in this regard.

Based on the discussion held and the document submitted the Committee recommended the proposal for a grant of ToR for the setting up of Tasra Coking Coal Washery Plant of capacity 3.5 MTPA in an area of 21 Ha, located at FCIL Campus, Town — Sindri, District- Dhanbad, Jharkhand, by Steel Authority of India Limited. The Committee in addition to standard ToR also prescribed the following Specific ToR.

3.1.4. Deliberations by the EAC in current meetings

8.3.3: Committee after deliberations noted the following:

The proposal was initially considered in the EAC meeting held on 17-18 January 2024 wherein Committee after deliberation deferred the proposal for want of additional information. PP vide letter dated 09.02.2024 submitted the reply on the Parivesh portal. The reply submitted by PP is as follows:

Query-1: PP shall conduct a detailed alternate site selection study for at least 3 sites including the existing mining site.

Reply: PP Submitted that a detailed study for the selection of the site for installation has been done for four sites. It was mentioned that Site number 2 & Site number 3 exist inside the Tasra Mining Lease area. PP presented the analysis of alternative Sites and justification of selection. PP submitted that Site-I was selected for setting up the proposed washery. The reasons that Site-II, Site-III, and Site-IV have not been preferred for setting up the proposed washery are summarized below:

Site-II - Chasnalla Colliery Colony (49.4 Acre or 20.0 Hectare)

If this site is required, a total of 25+ Hectares shall be needed. Washery: 15 Ha, Railway Siding with Rapid Loading System: 5 Ha and Conveyor: 5 Hectares (which is not feasible; instead of that, road transportation is a better option.). Human habitations are present in the area proposed for washery. R&R will be required at a large scale, increasing the cost of the project. The area is coal-bearing; setting up a washery will cause blockage of coal resources. The underground mine infrastructure of the Chasnalla coal mine is present just adjacent to the boundary. The area is present in high flood level zone of Damodar River. The land falls inside the mine lease area of Tasra Coal Mine. 1260 trees will have to felled at this location. The offtake route is a challenge and would involve passing through densely populated areas, which will be an issue from a safety point.

Site-III - Domgarh (96.7 Acre or 39.1 Hectare)

Approximately 1500 families are present in the area proposed for washery. The site would require R&R, impacting the cost of the project. The land falls inside the mine lease area of Tasra Coal Mine. Cutting of 3215 Trees is expected for setting up of a Washery at this location. If this site is required, a total of 23+ Hectares shall be needed (Washery: 15 Hectares; Railway Siding with Rapid Loading System: 5 hectares; Conveyor: 4 Hectares). In this site, offtake infrastructure i.e., RLS will require additional set-up at proposed Site I and hence not prescribed.

Site-IV - Rohrabandh (49.7 Acre or 20.1 Hectare)

The site has a rich green cover. A large no of trees to the tune of 2169 will have to be felled at this location. Additional Land will be required at other locations for R&R of the displaced family, Railway siding and Rapid Loading System. If this site is selected, a total of 27+ Hectares shall be needed (Washery: 18-20 Hectares; Railway Siding with Rapid Loading System: 5 hectares; Conveyor: 3 Hectares). In this site, offtake infrastructure i.e., RLS will require additional set-up at proposed Site I and hence not prescribed.

Query-2: PP shall confirm the minimum area required for setting up of the Washery.

Reply: PP submitted that they have engaged M/s Daniels GT India Private Limited, for setting up of washery infrastructure. The consultant has confirmed vide letter dated 09.02.2024 that about 15-18 Hectares of land is required for setting up of a washery. PP displayed a copy of the letter during the presentation and submitted the same.

Query-3: PP shall submit a transportation plan for each site selection (preferably through rail mode and belt conveyor combination).

Reply: Detailed study w.r.t to transport to the study w.r.t to the study w.r.t to transport to the study w.r.t to the study w.r.t to the study w.r.t to the st

Query-4: PP shall submit the habitation details around each of the alternate site considered for setting up of the plant.

Reply: All four sites have been studied by six Report. "Lions Public School" is present within a 100-meter radius of the 100-meter r

The Committee deliberated on the reproposed the transportation of Raw C
PP. The Committee noted that there submit an action plan for relocation of the view that PP shall submit an action plan for relocation of the view that PP shall submit an action plan for relocation of the view that PP shall submit an action plan for relocation of the view that PP shall submit an action plan for relocation of the view that Pindiscuss the view that Pindiscuss are the view that Pindiscuss the view that Pindiscuss are the view that Pindiscuss are view to view that PP shall the view th

Moreover, SAIL/KTMPL (MDO of SAIL) with the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have no financial expenditure to the same school and hence Lions Public School will have the same school and hence Lions Public School will have the same s

The PP vide communication dated 2 the property of Lions Public School within 300 meters from the current production of Lions Public School listes, all are within a 1-2 kilometres radius of the existing premises.

SAIL, through its MDO (KTMPL) in committee to facilitating the requires reflection of the school to the new site or directed by the committee, ensuring the complete satisfaction of the school and water price to the commencement of the proposed Fasta Coal Washers.

We hereby assure that the first site it available additional 2-3 more rises are also available as alternative options."

Based on the submission of PP, the Commission of PP, the Commission of the level of the stand of ToR should not be taken as a fraction from EV. MoE. a. C for shifting the school. The school management and families whose children are standing in the school of the schoo

Based on the discussion held and the document arbaniced the Committee recommended the proposal for a grant of TeR for the acting up of Tasra Coking Coal Washery Plant of capacity 3.5 MTPA in an area of 11 flat theorem of FCIL Campus. Town—South District—Browned, the Republic by Sixel Authority of India Limited. The Committee in addition to standard ToR also prescribed the following Specific ToR.

3.1.5. Recommendation of EAC

Recommended

3.2. Agenda Item No 2:

3.2.1. Details of the proposal

Amalgamated Yekona I & II OC (Phase-I)	by Western Coalfields Limited located at CHANI	DRAPUR,MAHARASHTRA	
Proposal For		Amendment in EC	
Proposal No	File No	Submission Date	Activity (Schedule Item)
IA/MH/CMIN/438539/2023	J-11015/381/2015-IA.II(M)	30/07/2023	Mining of minerals (1(a))

3.2.2. Project Salient Features

Annexure III



आस्त संस्कार Govt. of India श्रम एवं रोजनार मंत्रानय Ministry of Labour & Employment स्थान सुरक्षा महानियेशानम Directorate-General of Mines Safety



NO: 010232|CZ|Dhanbad Region No.II|Perm|2025|272487 Date: 18/03/2025

From

Director of Mines Safety, Region no.2, Central Zone, Dhanbad.

To,

The Agent, Tasra Colliery, M/s SAIL-BSL Collieries

Subject: Permission under Regulation 196(3) of the Coal Mines Regulations, 2017 to conduct controlled deep hole blasting within 500m but beyond 100m of any permanent building or structure of permanent nature not belonging to mine owner at Tasra Colliery of M/s SAIL-BSL Collieries-modification thereof.

Dear Sir.

Please refer to yours on line application Id-272487 dated 17.02.2025 and letter No. Agent/Tasra/DGMS/2025/17 dated 15/02/2025 enclosing therewith surface plan of the mine, plan no. TA/Q/24/12 dated 05.07.2024/15.02.2025.

The matter has since been examined on the basis of the information furnished by you along with the application.

In exercise of the powers conferred on the Chief Inspector of Mines (also designated as Director-General of Mines Safety) under Regulations 196(3) of the Coal Mines Regulations, 2017 and by virtue of the authorization granted to me by the Chief Inspector of Mines (also designated as Director-General of Mines Safety) under Section 6(1) of the Mines Act, 1952, I, hereby modify the permission issued vide this directorates letter no.264619 dated 10.06.2024 and permit you to conduct controlled deep hole blasting within 500m but beyond 100m of any permanent building or structure of permanent nature not belonging to the owner in the area,bounded by A1,B1,C1,D1,E1,F1,G1,V16,V15,V14,V13,V12,V11,V10,V9,V8,V7,V6,V5,V4,V3,V2,V1,W1,X1,Y1,Z & A1 as shown on the plan no. TA/Q/24/12 dated 05.07.2024/15.02.2025 at TasraColliery of M/s. SAIL. subject to the following conditions being complied with:

- 1.1 No deep hole blasting shall be conducted within 100m from any village/bustees/ hutments/dwellings or any structure of permanent in nature not belonging to the owner. Further, no blasting shall be conducted within 100m of any residential quarters/buildings belonging to the mine owner. The restricted zone of 100m shall be demarcated on the ground by actual survey.
- 1.2 The management shall indemnify the occupants/owners of the houses/dwellings/buildings or other structures and the public authority concerned, if any, against danger to their property or injury to them or other persons arising out of operation conducted under the permission.
- 1.3 No working shall be made or extended to any point within 45m of any railways, or of any public works or of any public road or building or of other permanent structures not belonging to the owner without obtaining

prior permission under regulation 119 of the Coal Mines Regulations, 2017.

- 1.4 All overhead lines situated within 100m of the proposed blasting area shall be provided with cradle guards and at the time of firing and till end of blasting power transmission in the said overhead line shall be cut off.
- 2.0 No blasting in the opencast workings shall be done till such time that, the in charge of the blasting operation has ensured that, no person/vehicle passes on public road existing within danger zone (500m). For the purpose drop bar barrier shall be provided on both side of the road at a distance of 500m from the place of firing and guard shall be posted on the barrier and person/vehicle shall not be allowed to pass on the road during blasting and till the time all clear signal after blasting is obtained.
- 3.0 While blasting in area within 500m but beyond 100m of any buildings or permanent structures not belonging to the Owner, drilling and charging patterns as recommended in the study report by Department of Mining Engineering, BIT Sindri, Dhanbad, vide project No.CNP/BIT/MIN/2020/SS&BD-01 dated 29.07.2021 shall be followed and in case of any difficulties, close co-ordination with the experts of the concerned Scientific Agency shall be maintained to decide safe blasting.
- 4.0 Following values regarding maximum charge per delay and maximum charge per round shall be used in blasting.

Distance of structures/buildings from the blasting site (in meters)	Aggregate maximum	
100	44.52	197.68
125	69.56	308.88
150	100.16	444.79
200	178.06	790.73
250	278.22	1235.52
300	400.64	1779.15
400	712.25	3162.94
500	1112.89	4942.09

- **4.1** Only electronic detonator initiation system shall be used while conducting blasting within 200m but beyond 100m of any permanent building or structure of permanent nature not belonging to mine owner and electronic detonator or Non-electric initiation system shall be used for blasting beyond 200m. Initiation of blasting round shall be done in such a manner that the detonation front of waves generated during blasting moves away from the structures/buildings.
- 4.2 The peak particle velocity (PPV) of blast-induced ground vibration of each round of blasting shall be measured and the records of the same shall be maintained in a bound paged book kept for the purpose duly counter signed by blasting officer and manager. PPV near any permanent buildings or structures of permanent nature not belonging to mine owner shall not exceed the limit prescribed in the table below as mentioned in DGMS Circular No. 7 of 1997:

Type of structure	Dominant excitation	on frequency, Hz	
Type of structure	<8 Hz	8 – 25 Hz	>25 Hz
(A) Buildings/structures no	ot belonging to the	owner	
1.Domestic houses/structures (Kuchcha, brick & cement)	5	10	15
2. Industrial buildings	10	20	25
3. Objects of historical importance and sensitive		5	10

structures			
(B) Buildings with limited	span of life and be	longing to owner	
I. Domestic houses/structures	10	15	25
2. Industrial buildings	15	25	50

For the purpose required instrument/seismograph/vibrograph, triggered by geo-phone and capable of giving digital output, shall solely be made & kept available at the mine.

- 5.0 All conditions for deep hole blasting in opencast mine as stipulated in Gazette Notification, G.S.R. 985(E), dated 01.10.2018 shall be strictly complied.
- 5.1 As required under condition 1 of G.S.R. 985(E), dated 01.10.2018, the scientific study to assess the effect of blast induced ground vibration on the stability of the pit and dump slope and to recommend measures for maintaining long term stable pit and dump slope for safe workings of the mine within six months of issue of this permission.
- 5.2 All conditions for transport of explosives in bulks as stipulated in Gazette Notification, G.S.R. 982(E), dated 01.10.2018 shall be strictly complied.
- 5.3 All conditions for conducting blasting in fire area in opencast mine as stipulated in Gazette Notification, G.S.R. 986(E), dated 01.10.2018 shall be strictly complied.
- 5.4 All precautions as laid down in circular no. 4 of 1983 and circular no. 14 of 2020 shall be strictly followed.
- 5.5 The Code of Practices framed by the Manager in respect of drilling, handling and transportation of explosives in bulks, charging, steaming, warning of persons, taking shelter, firing of shots, extraction of underground pillars by opencast method and blasting in fire area shall be strictly complied with.
- 5.6 The guide lines as specified in D.G.M.S. (Tech.) (S&T) circular No. 6 of 2007 to protect the important underground features like coal pillars, water dams and ventilation & isolation/sectionalisation stoppings etc. falling within 100m in any direction of the blasting site shall be followed.
- 6.0 To control flying fragments resulting out of blasting from projecting beyond a distance of 10metres from the place of firing, following precautions shall be taken:-
- i. No shot hole shall be fired in crushed, broken or fractured ground/strata.
- ii. Blasting shall be done against a free face only. Blasted material shall be cleared off before commencement of drilling operation for succeeding round.
- iii. Top stemming column shall not be less than the burden.
- iv. Only such stemming material that is free from pebbles and stone chips shall be used. Moist sand shall be used for stemming of deep holes.
- v. All the blasting operation shall be conducted with muffling arrangement strictly. Muffling of holes should be done with conveyor belt or wire netting pieces (1.8m x 1.2m) overlain by 3 to 4 sand bags each 35.0-40.0kg by weight or alternatively heavy duty blasting mats shall be used.
- vi. Variation in inclination of holes shall be within 5 degrees to avoid variation in crest and toe burden.
- vii. In an undercut bench face, the quantity of explosives to be charged within undercut portion shall be suitably reduced.
- viii. In case water is encountered in any shot-hole, either the shot-hole shall be dewatered by blowing compressed air into the hole or the explosive column shall be gently pushed down by wooden rod and sufficient time given for the explosive column to sink to the desired depth before the round is fired.

ix. No secondary blasting/boulder blasting shall be carried out within 500m from any public place.

- 7.0 In case, with any of the deep-hole rounds fired, the PPV of ground vibrations resulting out of blasting is observed to be more than **10mm/sec** at dwellings/other structures or the flying fragments project to a distance beyond 10m from the place of firing/blasting, operations shall be discontinued and this Directorate shall be informed immediately and blasting operations connected with this permission shall not be resumed unless express permission in writing is accorded by this Directorate.
- 8.0 Owner, Agent and Manager shall provide substantially built shelter to shot firer and his assistants for taking shelter in danger zone. Blasting shelter without bottom plate shall not be used for taking shelter. Blasting shelter shall not be placed in the direction of free face of blasting site. The shot firer and his assistant shall take shelter in the blasting shelter while firing the shots.
- 9.0 The preparation of charges and charging & stemming of holes shall be carried out under the personal supervision of an overman (shot firer), who shall fire the shots himself.


10.0 ADDITIONAL CONDITIONS:

- 10.1 In case of any actual or apprehended danger of any sort arising out of the blasting operation is observed or noticed the blasting operation shall be stopped forthwith and this office shall be informed immediately.
- 10.2 This permission is being issued specifically under the regulation mentioned above & without prejudice to any other provisions of law which may be or may become applicable at any time.
- 10.3 In the event of any change in the circumstances connected with this permission which is likely to endanger the life of persons employed in the mine or the mine, the mining operations for which this permission has been granted shall be stopped forthwith and intimation thereof shall be sent to this Directorate. The said mining operation shall not be resumed without express and fresh permission in writing from this Directorate.
- 10.4 If at any time any one of the conditions, subject to which this permission has been granted, is violated or not complied with, this permission shall be deemed to have been revoked with immediate effect.
- 10.5 Except where otherwise provided for in this conditional permission, all provisions of the Coal Mines Regulations, 2017 shall be complied with. This conditional permission is subject to amendment or withdrawal at any time if considered necessary in the interest of safety and or conservation of coal.
- 10.6 This permission shall remain valid for a period of 5 (five) years from the dated of issue of this letter.

Your Faithfully

MANOJ KUMAR SAHOO (DIRECTOR - DHANBAD REGION NO.II)

THIS IS A SYSTEM GENERATED DOCUMENT, DOES NOT REQUIRE ANY SIGNATURE.





KALYANESWARI TASRA MINING PRIVATE LIMITED

FLAT NO.603, PINE TOWER, C/O: APANO GHAR, TAPOWAN COLONY, NAWATANRALIAS GOSAINDI,

DHANBAD, JHARKHAND - 828109. E Mail: info@ktmpl.co.in



ANNEXURE-II

WORK ORDER

Details of Service Provider	Details of Billing Address	Work Order No : 6000041117
Name :Indian Institute of Technology	Name :KTMPL-MDO	Work Order Date : 23.00.2024 Amendment :0
Address :GROUND FLOOR, IIT ISM, ADMINISTRATI JHARKHAND Vendor code :508336 PAN No :AAAA10686D State :JHARKHA State Code :20 State Code :20	Address :Sindri, DHANBAD,JHARKHAND - 828122 State :JHARKHAND State Code :20 GSTIN/Unique ID :20AAKCK4699L120	Site :Kalyaneswari Tasra Mining Pvt (5885) Quotation Ref : Quotation Date : PR Ref : Delivery Address Site Name : KTMPL-MDO
GSTIN/Unique ID :20AAAAI0686D1ZA		Address: Sindri, , DHANBAD,JHARKHAND 828122

Comprehensive Hydrological Study to assess the impact of Nalas and Damodar River on Kalyaneswari Tasra Mining Pvt.Ltd. Mining area, Tasra, Sindri#

29.08.2024 31.08.2025 WO Period From DT: WO Period To DT:

χ S	Code/SAC	S.No HSN Desp. of Goods/Services Total Taxable CGST CGST Amt SGST/UTGST IGST Amt IGST Amt Rate Code/SAC Rate Rate Rate Rate	Total Taxable Value	CGST Rate	CGST Amt	SGST/ UTGST Rate	SGST/UTGST Amt	IGST Rate	IGST Amt	Amount(INR)
~		To Provide the Comprehensive	15,000,000.00	%6	1,350,000.00 9%	%6	1,350,000.00 0 % 0.00	% 0	00.00	17700000
		Total	15,000,000.00		1350000	13	1350000	0	1.	17700000
		Basic Price + Tax 17,700,000.00	00.000,00							
		Total 17,700,000.00	00.000,00							

Total Value in Words: ONE CRORE SEVENTY SEVEN LAKH RUPEES ONLY

WORK ORDER















CA - Site

Commercial Dept Prepared By

DGM Civil


000


PROJ. DIRECTOR


CEO


AGM (PUR)


Annexure IV









































Annexure V

Photo Annexures



Top Soil Stacked near the dump area



Soil cover over the dumped OB



Catch drain near the dump area



Catch drain channelised to reservoir



Water Reservoir in the abandoned pit OB dump



30 KLD ETP being in use for HEMM



Concrete road from mines to the highway




Signages at the mines area



Water Sprinkling at the mines area



Piezometer installed at the mines area



100.02.50,000 100.00 to 0.00 to 0.00 100.00 to 0.00 100.00 to 0.00 to 0.00 100.00 to 0.00 to 0.00 100.00 to 0.00 100.00 to 0.00 to 0.00 100.00 to 0.00 to 0.00 100.00 to 0.00

Flowmeters installed at the mines area



CAAQMS installed at the mines office



Tarpaulin covered trucks for coal dispatch



Plantation drive at R&R area on WED 2025




Reservoir acting as GW recharge



Haul Road



Dust Suppression by Water Sprinkling



Dust Suppression by Water Sprinkling



Controlled Blasting Technique

Use of Controlled Electronic Detonator



Mine View of Tasra OCP





Effluent Treatment plant installed at Project site





Toe Wall along the OB Dump



Concrete Road



Wet Drilling



Garland Drain



Daily Safety Talk

Annexure VI

Key	y Well_GW Level Moi	nitoring Loca	ations	20	025
Sl. No.	Location	Latitude	Longitude	Aug-25 (mbgl)	Nov-25 (mbgl)
KW_GWL1	Rohrabandh	23.648331	86.482168	1.2	1.5
KW_GWL2	Near HP Petrol Pump	23.651322	86.479685	2.5	2.5
KW_GWL3	Tasra Shiv Mandir	23.650761	86.472043	1.4	3.5
KW_GWL4	Haadi Basti Road	23.650688	86.468499	1.1	3
KW_GWL5	Tasra Nutandih	23.652248	86.468055	1.3	1.5
KW_GWL6	Shiv Mandir Sheherpura	23.676957	86.490023	2.2	1.5
KW_GWL7	Bajrangbali Mandir ACC	23.671858	86.494577	2.4	2.5
KW_GWL8	Domgarh	23.649233	86.493179	1.8	2.5
KW_GWL9	Hetkandra	23.650036	86.462095	3.6	5
KW_GWL10	Chasnalla	23.661011	86.4548	2.1	4.5
KW_GWL11	Sarsakundi	23.644688	86.532896	2.4	3.4
KW_GWL12	Kalipur	23.660083	86.529809	3.8	5



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domparh, Dist. -

P.O. - Domgarh, Dist. - Dhanbad

Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025

	Ref. No. & Date	NAME AND AD	NAME AND ADDRESS OF THE CLIENT			
	ARDS/25-26/DW-01	ASRA COAL MINING PRO	•	VISION, STEEL		
	Dt. 19/11/2025		ITY OF INDIA LTD.			
	DO NO. 0. Data		328135, DIST DHANE			
	P.O. NO. & Date		& Date : 29.01.2024			
	Location of Sample		(SARSAKUDI) (CORI	E ZUNE)		
	Sample Description		OUND WATER	025		
	Date of Sample Collection	10/11/2025	Started on : 11/11/2 Analysis completed of			
	Test Procedure	10/11/2025	IS:3025	14/11/2025		
	rest Procedure	TEST DESILLT	15.3025			
01		TEST RESULT	10.40	500 0040		
SI.	Parameters	Value		500: 2012		
No.			Accepted Limit	Permissible Limit		
1.	Colour Hazen units	1	5	15		
2.	Odour	Agreeable	Agreeable	Agreeable		
3.	Taste	Agreeable	Agreeable	Agreeable		
4.	Turbidity NTU	0.6	1	5		
5.	Total Dissolved Solids mg/l,	454.6	500	2000		
6.	pH Value	7.84	6.5 to 8.5	6.5 to 8.5		
7.	Total Hardness (as CaCO ₃) mg/l,	300	200	600		
8.	Calcium (as Ca) mg/l,	212	75	200		
9.	Magnesium (as Mg)mg/l,	21.12	30	100		
10.	Copper (as Cu) mg/l,	0.086	0.05	1.5		
11.	Iron (as Fe) mg/l	0.078	1.0	NR		
12.	Manganese (as Mn) mg/l,	0.013	0.1	0.3		
13.	Chlorides (as CI) mg/I,	36	250	1000		
14.	Sulphate (as SO ₄) mg/l	60	200	400		
15.	Nitrate (as NO ₃₎ mg/l,	5.8	45	NR		
16.	Fluoride (as F) mg/l	0.4	1.0	1.5		
17.	Phenolic Compounds (as C ₆ H ₅ OH) mg		0.001	0.002		
18.	Mercury (as Hg) mg/l,	BDL	0.001	NR		
19.	Cadmium (as Cd) mg/l,	BDL	0.01	NR		
20.	Selenium (as Se mg/l,	BDL	0.01	NR		
21.	Arsenic (as As) mg/l,	BDL	0.01	0.05		
22.	Cyanide (as Cn) mg/l,	BDL	0.05	NR		
23.	Lead (As Pb) mg/l	Pb) mg/l BDL 0.05 N				
24.	Zinc (as Zn) mg/l	2.4	5.0	15		
25.	Anionic detergents (as MBAS), mg/l,	BDL	0.2 1.0			
26.	Chromium (as Cr+ ⁶) mg/l	0.83	0.05	NR		
27.	Mineral Oil mg/l,	BDL	0.01	NR		
-00	Desided for a shipping world	NIT	0.0	1.0		

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS – 10500 : 2012 , NT-NOT TRACEABLE

NT

Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

0.2

1.0

Statements:

The test report refers only to the particular item(s) submitted for testing.

Residual, free chlorine mg/l,

- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017 ISO 9001:2015 ISO (OHSAS) 45001:2018 Certified
TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025 92, 09431512608

Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Plot No. - I-B-17 (P)

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O), Fax: 0326-295237

Ref. No. & Date NAME AND ADDRESS OF THE CLIENT TASRA COAL MINING PROJECT, COLLIERIES DIVISION, ARDS/25-26/DW-02 STEEL AUTHORITY OF INDIA LTD. Dt. 19/11/2025 CHASNALLA - 828135, DIST. - DHANBAD P.O. NO. & Date 6000036592 Date: 29.01.2024 **MUNKI NIWAS** Location of Sample Sample Description **GROUND WATER** Analysis Started on: 12/11/2025 Date of Sample Collection 11/11/2025 Analysis completed on 15/11/2025

IS:3025

SI.	Parameters	Value	IS: 10500: 2012	
No.			Accepted Limit	Permissible Limit
1.	Colour Hazen units	1	5	15
2.	Odour	Agreeable	Agreeable	Agreeable
3.	Taste	Agreeable	Agreeable	Agreeable
4.	Turbidity NTU	1.4	1	5
5.	Total Dissolved Solids mg/l,	785.8	500	2000
6.	pH Value	7.37	6.5 to 8.5	6.5 to 8.5
7.	Total Hardness (as CaCO ₃) mg/l,	400	200	600
8.	Calcium (as Ca) mg/l,	124.8	75	200
9.	Magnesium (as Mg)mg/l,	21.12	30	100
10.	Copper (as Cu) mg/l,	0.097	0.05	1.5
11.	Iron (as Fe) mg/l	0.110	1.0	NR
12.	Manganese (as Mn) mg/l,	0.005	0.1	0.3
13.	Chlorides (as CI) mg/l,	112.0	250	1000
14.	Sulphate (as SO ₄) mg/l	93	200	400
15.	Nitrate mg/l, (as NO ₃₎	5.3	45	NR
16.	Fluoride (as F) mg/l	0.6	1.0	1.5
17.	Phenolic Compounds (as C ₆ H ₅ OH) mg/l,	BDL	0.001	0.002
18.	Mercury (as Hg)mg/I,	BDL	0.001	NR
19.	Cadmium (as Cd) mg/l,	BDL	0.01	NR
20.	Selenium (as Se mg/l,	BDL	0.01	NR
21.	Arsenic (as As) mg/l,	BDL	0.01	0.05
22.	Cyanide (as Cn) mg/l,	NT	0.05	NR
23.	Lead (As Pb) mg/l	NT	0.05	NR
24.	Zinc (as Zn) mg/l	2.6	5.0	15
25.	Anionic detergents (as MBAS), mg/l,	BDL	0.2	1.0
26.	Chromium (as Cr+ ⁶) mg/l	0.92	0.05	NR
27.	Mineral Oil mg/l,	BDL	0.01	NR
28.	Residual, free chlorine mg/l,	N.T.	0.2	1.0

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS - 10500 : 2012

Aditi R&D Services



Aditi R&D Services, Sindri

Statements:

The test report refers only to the particular item(s) submitted for testing.

Test Procedure

- The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)

Website: aditimdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377

P.O. - Domgarh, Dist. - Dhanbad

Email ID: sindriaditi@gmail.com

Plot No. - I-B-17 (P) Sindri, Industrial Area,

Jharkhand - 828107

ISO/IEC 17025:2017 ISO 9001:2015 ISO (OHSAS) 45001:2018 Certified
TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025 492, 09431512608

Ref. No. & Date	NAME AND ADDRESS OF THE CLIENT					
ARDS/25-26/DW-03 Dt. 19/11/2025	TASRA COAL MINING PROJECT, COLLIERIES DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA – 828135, DIST DHANBAD					
P.O. NO. & Date	6000036592 & Date: 29.01.2024					
Location of Sample	HIGH SC	CHOOL PARASBANIA				
Sample Description	GF	ROUND WATER				
		Analysis Started on: 1:	2/11/2025			
Date of Sample Collection	11/11/2025	Analysis completed on	15/11/2025			
Test Procedure	IS:3025					

SI.	Parameters	Value	IS: 10	500: 2012
No.			Accepted Limit	Permissible Limit
1.	Colour Hazen units	1	5	15
2.	Odour	Agreeable	Agreeable	Agreeable
3.	Taste	Agreeable	Agreeable	Agreeable
4.	Turbidity NTU	0.5	1	5
5.	Total Dissolved Solids mg/l,	339.2	500	2000
6.	pH Value	7.69	6.5 to 8.5	6.5 to 8.5
7.	Total Hardness (as CaCO ₃) mg/l,	312	200	600
8.	Calcium (as Ca) mg/l,	60.8	75	200
9.	Magnesium (as Mg)mg/l,	38.4	30	100
10.	Copper (as Cu) mg/l,	0.082	0.05	1.5
11.	Iron (as Fe) mg/l	0.15	1.0	NR
12.	Manganese (as Mn) mg/l,	0.099	0.1	0.3
13.	Chlorides (as CI) mg/I,	66.0	250	1000
14.	Sulphate (as SO₄) mg/l	67	200	400
15.	Nitrate mg/I, (as NO ₃₎	5.12	45	NR
16.	Fluoride (as F) mg/l	0.4	1.0	1.5
17.	Phenolic Compounds (as C ₆ H ₅ OH) mg/l,	0.0013	0.001	0.002
18.	Mercury (as Hg)mg/l,	BDL	0.001	NR
19.	Cadmium (as Cd) mg/l,	BDL	0.01	NR
20.	Selenium (as Se mg/l,	BDL	0.01	NR
21.	Arsenic (as As) mg/l,	BDL	0.01	0.05
22.	Cyanide (as Cn) mg/l,	N.T.	0.05	NR
23.	Lead (As Pb) mg/l	N.T.	0.05	NR
24.	Zinc (as Zn) mg/l	2.8	5.0	15
25.	Anionic detergents (as MBAS), mg/l,	N.T.	0.2	1.0
26.	Chromium (as Cr+ ⁶) mg/l	0.81	0.05	NR
27.	Mineral Oil mg/l,	N.T.	0.01	NR
28.	Residual, free chlorine mg/l,	N.T.	0.2	1.0

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS - 10500: 2012

Aditi R&D Services



Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. -

P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Jhankhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025

Ref. No. & Date	TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025								
Dt. 19/11/2025 AUTHORITY OF INDIA LTD.		Ref. No. & Date		NAME AND A	DDR	ESS OF THE CLIE	NT		
P.O. NO. & Date		ARDS/25-26/DW-04	MINING PRO	MINING PROJECT, COLLIERIES DIVISION, STEEL					
P.O. NO. & Date		Dt. 19/11/2025							
Location of Sample			С	HASNALLA –	828	135, DIST DHAN	BAD		
Sample Description		P.O. NO. & Date		6000036592	2 &	Date: 29.01.202	4		
Date of Sample Collection 12/11/2025 Analysis Started on 13/11/2025		Location of Sample		SARKARI H	IOSF	PITAL CHASNALL	.Α		
Date of Sample Collection 12/11/2025		Sample Description		GR	OUN	ID WATER			
Since					Ana	lysis Started on :	13/11/2025		
SI. Parameters Value IS: 10500: 2012	Da	ate of Sample Collection	12/11/2	025	Ana	alysis completed of	on 16/11/2025		
SI. Parameters Value IS: 10500: 2012		Test Procedure			IS	:3025			
SI. Parameters Value IS: 10500: 2012			TEST	RESULT					
No. Accepted Limit Permissible Limit	SI	Parameters				IS: 10F	500: 2012		
1. Colour Hazen units 1 5 15		i didilictors		Value					
2. Odour Agreeable Agreeable Agreeable 3. Taste Agreeable Agreeable Agreeable 4. Turbidity NTU 0.4 1 5 5. Total Dissolved Solids mg/l, 392.4 500 2000 6. pH Value 7.71 6.5 to 8.5 6.5 to 8.5 7. Total Hardness (as CaCO₃) mg/l, 352 200 600 8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO₄) mg/l, 77.5 250 1000 15. Nitrate mg/l, (as NO₃) 5.6 45 NR 16. <td< td=""><td></td><td>Colour Hazen units</td><td></td><td>1</td><td></td><td></td><td></td></td<>		Colour Hazen units		1					
3. Taste Agreeable Agreeable Agreeable 4. Turbidity NTU 0.4 1 5 5. Total Dissolved Solids mg/l, 392.4 500 2000 6. pH Value 7.71 6.5 to 8.5 6.5 to 8.5 7. Total Hardness (as CaCO₃) mg/l, 352 200 600 8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phen				-		, and the second			
4. Turbidity NTU 5. Total Dissolved Solids mg/l, 6. pH Value 7.71 6.5 to 8.5 7. Total Hardness (as CaCO₃) mg/l, 8. Calcium (as Ca) mg/l, 9. Magnesium (as Mg)mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 10. Copper (as Cu) mg/l, 11. Iron (as Fe) mg/l 12. Manganese (as Mn) mg/l, 13. Chlorides (as Cl) mg/l, 13. Chlorides (as Cl) mg/l, 14. Sulphate (as SO₄) mg/l 15. Nitrate mg/l, (as NO₃) 16. Fluoride (as F) mg/l 17. Phenolic Compounds (as CeH₅OH) mg/l, 18. Mercury (as Hg)mg/l, 19. Cadmium (as Cd) mg/l, 19. Cadmium (as Cd) mg/l, 20. Selenium (as Se mg/l, 21. Arsenic (as As) mg/l, 22. Cyanide (as Cn) mg/l, 23. Lead (As Pb) mg/l 24. Zinc (as Zn) mg/l 25. Anionic detergents (as MBAS), mg/l, 26. Chromium (as Cr+⁵) mg/l 27. Mineral Oil mg/l, 28. Mineral Oil mg/l, 29. Mineral Oil mg/l, 20. Selenium (as Cr+⁵) mg/l 20. Selenium (as Cr+⁵) mg/l 21. O.01 22. O.05 23. NR 24. Zinc (as Zn) mg/l 25. Anionic detergents (as MBAS), mg/l, 26. Chromium (as Cr+⁵) mg/l 27. Mineral Oil mg/l, 28. BDL 39. 450 392. 4 500 200 200 200 200 200 200 600 200 600 200 600 200 600 6						•			
5. Total Dissolved Solids mg/l, 392.4 500 2000 6. pH Value 7.71 6.5 to 8.5 6.5 to 8.5 7. Total Hardness (as CaCO ₃) mg/l, 352 200 600 8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.01 NR 20. Selenium (as Cd) mg/l, BDL 0.01 NR									
6. pH Value 7.71 6.5 to 8.5 6.5 to 8.5 7. Total Hardness (as CaCO ₃) mg/l, 352 200 600 8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as CeH ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR						_			
7. Total Hardness (as CaCO ₃) mg/l, 352 200 600 8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.05 NR 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ^b) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR		<u> </u>							
8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 NR 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25.		-		352					
9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃₎ 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.001 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.05 NR 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁵) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	8.			152		75	200		
10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. <td>9.</td> <td></td> <td></td> <td colspan="2">48</td> <td>30</td> <td>100</td>	9.			48		30	100		
11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.05 NR	10.			0.074		0.05	1.5		
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	11.	Iron (as Fe) mg/l		0.066		1.0	NR		
14. Sulphate (as SO_4) mg/l 34 200 400 15. Nitrate mg/l, (as NO_3) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C_6H_5OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as $Cr+^b$) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	12.	Manganese (as Mn) mg/l,		0.009		0.1	0.3		
15. Nitrate mg/l, (as NO3) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C_6H_5OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as $Cr+^5$) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	13.	Chlorides (as CI) mg/l,		77.5		250	1000		
16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C_6H_5OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as $Cr+^6$) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	14.	Sulphate (as SO ₄) mg/l		34		200	400		
17. Phenolic Compounds (as C₀H₅OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	15.	Nitrate mg/l, (as NO ₃₎		5.6		45	NR		
18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁵) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	16.					1.0	1.5		
19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁵) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR			₅OH) mg/l,	0.0016					
20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ^b) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR		5, 5, 5				0.001			
21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	19.	, , ,		BDL		0.01	NR		
22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁵) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	20.	Selenium (as Se mg/l,		BDL		0.01	NR		
23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	21.	Arsenic (as As) mg/l,	Arsenic (as As) mg/l,			0.01	0.05		
24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	22.	Cyanide (as Cn) mg/l,		BDL		0.05	NR		
25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	23.	Lead (As Pb) mg/l	BDL		0.05	NR			
26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	24.	Zinc (as Zn) mg/l	2.8		5.0	15			
27. Mineral Oil mg/l, BDL 0.01 NR	25.	Anionic detergents (as MBAS)	, m <mark>g/l,</mark>	BDL		0.2	1.0		
	26.	Chromium (as Cr+ ⁶) mg/l		1.02		0.05	NR		
28. Residual, free chlorine mg/l. N.T. 0.2 1.0	27.	Mineral Oil mg/l,		BDL		0.01	NR		
20. 1.00.000, 1.00 0.110 mg/s, 1.10	28.	Residual, free chlorine mg/l,		N.T.		0.2	1.0		

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS – 10500 : 2012, NT-NOT TRACEABLE

Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)

Plot No. - I-B-17 (P) Sindri, Industrial Area,

P.O. - Domgarh, Dist. - Dhanbad

Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377 ISO/IEC 17025:2017, ISO 9001:2015 ISO (OHSAS) 45001:2018 Certified
TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025492, 09431512608

Ref. No. & Date	NAME AND ADDRESS OF THE CLIENT				
ARDS/25-26/DW-05 Dt. 19/11/2025	TASRA COAL MINING PROJECT, COLLIERIES DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA – 828135, DIST DHANBAD				
P.O. NO. & Date	6000036592 & Date: 29.01.2024				
Location of Sample	Bhojudih Jharna Basti				
Sample Description	GROUND WATER				
	Analysis Started on : 15/11/2025				
Date of Sample Collection	14/11/2025 Analysis completed on 18/11/2025				
Test Procedure	IS:3025				

	TES	ST RESULT		
SI.	Parameters	Value	IS: 10	500: 2012
No.			Accepted Limit	Permissible Limit
1.	Colour Hazen units	1	5	15
2.	Odour	Agreeable	Agreeable	Agreeable
3.	Taste	Agreeable	Agreeable	Agreeable
4.	Turbidity NTU	0.2	1	5
5.	Total Dissolved Solids mg/l,	186.2	500	2000
6.	pH Value	7.8	6.5 to 8.5	6.5 to 8.5
7.	Total Hardness (as CaCO ₃) mg/l,	176	200	600
8.	Calcium (as Ca) mg/l,	136	75	200
9.	Magnesium (as Mg)mg/l,	10	30	100
10.	Copper (as Cu) mg/l,	0.048	0.05	1.5
11.	Iron (as Fe) mg/l	0.052	1.0	NR
12.	Manganese (as Mn) mg/l,	0.010	0.1	0.3
13.	Chlorides (as Cl) mg/l,	16	250	1000
14.	Sulphate (as SO ₄) mg/l	22	200	400
15.	Nitrate mg/I, (as NO ₃₎	5.4	45	NR
16.	Fluoride (as F) mg/l	0.2	1.0	1.5
17.	Phenolic Compounds (as C ₆ H ₅ OH) mg/l,	N.T.	0.001	0.002
18.	Mercury (as Hg)mg/I,	BDL	0.001	NR
19.	Cadmium (as Cd) mg/l,	BDL	0.01	NR
20.	Selenium (as Se mg/l,	BDL	0.01	NR
21.	Arsenic (as As) mg/l,	BDL	0.01	0.05
22.	Cyanide (as Cn) mg/l,	BDL	0.05	NR
23.	Lead (As Pb) mg/l	BDL	0.05	NR
24.	Zinc (as Zn) mg/l	2.6	5.0	15
25.	Anionic detergents (as MBAS), mg/l,	BDL	0.2	1.0
26.	Chromium (as Cr+ ⁶) mg/l	0.79	0.05	NR
27.	Mineral Oil mg/l,	BDL	0.01	NR
28.	Residual, free chlorine mg/l,	N.T.	0.2	1.0

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS - 10500 : 2012 NT- NOT TRACEABLE





Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - D

P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

TEST REPORT OF PIT WATER FOR THE MONTH OF NOVEMBER 2025

TEST REPORT OF PIT WATER FOR THE MONTH OF NOVEMBER 2025						
	Ref. No. & Date		NAME AND ADDRESS OF THE CLIENT			
	ARDS/25-26/PW-03		AL MINING PROJECT, COLLIERIES DIVISION,			
	Dt. 19/11/2025		_	_	ITY OF INDIA L	
			ASNALLA – 828135, DIST DHANBAD			
	P.O. NO. & Date	6	000036592	&	Date: 29.01.2	2024
	Location of Samp	le Collection		-	Analysis Started or	11/11/2025
	TASRA PROJECT	PIT WATER				
Date	& Time Sample Collection	10/11/2	2025	Aı	nalysis completed	on 14/11/2025
	Test Procedure			IS	:3025	•
		TEST	RESULT			
SI.	Parameters		Value		IS: 10!	500: 2012
No.					Accepted Limit	Permissible Limit
1.	Colour Hazen units		1		5	15
2.	Odour		Agreeable		Agreeable	Agreeable
3.	Taste		Agreeable		Agreeable	Agreeable
4.	Turbidity NTU		2.3		1	5
5.	Total Dissolved Solids mg/l,		717		500	2000
6.	pH Value		8.3		6.5 to 8.5	6.5 to 8.5
7.	Total Hardness (as CaCO ₃) mg/l,		212		200	600
8.	Calcium (as Ca) mg/l,		146		75	200
9.	Magnesium (as Mg)mg/l,		13		30	100
10.	Copper (as Cu) mg/l,		0.052		0.05	1.5
11.	Iron (as Fe) mg/l		0.03		1.0	NR
12.	Manganese (as Mn) mg/l,		0.02		0.1	0.3
13.	Chlorides (as CI) mg/l,		17		250	1000
14.	Sulphate (as SO ₄) mg/l		26		200	400
15.	Nitrate mg/l, (as NO ₃₎		5.1		45	NR
16.	Fluoride (as F) mg/l		0.1		1.0	1.5
17.	Phenolic Compounds (as C ₆ H	₅OH) mg/l,	N.T.		0.001	0.002
18.	Mercury (as Hg)mg/l,		BDL		0.001	NR
19.	(111 111 31)		BDL		0.01	NR
20.	3. ,		BDL		0.01	NR
21.	, , ,		BDL		0.01	0.05
22. Cyanide (as Cn) mg/l,		BDL		0.05	NR	
23. Lead (As Pb) mg/l		BDL		0.05	NR	
24.	Zinc (as Zn) mg/l		2.8		5.0	15
25.	Anionic detergents (as MBAS)), mg/l,	BDL		0.2	1.0
26.	Chromium (as Cr+⁵) mg/l		0.84		0.05	NR
27.	27. Mineral Oil mg/l,		BDL		0.01	NR

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS – 10500: 2012

Sr. Chemist Aditi R&D Services

Quality Manager Aditi R&D Services, Sindri

Statements:

The test report refers only to the particular item(s) submitted for testing.

Residual, free chlorine mg/l,

- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area,

P.O.- Domgarh, Dist.- Dhanbad

Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O).

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

TEST REPORT OF BORING WATER FOR THE MONTH OF NOVEMBER 2025

Ref. No. & Date	NAME AND ADDRESS OF THE CLIENT				
ARDS/25-26/DW-03 Dt. 19/11/2025	TASRA COAL MINING PROJECT, COLLIERIES DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA – 828135, DIST DHANBAD				
P.O. NO. & Date	6000036592 & Date: 29.01.2024				
Location of Sample	OPEN CA	AST TASRA MINING			
Sample Description	BOI	RING WATER			
	A	Analysis Started on: 11	1/11/2025		
Date of Sample Collection	10/11/2025 Analysis completed on 14/11/2025				
Test Procedure	IS:3025				

SI.	Parameters	Value	IS: 10	500: 2012
No.			Accepted Limit	Permissible Limit
1.	Colour Hazen units	1	5	15
2.	Odour	Agreeable	Agreeable	Agreeable
3.	Taste	Agreeable	Agreeable	Agreeable
4.	Turbidity NTU	0.6	1	5
5.	Total Dissolved Solids mg/l,	409	500	2000
6.	pH Value	7.9	6.5 to 8.5	6.5 to 8.5
7.	Total Hardness (as CaCO ₃) mg/l,	340	200	600
8.	Calcium (as Ca) mg/l,	260	75	200
9.	Magnesium (as Mg)mg/l,	19.2	30	100
10.	Copper (as Cu) mg/l,	0.093	0.05	1.5
11.	Iron (as Fe) mg/l	0.067	1.0	NR
12.	Manganese (as Mn) mg/l,	0.007	0.1	0.3
13.	Chlorides (as CI) mg/l,	119.96	250	1000
14.	Sulphate (as SO ₄) mg/l	96	200	400
15.	Nitrate mg/I, (as NO ₃₎	5.0	45	NR
16.	Fluoride (as F) mg/l	0.3	1.0	1.5
17.	Phenolic Compounds (as C ₆ H₅OH) mg/l,	BDL	0.001	0.002
18.	Mercury (as Hg)mg/l,	BDL	0.001	NR
19.	Cadmium (as Cd) mg/l,	BDL	0.01	NR
20.	Selenium (as Se mg/l,	BDL	0.01	NR
21.	Arsenic (as As) mg/l,	BDL	0.01	0.05
22.	Cyanide (as Cn) mg/l,	N.T.	0.05	NR
23.	Lead (As Pb) mg/l	BDL	0.05	NR
24.	Zinc (as Zn) mg/l	2.7	5.0	15
25.	Anionic detergents (as MBAS), mg/l,	BDL	0.2	1.0
26.	Chromium (as Cr+ ⁶) mg/l	0.89	0.05	NR
27.	Mineral Oil mg/l,	BDL	0.01	NR
28.	Residual, free chlorine mg/l,	N.T.	0.2	1.0

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard

Sr. Chemist Aditi R&D Services

Ad

Quality-Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

TEST REPORT OF SURFACE WATER FOR THE MONTH OF NOVEMBER 2025

	Ref. No. & Date	NAN	ME AND ADI	DRESS O	F THE CLIENT	
	ARDS/25-26/SW-01		•	COLLIERIES	DIVISION,	
	Dt. 19/11/2025			_	F INDIA LTD. ST DHANB <i>i</i>	ΔD
	P.O. NO. & Date			•	: 29.01.202 ⁴	
	Location of Samp		-		is Started on	15/11/2025
	UPSTREAM OF DA	MODAR RIVER		Ĩ		
Date	& Time Sample Collection	14/11/202	:5	Analysis	completed on	18/11/2025
	Test Procedure			IS:3025		
		TEST RE	<u>SULT</u>			
SI.	Parametei	rs	Valu	ie		2296) er Class "C"
No.						ce Limit
1.	Colour Hazen units		1		300 (Max.)	
2.	Dissolved Oxygen, mg/l		6.0		4 (Min.)	
3.	B.O.D. (3 days at 27°C) n	ng/l	2.8		3 (Max.)	
4.	Total Dissolved Solids m	ng/I, Max	382		1500 (Max.)	
5.	pH Value		8.3	7	6.5 -	- 8.5
6.	Conductivity (µs/CM)		490		-	
7.	Turbidity (NTU)		0.8		-	
8.	B. Phenolic Compounds (as C ₆ H ₅ OH) mg/l,		B.D	.L	0.005	(Max.)
9.	. Oil and grease, mg/l		4.2	2	0.1 (l	Max.)
10.	C.O.D., mg/l		30.	0		-
11.	Total Suspended Solids , mg/l		10			_

Remarks: All the parameters of samples tested are within the permissible limit of General standard. BDL – Below Detection Limit





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377

Mobile: 09471358492, 09431512608

TEST REPORT OF SURFACE WATER FOR THE MONTH OF NOVEMBER 2025

F		1				
	Ref. No. & Date	NAN	ME AND ADDRESS OF THE CLIENT			
	ARDS/25-26/SW-02	TASRA COAL				DIVISION,
	Dt. 19/11/2025	_			F INDIA LTD.	45
	DO NO A Date				ST DHANBA	
	P.O. NO. & Date		036592		: 29.01.202	
	Location of Samp			Analys	is Started on	11/11/2025
Date	& Time Sample Collection	10/11/202	5	Analysis	completed on	14/11/2025
Date	Test Procedure	10,11/202		IS:3025	completed on	. 17 1 17 2 0 2 0
		TEST RE				
SI.	Parameter		Valu	ie		2296)
No.						er Class "C"
	0.1		4		Tolerance Limit	
1.	Colour Hazen units		1		300 (Max.)	
2.	Dissolved Oxygen, mg/l		6.4		4 (Min.)	
3.	B.O.D. (3 days at 27°C) n	ng/l	3.0		3 (Max.)	
4.	Total Dissolved Solids n	ng/I, Max	397		1500 (Max.)	
5.	pH Value		8.4	1	6.5 -	- 8.5
6.	Conductivity (µs/CM)		450		-	
7.	Turbidity (NTU)		0.9)		_
8.	. Phenolic Compounds (as C ₆ H₅OH) mg/l,		BD	L	0.005	(Max.)
9.	Oil and grease, mg/l		5.2		0.1 (Max.)
10.	C.O.D., mg/l		36.	0		_
11.	Total Suspended Solids	, mg/l	14			-

Remarks: All the parameters of samples tested are within the permissible limit of General standard. BDL – Below Detection Limit





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domparh, Dist. -

P.O. - Domgarh, Dist. - Dhanbad

Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025

	Ref. No. & Date	NAME AND AD	NAME AND ADDRESS OF THE CLIENT				
	ARDS/25-26/DW-01		AL MINING PROJECT, COLLIERIES DIVISION, STEEL				
	Dt. 19/11/2025		ITY OF INDIA LTD.				
	DO NO. 0. Data		328135, DIST DHANE				
	P.O. NO. & Date		& Date : 29.01.2024				
	Location of Sample		(SARSAKUDI) (CORI	E ZUNE)			
	Sample Description		OUND WATER	025			
	Date of Sample Collection	10/11/2025	Started on : 11/11/2 Analysis completed of				
	Test Procedure	10/11/2025	IS:3025	14/11/2025			
	rest Procedure	TEST DESILLT	15.3025				
01		TEST RESULT	10.40	500 0040			
SI.	Parameters	Value		500: 2012			
No.			Accepted Limit	Permissible Limit			
1.	Colour Hazen units	1	5	15			
2.	Odour	Agreeable	Agreeable	Agreeable			
3.	Taste	Agreeable	Agreeable	Agreeable			
4.	Turbidity NTU	0.6	1	5			
5.	Total Dissolved Solids mg/l,	454.6	500	2000			
6.	pH Value	7.84	6.5 to 8.5	6.5 to 8.5			
7.	Total Hardness (as CaCO ₃) mg/l,	300	200	600			
8.	Calcium (as Ca) mg/l,	212	75	200			
9.	Magnesium (as Mg)mg/l,	21.12	30	100			
10.	Copper (as Cu) mg/l,	0.086	0.05	1.5			
11.	Iron (as Fe) mg/l	0.078	1.0	NR			
12.	Manganese (as Mn) mg/l,	0.013	0.1	0.3			
13.	Chlorides (as CI) mg/I,	36	250	1000			
14.	Sulphate (as SO ₄) mg/l	60	200	400			
15.	Nitrate (as NO ₃₎ mg/l,	5.8	45	NR			
16.	Fluoride (as F) mg/l	0.4	1.0	1.5			
17.	Phenolic Compounds (as C ₆ H ₅ OH) mg		0.001	0.002			
18.	Mercury (as Hg) mg/l,	BDL	0.001	NR			
19.	Cadmium (as Cd) mg/l,	BDL	0.01	NR			
20.	Selenium (as Se mg/l,	BDL	0.01	NR 0.05			
21.	Arsenic (as As) mg/l,	BDL	BDL 0.01				
22.	Cyanide (as Cn) mg/l,	BDL	0.05	NR			
23.	Lead (As Pb) mg/l	BDL	0.05	NR			
24.	Zinc (as Zn) mg/l	2.4	5.0	15			
25.	Anionic detergents (as MBAS), mg/l,	BDL					
26.	Chromium (as Cr+ ⁶) mg/l	0.83	0.05	NR			
27.	Mineral Oil mg/l,	BDL	0.01	NR			
-00	Desided for a shipping world	NIT	0.0	1.0			

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS – 10500 : 2012 , NT-NOT TRACEABLE

NT

Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

0.2

1.0

Statements:

The test report refers only to the particular item(s) submitted for testing.

Residual, free chlorine mg/l,

- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)

ISO/IEC 17025:2017 ISO 9001:2015 ISO (OHSAS) 45001:2018 Certified
TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025 92, 09431512608

Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Plot No. - I-B-17 (P)

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O), Fax: 0326-295237

Ref. No. & Date NAME AND ADDRESS OF THE CLIENT TASRA COAL MINING PROJECT, COLLIERIES DIVISION, ARDS/25-26/DW-02 STEEL AUTHORITY OF INDIA LTD. Dt. 19/11/2025 CHASNALLA - 828135, DIST. - DHANBAD P.O. NO. & Date 6000036592 Date: 29.01.2024 **MUNKI NIWAS** Location of Sample Sample Description **GROUND WATER** Analysis Started on: 12/11/2025 Date of Sample Collection 11/11/2025 Analysis completed on 15/11/2025

IS:3025

SI.	Parameters	Value	IS: 10	IS: 10500: 2012			
No.			Accepted Limit	Permissible Limit			
1.	Colour Hazen units	1	5	15			
2.	Odour	Agreeable	Agreeable	Agreeable			
3.	Taste	Agreeable	Agreeable	Agreeable			
4.	Turbidity NTU	1.4	1	5			
5.	Total Dissolved Solids mg/l,	785.8	500	2000			
6.	pH Value	7.37	6.5 to 8.5	6.5 to 8.5			
7.	Total Hardness (as CaCO ₃) mg/l,	400	200	600			
8.	Calcium (as Ca) mg/l,	124.8	75	200			
9.	Magnesium (as Mg)mg/l,	21.12	30	100			
10.	Copper (as Cu) mg/l,	0.097	0.05	1.5			
11.	Iron (as Fe) mg/l	0.110	1.0	NR			
12.	Manganese (as Mn) mg/l,	0.005	0.3				
13.	Chlorides (as CI) mg/l,	112.0	250	1000			
14.	Sulphate (as SO ₄) mg/l	93	200	400			
15.	Nitrate mg/l, (as NO ₃₎	5.3	45	NR			
16.	Fluoride (as F) mg/l	0.6	1.0	1.5			
17.	Phenolic Compounds (as C ₆ H ₅ OH) mg/l,	BDL	0.001	0.002			
18.	Mercury (as Hg)mg/I,	BDL	BDL 0.001				
19.	Cadmium (as Cd) mg/l,	BDL	0.01	NR			
20.	Selenium (as Se mg/l,	BDL	0.01	NR			
21.	Arsenic (as As) mg/l,	BDL	0.01	0.05			
22.	Cyanide (as Cn) mg/l,	NT	0.05	NR			
23.	Lead (As Pb) mg/l	NT	0.05	NR			
24.	Zinc (as Zn) mg/l	2.6	5.0	15			
25.	Anionic detergents (as MBAS), mg/l,	BDL	0.2	1.0			
26.	Chromium (as Cr+ ⁶) mg/l	0.92	0.05	NR			
27.	Mineral Oil mg/l,	BDL	0.01	NR			
28.	Residual, free chlorine mg/l,	N.T.	0.2	1.0			

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS - 10500 : 2012

Aditi R&D Services



Aditi R&D Services, Sindri

Statements:

The test report refers only to the particular item(s) submitted for testing.

Test Procedure

- The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)

Website: aditimdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377

P.O. - Domgarh, Dist. - Dhanbad

Email ID: sindriaditi@gmail.com

Plot No. - I-B-17 (P) Sindri, Industrial Area,

Jharkhand - 828107

ISO/IEC 17025:2017 ISO 9001:2015 ISO (OHSAS) 45001:2018 Certified
TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025 492, 09431512608

Ref. No. & Date	NAME AND ADDRESS OF THE CLIENT							
ARDS/25-26/DW-03 Dt. 19/11/2025								
P.O. NO. & Date	6000036592	& Date: 29.01.202	4					
Location of Sample	HIGH SC	CHOOL PARASBANIA						
Sample Description	GF	ROUND WATER						
		Analysis Started on: 1:	2/11/2025					
Date of Sample Collection	11/11/2025 Analysis completed on 15/11/2025							
Test Procedure	IS:3025							

SI.	Parameters	Value	IS: 10	IS: 10500: 2012			
No.			Accepted Limit	Permissible Limit			
1.	Colour Hazen units	1	5	15			
2.	Odour	Agreeable	Agreeable	Agreeable			
3.	Taste	Agreeable	Agreeable	Agreeable			
4.	Turbidity NTU	0.5	1	5			
5.	Total Dissolved Solids mg/l,	339.2	500	2000			
6.	pH Value	7.69	6.5 to 8.5	6.5 to 8.5			
7.	Total Hardness (as CaCO ₃) mg/l,	312	200	600			
8.	Calcium (as Ca) mg/l,	60.8	75	200			
9.	Magnesium (as Mg)mg/l,	38.4	30	100			
10.	Copper (as Cu) mg/l,	0.082	0.05	1.5			
11.	Iron (as Fe) mg/l	0.15	1.0	NR			
12.	Manganese (as Mn) mg/l,	0.099	0.3				
13.	Chlorides (as CI) mg/I,	66.0	250	1000			
14.	Sulphate (as SO₄) mg/l	67	200	400			
15.	Nitrate mg/I, (as NO ₃₎	5.12	45	NR			
16.	Fluoride (as F) mg/l	0.4	1.0	1.5			
17.	Phenolic Compounds (as C ₆ H ₅ OH) mg/l,	0.0013	0.001	0.002			
18.	Mercury (as Hg)mg/l,	BDL	0.001	NR			
19.	Cadmium (as Cd) mg/l,	BDL	0.01	NR			
20.	Selenium (as Se mg/l,	BDL	0.01	NR			
21.	Arsenic (as As) mg/l,	BDL	0.01	0.05			
22.	Cyanide (as Cn) mg/l,	N.T.	0.05	NR			
23.	Lead (As Pb) mg/l	N.T.	0.05	NR			
24.	Zinc (as Zn) mg/l	2.8	5.0	15			
25.	Anionic detergents (as MBAS), mg/l,	N.T.	0.2	1.0			
26.	Chromium (as Cr+ ⁶) mg/l	0.81	0.05	NR			
27.	Mineral Oil mg/l,	N.T.					
28.	Residual, free chlorine mg/l,	N.T.	0.2	1.0			

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS - 10500: 2012

Aditi R&D Services



Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. -

P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Jhankhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025

Ref. No. & Date		TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025									
Dt. 19/11/2025 AUTHORITY OF INDIA LTD.		Ref. No. & Date	NAME AND A	DDR	ESS OF THE CLIE	NT					
P.O. NO. & Date		ARDS/25-26/DW-04	TASRA COAL	. MINING PROJECT, COLLIERIES DIVISION, STEEL							
P.O. NO. & Date		Dt. 19/11/2025									
Location of Sample			С	HASNALLA –	828	135, DIST DHAN	BAD				
Sample Description		P.O. NO. & Date		6000036592	2 &	Date: 29.01.202	4				
Date of Sample Collection 12/11/2025 Analysis Started on 13/11/2025		Location of Sample		SARKARI H	IOSF	PITAL CHASNALL	.Α				
Date of Sample Collection 12/11/2025		Sample Description		GR	OUN	ID WATER					
Since					Ana	lysis Started on :	13/11/2025				
SI. Parameters Value IS: 10500: 2012	Da	ate of Sample Collection	12/11/2	025	Ana	alysis completed of	on 16/11/2025				
SI. Parameters Value IS: 10500: 2012		Test Procedure			IS	:3025					
SI. Parameters Value IS: 10500: 2012			TEST	RESULT							
No. Accepted Limit Permissible Limit	SI	Parameters				IS: 10F	500: 2012				
1. Colour Hazen units 1 5 15		i didilictors		Value							
2. Odour Agreeable Agreeable Agreeable 3. Taste Agreeable Agreeable Agreeable 4. Turbidity NTU 0.4 1 5 5. Total Dissolved Solids mg/l, 392.4 500 2000 6. pH Value 7.71 6.5 to 8.5 6.5 to 8.5 7. Total Hardness (as CaCO₃) mg/l, 352 200 600 8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO₄) mg/l, 77.5 250 1000 15. Nitrate mg/l, (as NO₃) 5.6 45 NR 16. <td< td=""><td></td><td>Colour Hazen units</td><td></td><td>1</td><td></td><td></td><td></td></td<>		Colour Hazen units		1							
3. Taste Agreeable Agreeable Agreeable 4. Turbidity NTU 0.4 1 5 5. Total Dissolved Solids mg/l, 392.4 500 2000 6. pH Value 7.71 6.5 to 8.5 6.5 to 8.5 7. Total Hardness (as CaCO₃) mg/l, 352 200 600 8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phen				-		, and the second					
4. Turbidity NTU 5. Total Dissolved Solids mg/l, 6. pH Value 7.71 6.5 to 8.5 7. Total Hardness (as CaCO₃) mg/l, 8. Calcium (as Ca) mg/l, 9. Magnesium (as Mg)mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 10. Copper (as Cu) mg/l, 11. Iron (as Fe) mg/l 12. Manganese (as Mn) mg/l, 13. Chlorides (as Cl) mg/l, 13. Chlorides (as Cl) mg/l, 14. Sulphate (as SO₄) mg/l 15. Nitrate mg/l, (as NO₃) 16. Fluoride (as F) mg/l 17. Phenolic Compounds (as CeH₅OH) mg/l, 18. Mercury (as Hg)mg/l, 19. Cadmium (as Cd) mg/l, 19. Cadmium (as Cd) mg/l, 20. Selenium (as Se mg/l, 21. Arsenic (as As) mg/l, 22. Cyanide (as Cn) mg/l, 23. Lead (As Pb) mg/l 24. Zinc (as Zn) mg/l 25. Anionic detergents (as MBAS), mg/l, 26. Chromium (as Cr+⁵) mg/l 27. Mineral Oil mg/l, 28. Mineral Oil mg/l, 29. Mineral Oil mg/l, 20. Selenium (as Cr+⁵) mg/l 20. Selenium (as Cr+⁵) mg/l 21. O.01 22. O.05 23. NR 24. Zinc (as Zn) mg/l 25. Anionic detergents (as MBAS), mg/l, 26. Chromium (as Cr+⁵) mg/l 27. Mineral Oil mg/l, 28. BDL 39. 450 392. 4 500 200 200 200 200 200 200 600 200 600 200 600 200 600 6						•					
5. Total Dissolved Solids mg/l, 392.4 500 2000 6. pH Value 7.71 6.5 to 8.5 6.5 to 8.5 7. Total Hardness (as CaCO ₃) mg/l, 352 200 600 8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.01 NR 20. Selenium (as Cd) mg/l, BDL 0.01 NR											
6. pH Value 7.71 6.5 to 8.5 6.5 to 8.5 7. Total Hardness (as CaCO ₃) mg/l, 352 200 600 8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as CeH ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR						_					
7. Total Hardness (as CaCO ₃) mg/l, 352 200 600 8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.05 NR 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ^b) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR		<u> </u>									
8. Calcium (as Ca) mg/l, 152 75 200 9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 NR 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25.		-		352							
9. Magnesium (as Mg)mg/l, 48 30 100 10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃₎ 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.001 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.05 NR 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁵) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	8.			152		75	200				
10. Copper (as Cu) mg/l, 0.074 0.05 1.5 11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. <td>9.</td> <td></td> <td></td> <td colspan="2">48</td> <td>30</td> <td>100</td>	9.			48		30	100				
11. Iron (as Fe) mg/l 0.066 1.0 NR 12. Manganese (as Mn) mg/l, 0.009 0.1 0.3 13. Chlorides (as Cl) mg/l, 77.5 250 1000 14. Sulphate (as SO ₄) mg/l 34 200 400 15. Nitrate mg/l, (as NO ₃) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C ₆ H ₅ OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.05 NR	10.			0.074		0.05	1.5				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	11.	Iron (as Fe) mg/l		0.066		1.0	NR				
14. Sulphate (as SO_4) mg/l 34 200 400 15. Nitrate mg/l, (as NO_3) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C_6H_5OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as $Cr+^b$) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	12.	Manganese (as Mn) mg/l,		0.009		0.1	0.3				
15. Nitrate mg/l, (as NO3) 5.6 45 NR 16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C_6H_5OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as $Cr+^5$) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	13.	Chlorides (as CI) mg/l,		77.5		250	1000				
16. Fluoride (as F) mg/l 0.2 1.0 1.5 17. Phenolic Compounds (as C_6H_5OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as $Cr+^6$) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	14.	Sulphate (as SO ₄) mg/l		34		200	400				
17. Phenolic Compounds (as C₀H₅OH) mg/l, 0.0016 0.001 0.002 18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	15.	Nitrate mg/l, (as NO ₃₎		5.6		45	NR				
18. Mercury (as Hg)mg/l, BDL 0.001 NR 19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁵) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	16.					1.0	1.5				
19. Cadmium (as Cd) mg/l, BDL 0.01 NR 20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁵) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR			₅OH) mg/l,								
20. Selenium (as Se mg/l, BDL 0.01 NR 21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ^b) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR		5, 5, 5				0.001					
21. Arsenic (as As) mg/l, BDL 0.01 0.05 22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	19.	, , ,		BDL		0.01	NR				
22. Cyanide (as Cn) mg/l, BDL 0.05 NR 23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁵) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	20.	Selenium (as Se mg/l,		BDL		0.01	NR				
23. Lead (As Pb) mg/l BDL 0.05 NR 24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	21.	Arsenic (as As) mg/l,	BDL		0.01	0.05					
24. Zinc (as Zn) mg/l 2.8 5.0 15 25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	22.	Cyanide (as Cn) mg/l,	BDL		0.05	NR					
25. Anionic detergents (as MBAS), mg/l, BDL 0.2 1.0 26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	23.	Lead (As Pb) mg/l				0.05	NR				
26. Chromium (as Cr+ ⁶) mg/l 1.02 0.05 NR 27. Mineral Oil mg/l, BDL 0.01 NR	24.	Zinc (as Zn) mg/l				5.0	15				
27. Mineral Oil mg/l, BDL 0.01 NR	25.	Anionic detergents (as MBAS)	, m <mark>g/l,</mark>			0.2	1.0				
	26.	Chromium (as Cr+ ⁶) mg/l		1.02		0.05	NR				
28. Residual, free chlorine mg/l. N.T. 0.2 1.0	27.	Mineral Oil mg/l,		BDL		0.01	NR				
20. 1.00.000, 1.00 0.110 mg/s, 1.10	28.	Residual, free chlorine mg/l,		N.T.		0.2	1.0				

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS – 10500 : 2012, NT-NOT TRACEABLE

Sr. Chemist Aditi R&D Services



Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)

Plot No. - I-B-17 (P) Sindri, Industrial Area,

P.O. - Domgarh, Dist. - Dhanbad

Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377 ISO/IEC 17025:2017, ISO 9001:2015 ISO (OHSAS) 45001:2018 Certified
TEST REPORT OF DRINKING WATER FOR THE MONTH OF NOVEMBER 2025492, 09431512608

Ref. No. & Date	NAME AND ADDRESS OF THE CLIENT							
ARDS/25-26/DW-05 Dt. 19/11/2025	TASRA COAL MINING PROJECT, COLLIERIES DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA – 828135, DIST DHANBAD							
P.O. NO. & Date	6000036592 & Date: 29.01.2024							
Location of Sample	Bhojudih Jharna Basti							
Sample Description	GROUND WATER							
	Analysis Started on : 15/11/2025							
Date of Sample Collection	14/11/2025 Analysis completed on 18/11/2025							
Test Procedure	IS:3025							

	TES	ST RESULT				
SI.	Parameters	Value	IS: 10	500: 2012		
No.			Accepted Limit	Permissible Limit		
1.	Colour Hazen units	1	5	15		
2.	Odour	Agreeable	Agreeable	Agreeable		
3.	Taste	Agreeable	Agreeable	Agreeable		
4.	Turbidity NTU	0.2	1	5		
5.	Total Dissolved Solids mg/l,	186.2	500	2000		
6.	pH Value	7.8	6.5 to 8.5	6.5 to 8.5		
7.	Total Hardness (as CaCO ₃) mg/l,	176	200	600		
8.	Calcium (as Ca) mg/l,	136	75	200		
9.	Magnesium (as Mg)mg/l,	10	30	100		
10.	Copper (as Cu) mg/l,	0.048	0.05	1.5		
11.	Iron (as Fe) mg/l	0.052	1.0	NR		
12.	Manganese (as Mn) mg/l,	0.010	0.010 0.1			
13.	Chlorides (as Cl) mg/l,	16	16 250			
14.	Sulphate (as SO ₄) mg/l	22	200	400		
15.	Nitrate mg/I, (as NO ₃₎	5.4	45	NR		
16.	Fluoride (as F) mg/l	0.2	1.0	1.5		
17.	Phenolic Compounds (as C ₆ H ₅ OH) mg/l,	N.T.	0.001	0.002		
18.	Mercury (as Hg)mg/I,	BDL	0.001	NR		
19.	Cadmium (as Cd) mg/l,	BDL	0.01	NR		
20.	Selenium (as Se mg/l,	BDL	0.01	NR		
21.	Arsenic (as As) mg/l,	BDL	0.01	0.05		
22.	Cyanide (as Cn) mg/l,	BDL	0.05	NR		
23.	Lead (As Pb) mg/l	BDL	0.05	NR		
24.	Zinc (as Zn) mg/l	2.6	5.0	15		
25.	Anionic detergents (as MBAS), mg/l,	BDL	0.2	1.0		
26.	Chromium (as Cr+ ⁶) mg/l	0.79	0.05	NR		
27.	Mineral Oil mg/l,	BDL	0.01	NR		
28.	Residual, free chlorine mg/l,	N.T.	0.2	1.0		

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS - 10500 : 2012 NT- NOT TRACEABLE





Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - D

P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

TEST REPORT OF PIT WATER FOR THE MONTH OF NOVEMBER 2025

TEST REPORT OF PIT WATER FOR THE MONTH OF NOVEMBER 2025								
	Ref. No. & Date		NAME AND AD	DR	ESS OF THE CLIE	ENT		
	ARDS/25-26/PW-03		OAL MINING PROJECT, COLLIERIES DIVISION,					
	Dt. 19/11/2025		STEEL AUTHORITY OF INDIA LTD.					
					135, DIST DHA			
	P.O. NO. & Date	6	000036592	&	Date: 29.01.2	2024		
	Location of Samp	le Collection		-	Analysis Started or	11/11/2025		
	TASRA PROJECT	PIT WATER						
Date	& Time Sample Collection	10/11/2	2025	Aı	nalysis completed	on 14/11/2025		
	Test Procedure			IS	:3025	•		
		TEST	RESULT					
SI.	Parameters		Value		IS: 10!	500: 2012		
No.					Accepted Limit	Permissible Limit		
1.	Colour Hazen units		1		5	15		
2.	Odour		Agreeable		Agreeable	Agreeable		
3.	Taste		Agreeable		Agreeable	Agreeable		
4.	Turbidity NTU		2.3		1	5		
5.	Total Dissolved Solids mg/l,		717		500	2000		
6.	pH Value		8.3		6.5 to 8.5	6.5 to 8.5		
7.	Total Hardness (as CaCO ₃) mg/l,		212		200	600		
8.	Calcium (as Ca) mg/l,		146		75	200		
9.	Magnesium (as Mg)mg/l,		13		30	100		
10.	Copper (as Cu) mg/l,		0.052		0.05	1.5		
11.	Iron (as Fe) mg/l		0.03		1.0	NR		
12.	Manganese (as Mn) mg/l,		0.02		0.1	0.3		
13.	Chlorides (as CI) mg/l,		17		250	1000		
14.	Sulphate (as SO ₄) mg/l		26		200	400		
15.	Nitrate mg/l, (as NO ₃₎		5.1		45	NR		
16.	Fluoride (as F) mg/l		0.1		1.0	1.5		
17.	Phenolic Compounds (as C ₆ H	₅OH) mg/l,	N.T.		0.001	0.002		
18.	Mercury (as Hg)mg/l,		BDL		0.001	NR		
19.	Cadmium (as Cd) mg/l,	BDL		0.01	NR			
20.	Selenium (as Se mg/l,	BDL		0.01	NR			
21.	Arsenic (as As) mg/l,	BDL		0.01	0.05			
22.	Cyanide (as Cn) mg/l,	BDL		0.05	NR			
23.	Lead (As Pb) mg/l		BDL		0.05	NR		
24.	Zinc (as Zn) mg/l		2.8		5.0	15		
25.	Anionic detergents (as MBAS), mg/l,	BDL		0.2	1.0		
26.	Chromium (as Cr+⁵) mg/l		0.84		0.05	NR		
27.	Mineral Oil mg/l,	BDL		0.01	NR			

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard IS – 10500: 2012

Sr. Chemist Aditi R&D Services

Quality Manager Aditi R&D Services, Sindri

Statements:

The test report refers only to the particular item(s) submitted for testing.

Residual, free chlorine mg/l,

- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area,

P.O.- Domgarh, Dist.- Dhanbad

Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O).

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

TEST REPORT OF BORING WATER FOR THE MONTH OF NOVEMBER 2025

Ref. No. & Date	NAME AND ADDRESS OF THE CLIENT						
ARDS/25-26/DW-03 Dt. 19/11/2025		ROJECT, COLLIERIES IORITY OF INDIA LTD. 328135, DIST DHANB					
P.O. NO. & Date	6000036592	& Date: 29.01.2024	4				
Location of Sample	OPEN CA	AST TASRA MINING					
Sample Description	BOI	RING WATER					
	A	Analysis Started on: 11	1/11/2025				
Date of Sample Collection	10/11/2025 Analysis completed on 14/11/2025						
Test Procedure	IS:3025						

SI.	Parameters	Value	IS: 10	IS: 10500: 2012			
No.			Accepted Limit	Permissible Limit			
1.	Colour Hazen units	1	5	15			
2.	Odour	Agreeable	Agreeable	Agreeable			
3.	Taste	Agreeable	Agreeable	Agreeable			
4.	Turbidity NTU	0.6	1	5			
5.	Total Dissolved Solids mg/l,	409	500	2000			
6.	pH Value	7.9	6.5 to 8.5	6.5 to 8.5			
7.	Total Hardness (as CaCO ₃) mg/l,	340	200	600			
8.	Calcium (as Ca) mg/l,	260	75	200			
9.	Magnesium (as Mg)mg/l,	19.2	30	100			
10.	Copper (as Cu) mg/l,	0.093	0.05	1.5			
11.	Iron (as Fe) mg/l	0.067	1.0	NR			
12.	Manganese (as Mn) mg/l,	0.007	0.1	0.3			
13.	Chlorides (as CI) mg/l,	119.96	250	1000			
14.	Sulphate (as SO ₄) mg/l	96	200	400			
15.	Nitrate mg/I, (as NO ₃₎	5.0	45	NR			
16.	Fluoride (as F) mg/l	0.3	1.0	1.5			
17.	Phenolic Compounds (as C ₆ H₅OH) mg/l,	BDL	0.001	0.002			
18.	Mercury (as Hg)mg/l,	BDL	0.001	NR			
19.	Cadmium (as Cd) mg/l,	BDL	0.01	NR			
20.	Selenium (as Se mg/l,	BDL	0.01	NR			
21.	Arsenic (as As) mg/l,	BDL	0.01	0.05			
22.	Cyanide (as Cn) mg/l,	N.T.	0.05	NR			
23.	Lead (As Pb) mg/l	BDL	0.05	NR			
24.	Zinc (as Zn) mg/l	2.7	5.0	15			
25.	Anionic detergents (as MBAS), mg/l,	BDL	0.2	1.0			
26.	Chromium (as Cr+ ⁶) mg/l	0.89	0.05	NR			
27.	Mineral Oil mg/l,	BDL	0.01	NR			
28.	Residual, free chlorine mg/l,	N.T.	0.2	1.0			

Remarks: All the parameters of samples tested are within the permissible limit of Drinking Water Standard

Sr. Chemist Aditi R&D Services

Ad

Quality-Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Plot No. - I-B-17 (P)

Fax: 0326-2952377

TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING

	Dof No.	9 Doto					NAM		ND ADDD	ESS OF THE C		NIT
Ref. No. & Date				NAME AND ADDRESS OF THE CLIENT TASPA COAL MINING PROJECT COLLIENES								
ARDS/25-26/NOISE Date: 19/11/2025					TASRA COAL MINING PROJECT, COLLIERIES DIVISION, STEEL AUTHORITY OF INDIA LTD.							
	Date of Mo	nitorin	g					•		35, DIST DI		
	10/11/2025 to	14/11/2	2025			. Ambi nperati (°C)	ent	A	verage umidity (%)	Weather Condition	_	Status of the plant
PΩ) : 6000036592 & Date	29 01	2024			33			54	CLEAR		RUNNING
	. oooooooo a bak	2. 20.01	.2024	MO	NITO	RING	DES	1111	~ -	CLLAN	l	KOMMINO
				IVIO	INITO	KING	KLS	UL	13			1.1 4 . 4 1 1
SI. No	SI. Place of Monitoring (6 AM to 10 PM) Avg. dB(A) Night T (10 PM to Avg. dB(A)				1 to	6 AM)	for Indus CPCB N (Regulati (Amendm notified v Dt.	trial lois ion ent) vide 22.1	bient standard) I Area as per le Pollution and Control) I Rules , 2000 S.O. 1046(E)			
											in d	IB(A) Leq
										Day Time		Night Time
	LOCATION	MAX	MIN	MIN AVG. dB(A) Leq		MAX	MI	N	AVERAGE dB(A) Led	Dagidagtic	al	Residential Area
BU	JFFER ZONE				•		•					
1.	NEW COLONY (L8) ASHANBANI.	60.6	54.3	58.	5	50.2	48.	.3	49.35	55		45
2.	MUNKI NIWAS (L5) RANGAMATI.	57.8	52.6	48.6	6	48.6	44.	.8	47.1			40
3.	B.B.M COLLEGE BALIAPUR	46.9	44.5	47.8	3	52.0	53.	.4	52.76			
4.	NEAR KALIMANDIR BHOJUDIH	46.2	48.6	47.5	6	53.6	50.	.2	52.22			
5.	Asanmani Colony	52.6	54.2	53.4	7	51.2	52.	.3	51.78			
										Commercia Area	al	Commercial Area
6.	GM OFFICE (L11) CHASNALLA	65.7	60.3	54.8	8	54.8	50.	.7	47.1	65		55
7.	Upar kandra Middle School (Sarkari)	55.6	54.2	54.9	6	50.6	52.	.3	51.53			





Quality Manage Aditi R&D Services, Sindri

- 1. The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377

Mobile: 09471358492, 09431512608

TEST REPORT OF NOISE (AMBIENT) LEVEL MONITORING

	Ref. No.			NAME AND ADDRESS OF THE CLIENT						
ARDS/25-26/NOISE Date: 19/11/2025 Date of Monitoring				DIVIS	SION,	STEEL AUT	PROJECT, CO HORITY OF I 35, DIST DI	NDIA LTD.		
	10/11/2025 to	o 11/11/2	2025		Avg. Ambi Temperatu (°C)	ent	Average Humidity (%)	Weather Condition	Status of the plant	
	P.O : 60000 Date : 29		& 24		33		54	CLEAR	RUNNING	
	-			MON	NITORING	RES	JLTS			
SI. No					(Noise level (Ambient standard for Industrial Area as per CPCB Noise Pollution (Regulation and Control) (Amendment) Rules , 2000 notified vide S.O. 1046(E) Dt. 22.11.2020 Limit in dB(A) Leq				
			ı	1		ı	,	Day Time	Night Time	
	LOCATION	MAX	MIN	AVG. dB(A Leq)	MIN	dB(A) Led			
СО	RE ZONE							Industrial Area	Industrial Area	
8.	NEAR TASRA SIDE OFFICE KTMPL (L1)	68.2	65.8	67.16	58.7	58.7 54.2 54.2			70	
9.	BIT Sindri (L3)	58.6	53.8	56.83	3 49.6	47.8	3 47.8			
10.	NEAR FCIL OFFICE. (L2)	60.4	58.2	59.44	50.2	46.6	46.6	46.6		





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/25-26/AAQ/1

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry TASRA COAL MINING PROJECT, COLLIERIES

DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA - 828135, DIST. - DHANBAD

Date: 19/11/2025

6000036592 & Date: 29.01.2024 Work Order P.O. NO. & Date:

Date of Sample Collection: 13/11/2025 - 14/11/2025

Date of Testing 15/11/2025 - 17/11/2025

Test Procedure As per IS - 5182

Sampling Location **NEAR BIT HOSTEL.**

TEST RESULTS

		L3		NAAQ - CPCB
				STANDARD
	Avg. Ambient Temperature	Average Relative Humidity (%)	SAMPLING LOCATION NEAR BIT HOSTEL	
	33 54			
SI No.	Particulars		Value	
1.	Particulate Matter	(PM ₁₀), μg/m³	68.32	100 µg/m³
2.	Particulate Matter	(PM _{2.5}), μg/m³	52.86	60 μg/m³
3.	SO _{2,} µg/m ³		22.18	80 µg/m³
4.	NO ₂ , µg/m ³		28.65	80 µg/m³
5.	NH ₃ , μg/m ³		20.62	400 μg/m ³
6.	CO, mg/m ³		0.86	4 mg/m ³
7.	Pb, μg/m³		BDL	1 μg/m³
8.	As, ng/m ³		BDL	6ng/m³
9.	Ni, ng/m³		BDL	20 ng/m ³
10.	Benzene, µg/m³		BDL	5 μg/m³
11.	Benzoapyrene, ng/m³		BDL	1ng/m³
12.	Ozone, µg/m³		24.70	180 µg/m³





Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Date: 19/11/2025

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/25-26/AAQ/2

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry : TASRA COAL MINING PROJECT, COLLIERIES

DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA – 828135, DIST. - DHANBAD.

Work Order P.O. NO. & Date: 6000036592 & Date: 29.01.2024

Date of Sample Collection : 10/11/2025 to 11/11/2025

Date of Testing : 12/11/2025 to 14/11/2025

• Test Procedure : As per IS - 5182

• Sampling Location : KTMPL SITE OFFICE

TEST RESULTS

		L1		NAAQ - CPCB	
				STANDARD	
	Avg. Ambient Temperature	Average Relative Humidity (%)	Sampling Location KTMPL SITE OFFICE		
SI No.	34 Particulars	46	Value		
31 NO.			value		
1.	Particulate Matter	(PM ₁₀), μg/m ³	78.34	100 μg/m³	
2.	Particulate Matter	Particulate Matter (PM _{2.5}), µg/m ³		60 μg/m³	
3.	SO _{2,} µg/m ³		24.20	80 μg/m³	
4.	NO ₂ , µg/m ³		30.65	80 μg/m³	
5.	NH ₃ , µg/m ³	NH ₃ , µg/m ³		400 μg/m³	
6.	CO, mg/m ³		0.98	4 mg/m³	
7.	Pb, μg/m³		BDL	1 μg/m³	
8.	As, ng/m ³		BDL	6ng/m³	
9.	Ni, ng/m ³		BDL	20ng/m³	
10.	Benzene, µg/m³		BDL	5 μg/m³	
11.	Benzoapyrene, ng/m ³		BDL	1ng/m³	
12.	Ozone, µg/m ³		24.6	180 µg/m³	





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Date: 19/11/2025

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/25-26/AAQ/3

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry : TASRA COAL MINING PROJECT, COLLIERIES

DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA – 828135, DIST. - DHANBAD

Work Order P.O. NO. & Date: 6000036592 & Date: 29.01.2024

• Date of Sample Collection : 11/11/2025 – 12/11/2025

Date of Testing : 13/11/2025 – 15/11/2025

• Test Procedure : As per IS - 5182

• Sampling Location : B.B.M COLLEGE BALIAPUR

TEST RESULTS

		L7		NAAQ - CPCB STANDARD
	Avg. Ambient Temperature	Average Relative Humidity (%)	Sampling Location (B.B.M COLLEGE	
	34	52	` BALIAPUR)	
SI No.	Particulars		Value	
1.	Particulate Matter	PM ₁₀), μg/m³	60.86	100 μg/m³
2.	Particulate Matter	PM _{2.5}), μg/m ³	46.42	60 μg/m³
3.	SO _{2,} µg/m ³		22.65	80 µg/m³
4.	NO ₂ , µg/m ³		23.80	80 µg/m³
5.	NH ₃ , µg/m ³		18.86	400 µg/m³
6.	CO, mg/m ³		0.74	4 mg/m ³
7.	Pb, µg/m³		BDL	1 μg/m³
8.	As, ng/m³		BDL	6ng/m³
9.	Ni, ng/m³		BDL	20ng/m³
10.	Benzene, µg/m³		BDL	5 μg/m³
11.	Benzoapyrene, ng/m ³		BDL	1ng/m³
12.	Ozone, µg/m³		24.82	180 µg/m³





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O).

Plot No. - I-B-17 (P)

Fax: 0326-2952377 Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/25-26/AAQ/4 Date: 19/11/2025

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry : TASRA COAL MINING PROJECT, COLLIERIES

DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA – 828135, DIST. - DHANBAD

Work Order P.O. NO. & Date: 6000036592 & Date: 29.01.2024

• Date of Sample Collection : 13/11/2025 - 14/11/2025

Date of Testing : 15/11/2025 - 17/11/2025

• Test Procedure : As per IS - 5182

Sampling Location : Upar kandra Middle School (Sarkari)

TEST RESULTS

		L4		NAAQ - CPCB STANDARD
	Avg. Ambient Temperature	Average Relative Humidity (%)	Sampling Location Upar kandra Middle	
	33	54	School (Sarkari)	
SI No.	Particulars		Value	
1.	Particulate Matter	(PM ₁₀), μg/m ³	65.76	100 µg/m³
2.	Particulate Matter	Particulate Matter (PM _{2.5}), µg/m ³		60 μg/m³
3.	SO _{2,} µg/m ³		21.42	80 μg/m³
4.	NO _{2,} µg/m ³		29.88	80 μg/m³
5.	NH ₃ , µg/m ³		21.78	400 μg/m³
6.	CO, mg/m ³		0.88	4 mg/m³
7.	Pb, μg/m³		BDL	1 µg/m³
8.	As, ng/m ³		BDL	6ng/m³
9.	Ni, ng/m³		BDL	20 ng/m ³
10.	Benzene, µg/m³		BDL	5 μg/m³
11.	Benzoapyrene, ng/m³		BDL	1ng/m³
12.	Ozone, µg/m³		23.62	180 µg/m³





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Plot No. - I-B-17 (P)

Date: 19/11/2025

Fax: 0326-2952377 Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/25-26/AAQ/5

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry : TASRA COAL MINING PROJECT, COLLIERIES

DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA – 828135, DIST. - DHANBAD

Work Order P.O. NO. & Date: 6000036592 & Date: 29.01.2024

• Date of Sample Collection : 10/11/2025 - 11/11/2025

Date of Testing : 12/11/2025 – 13/11/2025

• Test Procedure : As per IS - 5182

Sampling Location : G.M. OFFICE CHASNALLA

TEST RESULTS

		L5		NAAQ - CPCB STANDARD	
	Avg. Ambient Temperature 35	Average Relative Humidity (%) 47	Sampling Location G.M. OFFICE CHASNALLA	OTANDARD	
SI No.	Particulars		Value		
1.	Particulate Matter	(PM ₁₀), µg/m ³	65.80	100 µg/m³	
2.	Particulate Matter	(PM _{2.5}), µg/m ³	58.16	60 μg/m ³	
3.	SO _{2,} µg/m ³		23.24	80 μg/m ³	
4.	NO _{2,} µg/m ³	71.0		80 μg/m ³	
5.	NH ₃ , µg/m ³		23.78	400 μg/m ³	
6.	CO, mg/m ³		0.96	4 mg/m ³	
7.	Pb, μg/m ³		BDL	1 µg/m³	
8.	As, ng/m ³		BDL	6ng/m³	
9.	Ni, ng/m ³		BDL	20ng/m ³	
10.	Benzene, µg/m³		BDL	5 μg/m³	
11.	Benzoapyrene, ng/m³		BDL	1ng/m³	
12.	Ozone, µg/m³		23.85	180 µg/m³	





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Plot No. - I-B-17 (P)

Date: 19/11/2025

Fax: 0326-2952377 Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/25-26/AAQ/6

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry : TASRA COAL MINING PROJECT, COLLIERIES

DIVISION, STEEL AUTHORITY OF INDIA LTD.

CHASNALLA – 828135, DIST. - DHANBAD

Work Order P.O. NO. & Date: 6000036592 & Date: 29.01.2024

Date of Sample Collection : 11/11/2025 – 12/11/2025

Date of Testing : 13/11/2025 – 15/11/2025

• Test Procedure : As per IS - 5182

Sampling Location : HIGH SCHOOL PARSHBANIA VILLAGE

TEST RESULTS

		L6		NAAQ - CPCB	
				STANDARD	
	Avg. Ambient Temperature	Average Relative Humidity (%)	Sampling Location HIGH SCHOOL		
	33	55	PARSABEDA VILLAGE		
SI No.	Particulars		Value		
1.	Particulate Matter	(PM ₁₀), μg/m ³	61.73	100 µg/m³	
2.	Particulate Matter (PM _{2.5}), µg/m ³		24.87	60 μg/m³	
3.	SO _{2,} µg/m ³		12.73	80 µg/m³	
4.	NO _{2,} μg/m ³		23.64	80 µg/m³	
5.	NH ₃ , µg/m ³		22.18	400 μg/m³	
6.	CO, mg/m ³		0.72	4 mg/m ³	
7.	Pb, μg/m³		BDL	1 μg/m³	
8.	As, ng/m ³		BDL	6ng/m³	
9.	Ni, ng/m ³		BDL	20 ng/m ³	
10.	Benzene, µg/m³		BDL	5 μg/m³	
11.	Benzoapyrene, ng	/m ³	BDL	1ng/m³	
12.	Ozone, µg/m ³		24.64	180 µg/m³	





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377

Date: 19/11/2025

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/25-26/AAQ/7

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry : TASRA COAL MINING PROJECT, COLLIERIES

DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA – 828135, DIST. - DHANBAD

Work Order P.O. NO. & Date: 6000036592 & Date: 29.01.2024

• Date of Sample Collection : 12/11/2025 – 13/11/2025

Date of Testing : 14/11/2025 – 16/11/2025

• Test Procedure : As per IS - 5182

• Sampling Location : R&R COLONY ASANBANI

TEST RESULTS

		L8		NAAQ - CPCB	
				STANDARD	
	Avg. Ambient Temperature	Average Relative Humidity (%)	Sampling Location R&R COLONY		
	33	58	ASANBANI		
SI No.	Particulars		Value		
1.	Particulate Matter	(PM ₁₀), μg/m ³	60.72	100 μg/m ³	
2.	Particulate Matter	(PM _{2.5}), μg/m ³	50.39	60 μg/m ³	
3.	SO ₂ , µg/m ³		12.76	80 μg/m³	
4.	NO ₂ , µg/m ³		28.58	80 μg/m³	
5.	NH ₃ , µg/m ³		21.28	400 μg/m ³	
6.	CO, mg/m ³		0.76	4 mg/m ³	
7.	Pb, μg/m³		BDL	1 μg/m³	
8.	As, ng/m³		BDL	6ng/m³	
9.	Ni, ng/m ³		BDL	20ng/m ³	
10.	Benzene, µg/m³		BDL	5 μg/m ³	
11.	Benzoapyrene, ng/m ³		BDL	1ng/m³	
12.	Ozone, µg/m³		24.24	180 µg/m³	





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com

Website: aditimdservices.com Phone: 0326-2952377 (O), Fax: 0326-2952377

Mobile: 09471358492, 09431512608

Date: 19/11/2025

Ref. No.: - ARDS/25-26/AAQ/8

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry : TASRA COAL MINING PROJECT, COLLIERIES

DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA – 828135, DIST. - DHANBAD

Work Order P.O. NO. & Date: 6000036592 & Date: 29.01.2024

Date of Sample Collection : 11/11/2025 – 12/11/2025

• Date of Testing : 13/11/2025 - 15/11/2025

• Test Procedure : As per IS - 5182

Sampling Location : MUNKI NIWAS RANGAMATI.

TEST RESULTS

	L11			NAAQ - CPCB STANDARD
	Avg. Ambient Temperature	Average Relative Humidity (%)	Sampling Location MUNKI NIWAS	
	35	48	RANGAMATI	
SI No.	Particulars		Value	
1.	Particulate Matter	(PM ₁₀), μg/m ³	60.78	100 µg/m³
2.	Particulate Matter	Particulate Matter (PM _{2.5}), µg/m ³		60 μg/m ³
3.	SO _{2,} µg/m ³		21.45	80 μg/m³
4.	NO _{2,} µg/m ³		29.34	80 μg/m ³
5.	NH ₃ , µg/m ³		24.72	400 μg/m³
6.	CO, mg/m ³		1.06	4 mg/m³
7.	Pb, μg/m³		BDL	1 μg/m³
8.	As, ng/m ³		BDL	6ng/m³
9.	Ni, ng/m³		BDL	20ng/m³
10.	Benzene, µg/m³		BDL	5 μg/m³
11.	Benzoapyrene, ng/m³		BDL	1ng/m³
12.	Ozone, µg/m³		22.85	180 µg/m³





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107 Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O).

Plot No. - I-B-17 (P)

Fax: 0326-2952377 Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/25-26/AAQ/9 Date: 19/11/2025

TEST REPORT OF AMBIENT AIR QUALITY

• Name of the industry : TASRA COAL MINING PROJECT, COLLIERIES

DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA – 828135, DIST. - DHANBAD

Work Order P.O. NO. & Date: 6000036592 & Date: 29.01.2024

Date of Sample Collection : 10/11/2025 – 11/11/2025

Date of Testing : 12/11/2025 – 14/11/2025

• Test Procedure : As per IS - 5182

Sampling Location : FCIL OFFICE (INSIDE FCI)

TEST RESULTS

		L2		NAAQ - CPCB STANDARD		
	Avg. Ambient Temperature	Average Relative Humidity (%)	Sampling Location FCIL OFFICE (INSIDE			
	33	55	FCI)			
SI No.	Particulars		Value			
1.	Particulate Matter	(PM ₁₀), μg/m ³	62.38	100 μg/m³		
2.	Particulate Matter	(PM _{2.5}), μg/m ³	50.72	60 μg/m³		
3.	SO ₂ , µg/m ³		20.84	80 μg/m³		
4.	NO _{2,} μg/m ³		28.06	80 μg/m³		
5.	NH ₃ , µg/m ³		29.6	400 μg/m ³		
6.	CO, mg/m ³		0.98	4 mg/m ³		
7.	Pb, µg/m³		BDL	1 μg/m³		
8.	As, ng/m ³		BDL	6ng/m³		
9.	Ni, ng/m ³		BDL	20ng/m ³		
10.	Benzene, µg/m³		BDL	5 μg/m³		
11.	Benzoapyrene, ng/m³		BDL	1ng/m³		
12.	Ozone, µg/m³		23.16	180 µg/m³		





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Date: 19/11/2025

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/25-26/AAQ/10

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry TASRA COAL MINING PROJECT, COLLIERIES

> DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA - 828135, DIST. - DHANBAD

Work Order P.O. NO. & Date: 6000036592 & Date: 29.01.2024

Date of Sample Collection 13/11/2025 - 14/11/2025

Date of Testing 15/11/2025 - 17/11/2025

Test Procedure As per IS - 5182

Sampling Location ADITI R&D SERVICES, DOMGARH

TEST RESULTS

		L10		
	Avg. Ambient Temperature	Average Relative Humidity (%)	Sampling Location (ADITI R&D SERVICES,	NAAQ - CPCB STANDARD
	35	45	DOMGARH)	
SI No.	Particulars		Value	
1.	Particulate Matter (P	M ₁₀), μg/m³	58.38	100 μg/m ³
2.	Particulate Matter (P	M _{2.5}), µg/m³	49.74	60 μg/m³
3.	SO ₂ , µg/m ³		20.08	80 μg/m³
4.	NO ₂ , µg/m ³		28.62	80 μg/m³
5.	NH ₃ , µg/m ³		23.46	400 μg/m³
6.	CO, mg/m ³		0.82	4 mg/m ³
7.	Pb, μg/m³		BDL	1 µg/m³
8.	As, ng/m ³		BDL	6ng/m³
9.	Ni, ng/m³		BDL	20ng/m³
10.	Benzene, µg/m³		BDL	5 μg/m³
11.	Benzoapyrene, ng/m ³		BDL	1ng/m³
12.	Ozone, µg/m³		23.4	180 µg/m³





Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India) ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O.- Domgarh, Dist.- Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Date: 19/11/2025

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/25-26/AAQ/11

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry TASRA COAL MINING PROJECT, COLLIERIES

> DIVISION, STEEL AUTHORITY OF INDIA LTD. CHASNALLA - 828135, DIST. - DHANBAD

Work Order P.O. NO. & Date: 6000036592 & Date: 29.01.2024

Date of Sample Collection: 12/11/2025 - 13/11/2025

14/11/2025 - 16/11/2025 **Date of Testing**

Test Procedure As per IS - 5182

Sampling Location **FCIL GUEST HOUSE**

TEST RESULTS

		L9		NAAQ - CPCB STANDARD
	Avg. Ambient Temperature 33	Average Relative Humidity (%) 54	Sampling Location FCIL GUEST HOUSE	0174137413
SI No.	Particulars	<u> </u>	Value	
1.	Particulate Matter (PM ₁₀), μg/m ³	66.38	100 µg/m³
2.	Particulate Matter (PM _{2.5}), µg/m ³		54.62	60 μg/m ³
3.	SO ₂ , µg/m ³		21.66	80 μg/m³
4.	NO ₂ , µg/m ³		29.32	80 μg/m³
5.	NH ₃ , µg/m ³		24.82	400 μg/m ³
6.	CO, mg/m ³		0.83	4 mg/m ³
7.	Pb, μg/m ³		BDL	1 μg/m³
8.	As, ng/m ³		BDL	6ng/m³
9.	Ni, ng/m³		BDL	20ng/m³
10.	Benzene, µg/m ³		BDL	5 μg/m³
11.	Benzoapyrene, ng/m³		BDL	1ng/m³
12.	Ozone, µg/m³		23.16	180 µg/m³





Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.



Testing Laboratory NABL ACCREDITED

(A Constituent Board of Quality Council of India)
ISO/IEC 17025:2017, ISO 9001:2015,ISO (OHSAS) 45001:2018 Certified

Plot No. - I-B-17 (P) Sindri, Industrial Area, P.O. - Domgarh, Dist. - Dhanbad Jharkhand - 828107

Email ID: sindriaditi@gmail.com Website: aditimdservices.com Phone: 0326-2952377 (O),

Fax: 0326-2952377

Date: 19/11/2025

Mobile: 09471358492, 09431512608

Ref. No.: - ARDS/25-26/AAQ/12

TEST REPORT OF AMBIENT AIR QUALITY

Name of the industry : TASRA COAL MINING PROJECT, COLLIERIES

DIVISION, STEEL AUTHORITY OF INDIA LTD.

CHASNALLA - 828135, DIST. - DHANBAD

Work Order P.O. NO. & Date: 6000036592 & Date: 29.01.2024

• Date of Sample Collection : 14/11/2025 - 15/11/2025

Date of Testing : 16/11/2025 – 18/11/2025

• Test Procedure : As per IS - 5182

Sampling Location : NEAR KALIMANDIR BHOJUDIH

TEST RESULTS

	L12			NAAQ - CPCB STANDARD
	Avg. Ambient Temperature 35	Average Relative Humidity (%) 45	Sampling Location NEAR KALIMANDIR BHOJUDIH	
SI No.	Particulars		Value	
1.	Particulate Matter	(PM ₁₀), µg/m ³	64.60	100 μg/m³
2.	Particulate Matter	(PM _{2.5}), μg/m ³	51.12	60 μg/m³
3.	SO _{2,} μg/m ³		20.33	80 μg/m³
4.	NO ₂ , µg/m ³	7.0		80 μg/m³
5.	NH ₃ , µg/m ³		24.12	400 μg/m³
6.	CO, mg/m ³		1.06	4 mg/m ³
7.	Pb, μg/m ³		BDL	1 μg/m³
8.	As, ng/m ³		BDL	6ng/m³
9.	Ni, ng/m³		BDL	20ng/m³
10.	Benzene, µg/m³		BDL	5 μg/m³
11.	Benzoapyrene, ng/m³		BDL	1ng/m³
12.	Ozone, µg/m³		22.87	180 µg/m³





Quality Manager Aditi R&D Services, Sindri

- The test report refers only to the particular item(s) submitted for testing.
- 2. The test results reported in this report are valid at the time of and under the stated condition of measurment.
- 3. This particular test report cannot be reproduced except in full, without prior written permission of Quality Manager of the laboratory.

SI.	Date	Location	Photographs		
No.			Start	End	
L1	06/06/2025	ADITI R&D SERVICES, DOMGARH	Sindri, Jharkhand, Nikili Sindri, Jharkhand, Nikili Sindri, Jharkhand, Nikili Sindri Ana, basel, sentrad Establic Sindri Sidri Cara M. Malliste Color Sidri Cara M. Malliste Color Sidri Cara M. Malliste Color Sidri Cara M. Malliste	Sindri, Jharkhand, Wifet Bill, wavette Arec, Sindry, Asenbard \$20007 Will Sindry State Arec, Sindry, Asenbard \$20007 Will Sindry	
L2	07/06/2025	B.B.M COLLEGE BALIAPUR	THE HITELD AND THE STATE OF THE	STREET, STOCK S. STOCK STREET, STOCK S. STOCK STOCK S. STOCK S. STOCK S. STOCK STOCK S. STOCK S. STOCK S. STOCK S. STOCK STOCK S.	

SI.	Date	Location	Photographs	
No.			Start	End
L3	05/06/2025	BIT HOSTEL	Parties and the second	Gent, prof. ven. Gent, prof. ven. Gent, prof. ven. Andrew Gent Gent Gent Gent Gent Gent Gent Gent
L4	03/06/2025	G.M. OFFICE CHASNALLA	STERIOR STATE AND STATE OF THE	Company States And States and Company of States

SI.	Date	Location	Photographs	
No.			Start	End
L5	05/06/2025	HIGH SCHOOL PARASHBANIA VILLAGE	Parasbania, Jharkhand, India shali pi Fasoberti, Joseph Street, India shali pi Fasoberti, Joseph	TOTAL DESCRIPTION OF THE PARTY
L6	03/06/2025	KTMPL SITE OFFICE TASRA	Comparts, Americans, 1977 Comparts, 1977 Co	Domgath, shorkhand, India Frank, But white of Ed. Minesel Fran

L7	06/06/2025	LAGLAGRAM BHOJUDIH	SECURIC SECURITY SECU	PROF. SPROKE, VINC.
L8	05/06/2025	MOTINAGAR POST OFFICE CAMPUS	Chartand, Jrankhand, India Arthura Andread Billio Inda. Machan Arthura India Arthura Andread Billio Inda. Machan Arthura India Art	Charless J. Star Franck, India Withinso, Australia 2010 St. India

L9	03/06/2025	MUNKI NIWAS RANGAMATI	FREET, STORIE, WITCH MINISTER STORIES MANAGEMENT AND AN ARROY COLUMN AND A	FILET, STORIG, VINCO Wind, Yan Chang, parts participal for participal partic
L10	04/06/2025	OFFICER CLUB SINDRI ROHRABAND	Rich was Alexandra and Alexand	Sind Sharkhand, Incla When shark shark a state of the shark property of the shark prope

L11	05/06/2025	R&R COLONY ASANBANI	Sarranoundi, Jinarkinand, 4700 Alimakandi, Jinarkinand, 4700 Alimaka Oradi, 19th sport tea, bandariani, disabusad oradi, 19th Lau 3 th and 2000 laws (6.100 page) Lau 3 th and 2000 laws (6.100 page) Contraction of the Per	Saffsahundi, Jhaffdand, week special food dental foodband. Santa dental foodband foodband. Santa dental foodband.
L12	04/06/2025	FCIL OFFICE	Strati, Harkhand, VRS 1. Sugar Was, Well, marked Strate was 2. Stratil Strate with College of the College of	STATE A PLANTAGE VINI N. Non-Perk Work of Manager States was an analysis of the Manager States was an an analysis of the Manager States was an analysis of the Manager States was an analysis of the Manager States was an an an analysis of the Manager States was an an an analysis of the Manager States was an an an analysis of the Manager States was an an an analysis of the Manager States was an an an an an analysis of the Manager States was an a

Annexure VII

Kalyaneswari Tasra Mining Pvt. Ltd CSR Report Feb 2024 till 31st Oct 2025

Introduction:

Our CSR objective is to provide transformative solutions for empowering communities around us. We implement CSR programs through our own team and with the help of likeminded partner institutions. All our interventions are aligned with national priorities and global sustainable development goals (SDGs). Through our interventions we ensure dignity, well-being and wealth creation of communities in our project affected areas. Diverse community-based projects and multi-stakeholder interventions are aimed at inclusive growth and sustainable way of leaving. We ensure community ownership and participation in all our programs.

Livelihood

Health,
Drinking water
& Sanitation

Infrastructure
Development


Thrust Areas of CSR Program

Health

Health: We conduct comprehensive health initiatives in project-affected areas, ensuring that communities have access to essential medical services.

Static Health Clinic: Local communities of project affected areas has access a static health clinic which provides primary health services for 24 x 7 and for 365 days. Each family can access free health services from this health clinic. Here a medical team comprising of MBBS doctor, ANM, dresser and pharmacist is always active for providing free medicines after primary health checkups. Besides, free medicines are also provided after necessary testing and diagnosis. This sustains access to affordable treatment in remote areas. For emergency facilities a standing ambulance with oxygen tank is also available.

Year	Patients Footfall in Static Clinic								
	Em	ployee (no	os)	Community (no's)			Total (no's)		
	Male	Female	Total	Male	Female	Total	Male	Female	Total
2023-24 (Feb to March)	392	2	394	617	203	820	1009	205	1214
2024-25 (April to March 25)	1998	79	2080	4469	1687	6156	6467	1766	8236
2025-26 (April 25 to Oct 25)	947	42	989	1290	1016	2306	2237	1058	3295







Livelihood

Background: About 10000 families will be displaced from their native land due to Tasra mining project. Most of these families are from the marginalized section of the community. They have high expectation of job from KTMPL. Hence under its CSR program KTMPL is focusing on various livelihood interventions for economic empowerment of the local community.

Target Group: Poor and marginalized section of the community in the project areas are targeted. Women beneficiaries are given utmost priority for gender mainstreaming and minimizing the gender gap.

Skill Based Livelihood Promotion (non-farm)/ Women Empowerment

"Samman: Sui Dhaga Centre" skill & entrepreneurship development center

At the mining Project areas, it has been observed that main source of livelihood of the people here is from wage employment and small business activities. Here people do not cultivate land.

Here though men are involved in some economic activity's women generally lacks adequate skill and exposure for pursuing any economic activities. Women are mostly engaged in household chores. Hence in order to augment the total income and standard of living of the family's emphasis is given on skill development in non-farm livelihood activities through UDAAN"- skill and entrepreneurship development center. Centre 1 has been inaugurated on 10th July 2024. Latter Center 2 has been inaugurated on 22nd August 2025. Here two different trades have been initiated

- i. Stitching & combined handicraft: Here local women from the marginalized section of the community are given training on safety gloves, jackets, ladies garments, kid's dress, utility items made of jute and water hyacinths. The training duration is of 4 months. After the training the trainees are given facilities for continuing production and are linked with market. They are given assured buyback offer through an NGO partner. At present KTMPL is doing the market linkage for the trained women in the production center.
- ii. Bamboo craft: During field visit KTMPL team has observed that "Mahauli" community at Sariusakundi village are under reeling poverty due to their poor livelihood skill and exploitation. The "Mahuli" women were preparing winnow and bamboo basket. They were selling it in West Bengal at a very low price and sometime in exchange of rice. They were earning Rs.40 to 60/- per day on an average. They have basic skill of bamboo craft which is limited to few items. They lacked advanced training. KTMPL management thought that if we can finetune their skill and provide them better marketing options their livelihood can be improved. With this thought a batch was started from 11th August 2024 with 20 trainees on bamboo craft. The duration of this training is 6 months. They learnt various bamboo items like flower vase, pen stand, coaster, flower basket, lunch box, flower bouquets, decorative lamps, light hanging chain, different type of mat etc. Presently for the trained women on bamboo handicraft KTMPL is doing the market linkages.

Year	Batch	No of Trainees completed Training (100% women)	Duration
2024-25	Stitching Batch 1 at Center 1	40	10 th July to 10 Nov 2024
	Stitching Batch 2 at Center 1	45	02 nd January to 2 nd May 2025
	Bamboo Batch 1 at Center 1	9	11 th August 2024 to 12 th March 2025
2025-26	Stitching Batch 3 at Center 1	42	
	Stitching Batch 4 at Center 2	48	7 th May 2025 to 7 th Sept 2025
Total		184	

- Inauguration of Centre 2 at R&R on August 2025.
- Transition from dependency on NGO for training and marketing to direct intervention by KTMPI
- > 35 industrial machines installed. In which number of overlock machine is 5.





Box 1: "Feeling proud"



Madhu Kumari (Rohraband basti, Age 22): "I lost my father and an elder sister early in life. I am dependent on my uncle. My mother has serious health problems. Due to poor economic condition, I left education after class XII. I always wanted to earn my livelihood and support my family. I thank KTMPL for providing me stitching & handicraft training. Within 1 month after completion of training I earned Rs.4630/-which is the highest in my batch. From

KTMPL I received a sewing machine in recognition of my discipline, sincerity and handwork.

KTMPL has linked me with market. They are providing me facilities for continuing production. I am now able to contribute for my mother's treatment and for other household expenditure. This economic independence has given me immense happiness and a sense of pride.

Box 2: "Supporting family with regular income"



Sarita Kumari (Rohraband, Age 21): I left school after class XII for supporting my family. I took 4 months training from "Udaan" on stitching and other handicraft. I earned Rs.3534/- within 1 month after completion of training which was second highest in my batch. KTMPL provided me a sewing machine for my dedication. After completion of training, I am continuing production and earning regularly.









Agro-based Livelihood:

Introduction: Various interventions aim at knowledge & technical advancement of the farmers along with facilitating market alignment of their produce for maximizing their income and minimizing their risk and vulnerability. Significant change among the lives of 162 farmers have been possible due to agro-based livelihood interventions.

Year	Program	No of Beneficiaries				
		Male	Female	Total		
2024-25	Mushroom	4	28	32		
	Exotic Cauliflower – Red, yellow & Green	30	70	100		
	Poultry based -livelihood Program		30	30		
2025-26	Hybrid Papaya cultivation		73	73		
	Off season vegetable cultivation		12	12		

Capacity building Program in Agriculture:

Year	Program	No of training	No of Beneficiaries		
			Male	Female	Total (Rs.)
2024-25	On Exotic Vegetable cultivation	4	20	147	167
	On Mushroom cultivation	3	16	88	104
	On Poultry Farming	2	5	44	49
	Total	9	41	279	320
2025-26	On Poultry Farming	1	1	14	15
	On off season vegetable cultivation	1	5	57	62
	Total	2	6	71	77

Promotion of Exotic Vegetable Cultivation:

A shifting from traditional vegetables to exotic vegetable has helped to negate market competition.

Promotion of Exotic Vegetable Cultivation:

Normally farmers grow seasonal vegetables, but then everyone is growing them too and so it is available everywhere in the market. If they can do something different, then its demand is higher and they can get a higher price. There is a wide range of exotic vegetables but KTMPL has selected those varieties which farmers can easily sell in the local market. Keeping this in mind KTMPL has decided to promote broccoli, yellow cauliflower and purple cauliflower.

Design for Capacity building of Farmers:

Technical trainings: Each farmer received 2 technical trainings where they were oriented on seed bed preparation, nutrient management, pest & disease management and use of organic fertilizers.

Field days: As farmers here are used to purchase vegetable saplings and do not have any knowledge of preparing seed bed, field days are proposed to be organized in farmers' field. Here farmers will practically learn the technique of preparing seed bed, its treatment with fungicide and covering with plastic sheet for protecting it against sudden rainfall.







Major Outcome:

- Farmers faced less market competition for selling exotic vegetables
- Average selling price of seasonal white cauliflower was Rs.10 to 12 per piece during winter. Farmers sold broccoli for Rs.30/- to 35/- per piece and yellow and purple cauliflower for Rs.40-Rs.50/- per piece. Farmer's income has been more than double.
- Farmers are feeling empowered after training and demonstration on scientific agricultural practices. They became aware about the advantages of using organic manures and have started using the same. It is expected that their dependency on fertilizer retail shop for chemical fertilizers and pesticides will reduce gradually.





Box 3: "...will cultivate exotic vegetable in larger area next time."



Kamal Mallik (Asanbani village): "I have successfully grown 600 pieces exotic cauliflower and broccoli. I sold the cauliflowers for Rs.50 to 55 per piece and broccoli for Rs.35/- to 40 per piece. At the same time, I could sell white cauliflower for Rs.10-12 per piece. By selling exotic cauliflowers I earned Rs.26000/-. Initially when KTMPL's CSR representatives showed me the pictures of these exotic vegetables I thought that these vegetables will not grow in our agroclimatic condition. KTMPL provided me training and continuous handholding

support. With their guidance I could successfully grow these vegetables. I will grow this in larger area from next season as it is highly profitable".

Box 4: "...I am getting 4 to 5 times higher income"



Chumki Devi (Sarisakundi, Adivasi tola): "I received training and critical input support from KTMPL for exotic vegetable cultivation. I have cultivated broccoli, yellow & purple cauliflower for the first time in my life. I am selling these vegetables at 4 to 5 times higher price compared to traditional white cauliflower".

Promotion of Mushroom Cultivation:

Mushroom is considered to be as a complete and safest food and suitable for all age groups. It is one of the good sources of Protein, which contains less of carbohydrate and fat. Besides mushroom does not need regular attention and it can be grown with minimum time investment. Hence as an alternative source of livelihood for augmenting the income of the households at our R&R project villages mushroom cultivation is promoted on pilot basis









Box 3: "...made high profit in just 2 months"



Dulali Devi (Asanbani village): "I am a homemaker. I have grown mushroom for the first time after getting training from KTMPL. From 24 cylinders I got 39 kg mushroom. I earned a net profit of Rs.6120 within 2 months. Thanks to KTMPL".

Box 4: "Source of additional income"



made a net profit of Rs.3090/- in just two months"

Jasmin Mahali (Sarisakundi)"I and my husband together could hardly earn around Rs.50000/- per annum by preparing and selling traditional bamboo handicraft. I received training and critical input support from KTMPL for growing mushroom. I prepared 13 cylinders from which I got 20 kg mushroom. I sold it for Rs.200/- per kg. I

Promotion of Poultry Based Livelihood:

Backyard poultry farming is an enterprise with low initial investment but higher economic returns and can easily be managed by women. Rural poultry farming is often considered to serve as a starter capital to move out of poverty. It paves the way for sustainable agriculture. It also meets the demand for nutrition supplement of the family in the form of valuable animal protein through

eggs and meet. At R&R project area many families rear country chick. Such chick lays about 30 to 50 number of eggs per year. Adult chicks weigh about 1.5 to 1.7 kg. It can efficiently hatch eggs. We have introduced improved variety of chicks. Such chick will lay about 250 number of eggs per year. Adult chicks will grow up to 1.5 to 2 kg. It can be kept both in captive and grazing condition. Country chicks will be used to hatch its's eggs for sustaining its cycle. Both chick and its eggs look like country chick and hence fetch higher price compared to poultry chicks. As it lays a greater number of eggs and weighs more compared to country chick its farming is more profitable. 100% of poultry beneficiaries are women.













Off-season vegetable cultivation:

During rainy season the farmers sold spinach and coriander for Rs.80/- to 100/- per kg compared to Rs.10-12/- per kg during rainy season. The farmers constructed low-cost poly tunnels with support from KTMPL for this cultivation. Each farmers earned around Rs.16000/- within 3 months from a rain shelter of 300 square feet.





"Red Lady" Papaya cultivation



expected to earn a handsome income.

Many households at our R&R project area have land for doing kitchen garden at their back yards. In these lands we propose to promote high yielding papaya for additional income. "Red Lady" is a high yield dwarf variety plant. Single plant will bear about 85 fruits. The weight of the fruits will be 1.5 to 2 kg. Its life span is 1.5 to 2 years from planting. Its flowering starts from 4 months and its fruits are ready to harvest after 8-9 months. Standard spacing between row to row and plant to plant is 5-6 feet. On an average farmer have grown 15 to 20 plants. Already these plants have started bearing fruits. The farmers are

Infrastructure Support

Drinking water: We are dedicated to ensuring that every household in our project areas has access to clean and safe drinking water throughout the year. Recognizing the critical importance of reliable water sources, we take a holistic approach to water management. Our efforts include reviving traditional water sources such as hand pumps, wells, borewells, and community ponds. By restoring these sources, we help to secure a sustainable supply of water for the communities, reducing their dependency on unreliable or distant sources. In addition to reviving water sources, we also facilitate the distribution of clean drinking water in project-affected areas. Our water

distribution system includes the use of tankers to fill strategically placed tanks, ensuring that water is available within 200 meters of every household. This initiative not only brings water closer to homes but also significantly reduces the time and effort families spend on collecting water. We are also installing a RO water plant at Asanbani. By addressing both supply and accessibility, we are making a lasting impact on the health and well-being of the communities we serve.

Repairing of drinking water Sources					
Year	Type of Source	No of units Repaired	Project Area		
2023-24	Hand Pump	8	At R&R area		
	Well				
	Bore Well				
2024-25	Hand Pump	15	10 at Mining area and		
			5 at R&R		
	Well	2	At R&R		
	Bore Well	4	At Mining areas		
2025-26	Hand Pump	1	At R&R		
	Bore Well	2	1 at Mining area & 1 at		
			R&R		

• On an average 27000 liters of waters filled every day in 19 tanks and utensils.

Sanitation: We promote construction and use of toilets. Our aim is to provide 100% toilet coverage and open defecation free status for the communities in which we work. By encouraging



the use of toilets, we are not only addressing a critical public health issue but also fostering a culture of cleanliness and dignity. Our efforts are aligned with broader initiatives to improve the overall quality of life, reduce health risks, and ensure a safer and healthier environment for all residents.

Understanding the unique needs of women in these communities, we have also focused on constructing enclosed bathing spaces. These

facilities are designed to provide privacy, dignity, and safety, which are essential for the well-being of women. Beyond enhancing personal hygiene, these bathing spaces play a crucial role in reducing the risk of waterborne diseases and other health issues. By ensuring that women have access to safe and private spaces, we contribute to their overall health and empower them to lead healthier, more secure lives.

Year	Area	No community toilets
		constructed
2023-24	Mining Area	8
2024-25	Mining Area	4
2025-26	Mining Areas	4

Excavation/Reclamation of community pond:

The residents of Sarisakundi village used to face acute water shortage during winter and summer



season as they do not have adequate ponds in the area. KTMPL excavated a pond for their bathing and other domestic use. Besides domestic use this pond is benefiting the environment by way of water harvesting.

A water body at Rohraband near Tasra Basti was overgrown with weeds. This pond has been cleaned for facilitating the local

community people for using its water for bathing and other domestic purpose. 120 families have benefited from this intervention.

Year	Project Area	Pond Size (in Cubic Meter)
2024-25	Mandal Basti, Rohraband	7091
	Again, Same Pond at Maldal Basti,	7091
	Rohraband	
	At Sarisakundi	8400
2025-26	At Asanbani	11270

At Asanbani







Before Work Done After

At Rohrabandh







Work Done



After

Installation of street lights: There were many pockets in the project area which remained dark during night. In most of these areas there were lamp posts without any bulb. KTMPL has installed street lights for the safety of women, children and elderly people in the project areas. Besides installation of new streetlights old street lights were also being repaired as and when required.



Year	Area	No of Street lights
2023-24	At R&R	16
2024-25	58 at Mining area and 66 at R&R	124
2025-26	At mining area	3

2024-25

- Renovation of community meeting place at Kalipur
- Drain reclamation at Asanbani and Sarisakundi
- Construction of community building at Sarisakundi





Education

2024-25

- Renovation of Anganwadi at Rohraband, Mondal Total
- Leveling of undulating playground at Sarisakundi Primary School
- Supporting SPM college for utensils for Educational Tour

2025-26

- Infrastructure support to school
 - > Sarisakundi School:
- 2 Almira
- 2 book self
- 10 benches with desk
- Cricket bats, balls, wickets, football, badminton, cock
- Ludo, carom board set
- Wall extension for dead well for student's safety
 - > Rohraband School:
- Celling fan support
 - > DAV high school:
- False celling support
- **Drawing competition** on during **world environment day** at Sarisakundi & Rohraband School with **78 students**
- Support in SAIL's Education Program
 - > 100 students mobilized for coaching classes for Govt. competitive examinations
 - Primary coaching Class I to VIII at Rohrabandh School 80 students





Sports, Art and Culture

2024-25

- Jersey and Football kit support to women football players of Domgarh United Club and St Mother Teresa School
- Foot ball and goal post net support to Siv Shakti club, Kandra

- Supporting cricket kit to Tasra High School
- ➤ Volley ball kit support to youth of Aryasamaj area
- Supporting BIT Sindri for organizing football and volleyball tournament
- Celebration of Women's Day with the students of skill center

2025-26


- > Cricket kit support to youth of Asanbani & Rohraband
- Trophy support to Shivsakti club, Kandra, Domgarh united club & Jayshree Ram Club, Sialgara, Kandra for football tournament
- > Drawing competition at Rohraband and Sarisakundi primary school
- Celebration for World Environment Day








CSR Expenditure from April 2025 to Oct 2025






Annexure VIII

No	B Code	NAME	DESIGNATION
1	20400	SUNIL KUMAR MANDAL	SERVICE VAN DRIVER
2	20401	AKASH MANDAL	VOLVO OPERATOR
3	20402	UTTAM KUMAR SINGH	VOLVO OPERATOR
4	20403	MUKESH KUMAR SINGH	VOLVO OPERATOR
5	20404	SANJAY MAHATO	VOLVO OPERATOR
6	20405	MANOJ KUMAR BHARTI	VOLVO OPERATOR
7	20406	RAMESH PRASAD	VOLVO OPERATOR
8	20407	TAPAN KUMAR MANDAL	VOLVO OPERATOR
9	20408	DIPAK KUMAR SINGH	VOLVO OPERATOR
10	20409	AKASH KUMAR SINGH	VOLVO OPERATOR
11	20410	BHOLE SINGH	VOLVO OPERATOR
12	20411	SATYNARAYAN SINGH	VOLVO OPERATOR
13	20412	SUSHIL KUMAR MONDAL	EXCAVATOR OPERATOR
14	20413	MD BELAL	LOADER OPERATOR
15	20414	NAWAL SINGH	VOLVO OPERATOR
16	20415	SANNI KUMAR MUNDA	EXCAVATOR OPERATOR
17	20416	CHANDAN KUMAR	LOGISTIC ASSITANT
18	20418	KARAN KUMAR SINGH	BLASTING ASSISTANT
19	20419	RAHUL KUMAR SINGH	BLASTING ASSISTANT
20	20420	ROBIN KUMAR MANDAL	HELPER
21	20421	RAJVEER SINGH	BLASTING ASSISTANT
22	20422	BIRENDRA NATH MANDAL	ASSISTANT OPERATOR
23	20423	VIKRAM MANDAL	DOZER OPERATOR
24	20427	SANDEEP KUMAR SAH	ASSISTANT ELECTRICIAN
25	20428	SANJAY MAHATO	JCB OPERATOR
26	20431	SAMIR KUMAR MANDAL	SAFETY ASSISTANT
27	20432	VIKASH CHAUDHARY	SAFETY ASSISTANT
28	20438	VIKASH MANDAL	TRACTOR DRIVER
29	20440	GANESH BIND	PC OPERATOR
0	20441	MURALI GOPE	GRADER OPERATOR
11	20445	SUNIL KUMAR	ASSISTANT ELECTRICIAN
2	20447	BAPI MANDAL	SPOTTER
3	20448	ABHISHEK KUMAR SINGH	TRACTOR ASSISTANT
4	20454	VISHNU KUMAR	ELECTRICIAN
5	20455	ALAK MUNDA	ASSISTANT MECHANIC
6	20484	DOLU MODAK	ELECTRICIAN
7	20498	KALICHARAN PARMANIK	DUMPER OPERATOR
18	20499	SUKHDEV MODI	MECHANICAL ASSISTAN
9	20500	VIJAY SINGH	DUMPER OPERATOR
10	20501	AWDESH KUMAR SINGH	BLASTING HELPER
11	20502	DHANESHWAR SINGH	BLASTING HELPER
12	20503	JAY PRAKASH SINGH	BLASTING HELPER
13	20504	BISHWA NATH MAHATO	BLASTING HELPER
14	20505	ANUP KUMAR NMAHATO	DUMPER OPERATOR

S.No	B Code	NAME	DESIGNATION
45	20506	MANOJ KUMAR MAHATO	DUMPER OPERATOR
46	20507	NARESH PRASAD MAHATO	DUMPER OPERATOR
47	20508	RAMESHWAR MAHATO	DUMPER OPERATOR
48	20509	SANTOSH KUMAR MAHATO	DUMPER OPERATOR
49	20510	SANJEEB KUMAR SINGH	DUMPER OPERATOR
50	20511	SHAMSHAD ANSARI	GRADER OPERATOR
51	20512	ANGAD SINGH	BLASTING HELPER
52	20513	BIRENDRA SINGH	BLASTING HELPER
53	20514	GOUTAM KUMAR MAHATO	BLASTING HELPER
54	20515	NARESH SINGH	BLASTING HELPER
55	20516	SAROJ DHIWAR	BLASTING HELPER
56	20517	DHIRAJ KUMAR SINGH	BLASTING HELPER
57	20519	NIMAI MALLICK	BLASTING HELPER
58	20521	BIRENDRA SOREN	BLASTING HELPER
59	20386	SHUBHAM KUMAR MANDAL	TRANIEE OVERMAN
60	20397	ARUP DEV MANDAL	TRANIEE ENGINEER
61	20384	UJJWAL KUMAR MANDAL	TRANIEE ENGINEER
62	20417	VIKASH OJHA	TRANIEE OVERMAN
63	20424	SHANTANU DWIVEDI	OVERMAN
64	20425	RAMESH PORANDLA	SITE MANAGER
65	20442	AMIT KUMAR SINGH	SR.SUPERVISOR
66	20443	BHANU PRATAP SINGH	SR.SUPERVISOR
67	20453	RAVI KUMAR DASHOUVDHI	SURVEYOR
68	20463	JADI RAHUL	ASSISTANT MANGER
69	20469	AASHIPH ANSARI	ASSISTANT MANGER
70	20470	ROHIT MAURYA	ASSISTANT MANGER
71	20473	LAXMAN PANDIT	ASSISTANT MANGER
72	20479	KESHAV KUMAR	OVERMAN
73	The State of the last of the l	PRITISH KUMAR JHA	OVERMAN
74	20101	JJJWAL KUMAR	OVERMAN
75	10.0 O IO.M.	MANBOD DHIBAR	TRACTOR ASSISTANT
76	20523 F	RAVI KUMAR SINGH	TRACTOR ASSISTANT



Annexure IX

EMP Cost (Capital + Recurring) incurred till date

Capital Cost Incurred till date				
SI. No.	Specification	Investment (in lakhs)		
1	HEMM equipment (Hoe, Dumper, Soil Compactor, Loader, Dozer etc.)	2000		
2	Pollution abatement measures e.g. Water sprinklers, dust suppression, etc.	22		
3	Water Measuring instruments e.g. Piezometers, Flowmeters, pumps etc.	2		
4	Health Safety Instruments e.g.PPE, Medical equipment, etc.	10		
5	Pollution Monitoring equipment e.g. CAAQMS, ETP	80		
6	Green Belt Development	5		
7	Miscellaneous	8		
8	Total	2127		

	Recurring cost against E	MP (in lakhs)		
SI. No.	Activity	2024-25	2023-24	2022-23	2021-22
1	Environmental Monitoring (Air, Water, Noise, Soil)	3.75	3	2.5	2.5
2	Operation & Maintenance of Pollution Control Systems (CAAQMS, ETP, Sedimentation ponds, calibrations cost, etc.)	10	8	2	1.5
3	Water Sprinkling (Dust Suppression)	4.5	3	2.5	2
4	Greenbelt (Afforestation & Plantation)	10	4	2.5	2
5	Environmental Awareness and Training Programs	2.5	2	1.5	1
6	Occupational Health & Safety (PPE, Medical examination, training, etc.)	10	3	3.5	2.5
7	Total	40.75	23	14.5	11.5

Annexure X

म बिमंबर 2025 की स्मिना केंडी विश्व स्मानुद्धि में अपने में अमिन की कानीयर और स्मिन्साकुंद्ध में अपने में अमिन की जारी इस केंठक में आम की जारा कि की अपिन में अपने की अपने में अपने की अपनि कि वे राजाय स्मिना की अपने में अपने की अप इस बैठ्रक में अपस्थित सदस्यों का हस्तक्षर इस HADIN & 1 रनंगील द्रेवी या जय मार्चिक Komel Come Hollick Ruplay Sorem Usha Rom Mahato Soctish. el. Mahako Fish Brawix Rangy kymazi Promadlaishor (Mahado

Annexure XI



स्टील अथॉरिटी ऑफ इंडिया लिमिटेड STEEL AUTHORITY OF INDIA LIMITED

(भारत सरकार का उपक्रम)/(A Govt. of India Enterprises) कोलियरीज डिवीज़न /COLLIERIES DIVISION तासरा कोलियरी/TASRA COLLIERY

पोस्ट ऑफिस चासनाला – 828 135, जिला धनबाद –(झारखण्ड) P.O. CHASNALLA – 828135, DIST.: DHANBAD (Jharkhand)

Ref. No:DGM/TASRA/Env.Stat 24-25/19

To,
The Member Secretary
Jharkhand State Pollution Control Board

T.A. Division Building, HEC Campus, Dhurwa, Ranchi, Jharkhand-834004

Sub: Submission of Environment Statement of Tasra Coal Mining Project of M/s Steel Authority of India Limited for the FY 2024-25.

Ref.: JSPCB/HO/RNC/CTO-15663289/2023/1161 dated 28.06.2023

Dear Sir.

Please find the enclosed herewith "Environment Statement" of Tasra Coal Mining Project for the financial year 2024-25 in duly filled in the prescribed format Form-V under rule 24 of the Environment (Protection) Rule 1986.

Thanking you,

Encl: As stated above.

Copy to:

1. Regional Officer, MoEFCC, Ranchi.

2. Regional Office, JSPCB, Dhanbad.

Your's faithfully

(Pankaj kumar) Dy.GM (Mining), Tasra

Date: 08.09.2025

Parkal Kuma Manage Project

Pa

'ollieries Division, Chasnalla, Dhanbad, 'Jharkhand-828135, Telephone: +91-326-2385-001, 2385-002; Fax: +91-2385-003, email: gmtasra@gmail.com, website: www.sail.co.in कोलियरीज डिबीजन, चामनाना, धनवाद, आरखण्ड-828135,दूरमाप: +91-326-2385-001, 2385-002; फैस्स: +91-2385-003, धेमेत: gmtasra@gmail.com, बेबसाएट: www.sail.co.in

हर किसी की जिन्दगी से जुड़ा हुआ है सेल

There's a little bit of SAIL in everybody's life

[FORM -V]

(See rule 14)

Environment Statement for the financial year ending the 31st March 2024 for TasraCoal MiningProject of M/s-Steel Authority of India Limited.

PART-A

Name and address of the owner/occupier of the

industry operation or process:

Sri Sibaram Banerjee, GM I/C (Tasra), Central Office, Collieries Division, CMLO SAIL, Chasnalla, Dhanbad, Jharkhand- 828135.

Industry category Mining, Code – 010232

Primary (STC Code) Primary (Opencast Coal Mine)
Secondary (STC Code) Integrated Iron & Steel Industry

Production capacity 4 MTPA
Year of establishment 2009

(In FY 2024-25, 0.49 MTPA of incidental coal has been produced as the mine is still in developmental

stage due to pending Land Acquisition)

Date of the last Environmental Statement submitted:

16.09.2024

PART-B

WATER AND RAW MATERIAL CONSUMPTION

1. Water Consumption During FY 2024-25:

Activities	Consumption (KL/day)
A. Mining	
a. Dust Suppression	60
b. Fire Fighting	Nil
c. Workshop	5
d. Others	5
B. Process	Nil
C. Cooling	Nil
D. Domestic	Nil (Township is yet to be developed)
Total	70

Process water consumption per unit of product output:

Product	During the previous financial Year	During the current financial Year
Coal & OB	Nil	Nil

2. Raw Material Consumption:

Sl. No.	Raw Materials	Name of products	Consumption per produ	
			FY 2023-24	FY 2024-25
i.	HSD (litres/tonne)	Coal	0.56	1.85
ii.	Explosives (kg/tonne)	&	0.16	0.30
		Over Burden		

PART-C

Pollution discharged to Environment/unit of output: (Parameter as specified in the consent issued)

Pollutants	Quantity of pollutants discharge (mass /day)	Quantity of pollution generated	Percentage of variation from prescribed standards with reasons
Water	Not possible to Quantify	Monitoring of ambient air quality parameters, including PM ₁₀ , PM _{2.5} , SO ₂ and NO _x along with heavy metals, is being carried out on a regular basis at different monitoring stations established in both the core and buffer zones of Tasra OCP. The quality of groundwater, surface water (covering both upstream and downstream locations of the mine lease area) and mine water from the core and buffer zones of Tasra Mine is being regularly monitored.	The results of all monitored environmental parameters are are well within prescribed standards. All sampling and analytical work is carried out by M/s Adity R&D Services, an NABL-accredited and ISO 9001:2008 and OHSAS 18001:2007 certified laboratory, duly recognized by the Jharkhand State Pollution Control Board, Sindri, Dhanbad (Jharkhand).
Ambient Air Quality, Noise and Water Analysis reports enclosed as <i>Annexure- 2</i> .			

PART- D HAZARDOUS WASTES

(As specified under Hazardous Waste Management and Handling Rules, 1989)

		Hazardous waste	Total Quantity during FY 2024-25
A.	A. From Process		
	a)	Used/Spent Oil	14.49 KL
	b)	Wastes/residues containing oil	Nil
	c)	Discarded containers/barrels/liners contaminated	14.40 tonne
		with hazardous wastes/chemicals	
	d)	Batteries	Nil
В.	Fr	om pollution control facilities	Nil
	a)	O&G sludge (litres)	
	b)	Sludge from ETP (cum)	
	c)	Chemical waste	

PART- E
SOLID WASTES

		Total quantity (In million Cum)		
	Particulars	During the previous	During the current	
		FY 2023 - 24	FY 2024-25	
A.	From Mining Operation	11,36,609.514	15,38,035.00	
	(Over Burden)			
B.	From pollution control facilities	N/A	N/A	
C.	(1) Quantity recycled or reutilized	N/A	N/A	
	(2) Sold			
	(3) Disposed			

^{*}Total solid waste generated is being dumped near old abandoned pit in the project area, previously worked by BCCL.

Please specify the characterisation (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes:

PART-F

Name of Waste	Quantity	Adopted Disposal Method		
A. Hazardous Waste				
Used/Spent Oil	14.49 KL	Stored at earmarked place & will be		
		handed over to authorised		
		reprocessors/recyclers.		
Wastes/residues containing oil	Nil			
Discarded containers/barrels/liners	14.40 tonne	Stored at earmarked place &will be		
contaminated with hazardous		handed over to authorised		
wastes/chemicals		reprocessors/recyclers.		
Sludge fromO&G trap (litres)	Nil			
Sludge from ETP (cum)	0.2 tonne	Dried cakes of silts are disposed		
		along with OB.		
Chemical waste (if any)	Nil			
B. Solid Waste				
Over Burden (OB) (cum)	6,52,912.42	Backfilling of de-coaled area & OB		
		dump yard		
Top Soil (cum)	60,000	Stacked for re-utilization during		
		green belt development		
Sedimentation Pond Sludge	Nil			

PART-G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production:

- 1. Installation of ETP to treat the waste water generated before utilization for secondary uses as vehicle washing, sprinkling, etc.
- 2. Regular water sprinkling and dust suppression systems have reduced fugitive dust emissions from quarry area, haul roads, dump yards, loading/unloading areas, weigh

- bridges, office and surrounding locality. This also ensures efficient use of water, thereby conserving water resources.
- 3. Installation of piezometer has facilitated monitoring of groundwater levels.
- 4. Periodic maintenance of HEMMs have reduced fuel consumption
- 5. Use of controlled blasting techniques with electronic detonator and muffling have reduced fuel consumption and effectively minimised blast-induced ground vibration and noise level fly rock, hence reduction in operational costs and ensure safety and health of workers.
- 6. Rain water harvesting system has improved groundwater recharge and long-term sustainability.
- 7. Re-use of overburden material for backfilling of abandoned mine voids has reduced the requirement for new land and minimized transportation costs, thereby reducing fuel usage and carbon footprint due to transportation & waste disposal.
- 8. CAAQMS installed at the mines premise facilitates continuous monitoring of ambient air quality parameters in the area.
- 9. ROM Coal is transported using tarpaulin-covered trucks, which effectively reduces fugitive dust emissions during transportation.
- 10. Frequent cleaning of drainage systems has reduced surface run-off and allow water conservation by the storing the runoff water and reusing for secondary purposes.
- 11. Efficient utilisation of energy resources through the use of LED lighting, with a proposal to further increase in the next FYs.
- 12. Coal Production and waste excavation (OB) details is enclosed as *Annexure-3*.

PART-H

Additional measures/investment proposal for Environmental Protection including abatement of Pollution, Prevention of Pollution:

- 1. Provision for installation of fog canons/water jetsto control the fugitive emissions
- 2. Increase afforestation drives to cater dust suppression by green belt development in & around the mining area
- 3. Creating awareness/environmental training programmes among employees, workers and villagers of maintaining clean environmental practices.
- 4. Inclusion of fuel-efficient and low-emission HEMM fleet (including retrofitting of exhaust systems) to reduce fuel consumption and associated GHG emissions.
- 5. Development of additional rainwater harvesting structures and recharge pits to improve recharge of groundwater aquifers.
- 6. Installation of solar-powered street lighting in mine premises, haul roads and office areas to promote clean energy.

PART-I

Any other particulars for improving the Quality of the Environment:

- World Environment Day was celebrated on 5th June, 2025 at Tasra Open Cast Project to spread environmental awareness among the surrounding communities.
- As part of the celebration, a tree planting drive was also organized at the R&R area and within the mine premises to promote green cover and dust suppression. (Annexure-1)
- A school-level environmental awareness competition was also held to raise awareness among students and local villagers about the significance of environmental protection and sustainable practices.
- Road safety awareness programmes are also conducted to raise awareness among workers and the community.